**Quarry project of** 

# M/2 Royal Sand and Gravely (P) Ud,

Akathethara Village Akathethara Panchayath Palakkad Taluk Palakkad District Kerala State

#### **841 Compliance Report** (Ref. E.C. No. 160/SEL 1. 1/KL/3490/2013 dl. 24.05.2014)

Royal Sand And Grannis (P) Ltd



**Quarry project of** 

#### M/s Royal Sand & Gravels (P) Ltd.

Akathethara Village Akathethara Panchayath Palakkad Taluk Palakkad District Kerala State



#### for the period from October 2017 to March 2018

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **3** of **38** 

#### **TABLE OF CONTENTS**

Item No.	Description	Page No.
	Monitoring Report – Part I	7
I.	About the proponent	9
	About the project	
	Project category	9
II.	Project location	9
	Project extent and activity	10
	Project description	10
	Report of Compliance	
III.	Compliance of Specific Conditions	11
	Compliance of General Conditions	12-20
	Plates	
	Plate S.4 & G.1 – Rain water storage	23
	Plate G.12 – Blasting time display	25
11.7	Plate G.15 – Tarred access road	27
IV.	Plate G.17 – Formation of benches	29
	Plate G.19 – Mining depth	31
	Plate G.21 – Acoustic enclosure	33
	Plate G.38 – EC display board	35
	Annexure	
	Annexure G.14 – Copies of certificates in respect of Sri. Ammasigounder Ranganathan, Sri. Ravisankar Reddy and Sri. S. Guruswamy	A1-A4
	Annexure G.30 – Copy of Consent to Operate issued by Kerala State Pollution Control Board	A5-A6
V.	Annexure G.31(1) – Copies of licenses issued to crusher unit (No. A4/2017-18 dt. 07.04.17 valid up to 31.03.18 and No. A5/2017-18 dt. 07.04.17 valid up to 31.03.18) and license issued to quarry unit (No. A3/2017-18 dt. 07.04.17 valid up to 31.03.18) issued by Akathethara Grama Panchayath	A7-A9
	Annexure G.31(2) – Copy of license (No. E/SC/KL/22/1222 (E61052) dt. 30.08.2016 valid up to 31.03.2021) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine	A10-A15
	Annexure G.31(3) – Copy of quarrying lease deed valid for a period of 12 years from 22.08.2014 to 21.08.2026	A16-A29

#### MONITORING REPORT - PROFORMA - PART I

1.	Name of the project	Quarry project of M/s Royal Sand and Gravels Pvt. Ltd.
2.	Clearance letter no. & date	Environmental Clearance No 160/SEIAA/KL/3490/2013 dated 24.05.2014 issued by SEIAA Kerala
3.	Location: District & State/UT	Palakkad District, Kerala State
4.	Address for correspondence:	Mr. Mohammed Fazeel T.A. Managing Director M/s Royal Sand & Gravels (P) Ltd. Plaza Junction, Dhoni P.O. Palakkad Kerala state Pincode: 678009.
5.	Contact No. of office with name of responsible official	NIS AR . T
6.	Mobile No. of concerned officials associated with monitoring	9544982222 8606544222
7.	Date of commencement (Actual and/or planned)	24/05/2014
8.	Validity of CFO (Consent for Operation obtained from Kerala State PCB)	23/05/2019
9.	Present status of the project	Continuing
10.	Email id of the contact person to whom communications to be sent	royal grs @ yahoo com mail 2 nisa 2200 @ gmaile com.
11.	FAX Number	

EC No. 160/SEIAA/KL/3490/2013 dt. 24.05.2014 issued by SEIAA Kerala / MoEF & CC

Date: 17/04/2018



Signature of authorized signatory Name: Mohammad Freed . 7 A Designation: For ROYAL SAND AND GRAVELS PVTLTD Managing Director

Prepared by MIKE (Monkambila Institute Resping Environment). Ph: v81 9446520502. Email- mikeinkerala@gmail.com

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **7** of **38** 

#### I. <u>ABOUT THE PROPONENT</u>

M/s Royal Sand and Gravels Private Limited possess a quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala state.

State level Environment Impact Assessment Authority Kerala (SEIAA Kerala) accorded Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24.05.2014 to the quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala managed by M/s Royal Sand and Gravels Private Limited.

M/s Royal Sand and Gravels Private Limited is controlled and managed by Mr. Mohammed Fazeel T.A., Managing Director, M/s Royal Sand & Gravels (P) Ltd., Plaza Junction, Dhoni P.O., Palakkad - 678009; Mob. No. 09447129278; E-mail: royal\_grs@yahoo.com.

Among the conditions specified in the said Environmental Clearance (EC), it is mandatory to file six monthly compliance report(s). This report is in compliance of it; and the eighth report in its series.

#### II. ABOUT THE PROJECT

#### a. Project category:

The project comes under the Category B, Activity 1(a) of Schedule of EIA Notification 2006 and subsequent amendments.

#### b. Project location:

Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District, Kerala. The proposed project site falls within  $10^{0}$  51' 24.53" N to  $10^{0}$  51' 38.56" N and  $76^{0}$  37' 50.95" E to  $76^{0}$  38' 5.63" E.

#### c. Project extent and activity:

The project is for quarrying of 3,50,000 MTA of building stone from an area of 9.3928 hectares of land located as specified above. The expected life of mine is 28 years.

#### d. Project description:

The proposed project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be backfilled and reclaimed and rehabilitated by plantation leaving no void. The proposed project does not involve any underground mining activities. The mining will be done by open cast semi mechanized method. The sewage of 0.8 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.

#### III. <u>REPORT OF COMPLIANCE</u>

#### A. SPECIFIC CONDITIONS

ltem No.	Stipulations in EC	Status of Compliance	Remarks
S1	Limit quarry to the stream on the eastern side to permit unhindered flow of the stream.	Special care is taken to ensure that quarrying is limited to the stream on the eastern side.	
S2	Leave statutory distance from the forest land on the north.	Statutory safe distance is being maintained without fail.	
S3	The stream may be provided with low level check dams to trap silt.	Construction activities for building the check dam is progressing.	
S4	Rain water harvesting facility is required in the absence of dependable source of water.	•	Plate S.4 & G.1 – Rain water storage (Page 23)

#### B. GENERAL CONDITIONS

ltem No.	Stipulations in EC	Status of Compliance	Remarks
G1	Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified elsewhere.	Provision is made to store rain water in ponds.	Plate S.4 & G.1 – Rain water storage (Page 23)
G2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	5 ,	
G3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees are planted along either side of the tarred road and open parking areas inclusive of approach road and internal roads.	
G4	The project shall incorporate devices for solar energy generation and utilization wherever possible.	Solar energy is not utilized for the project at present.	
G5	the project site to contain dust emissions.	In order to contain dust emissions, sprayers are installed and used in the crushing unit area located inside the project site.	
G6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	The condition shall be followed scrupulously.	

G7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumpings and overburden and planted with indigenous plant species that are eco-friendly.	The directions contained shall be scrupulously followed at the time of mine closure.	
G8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented in tune with the conditions specified in the Companies Act, 2013.	CSR component is implemented in tune with the proposed ones.	
G9	Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that falling of animals/human beings/dumping of garbages, etc. does not happen.	Barbed metal wire fencing around the mining area with a height of not less than 5 feet is provided.	
G10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Warning alarms indicating the time of blasting is arranged.	
G11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	The directions contained are being scrupulously followed. In order to control noise, proper maintenance of machinery and maintenance of wide green belt are being done. Controlled blasting technique is used to reduce blast vibrations.	

G12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Quarrying activities are done only during day time and is in tune with the KSPCB guidelines. Blasting is done at 10 am, 1 pm and 5 pm.	Plate G.12 – Blasting time display (Page 25)
G13	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Blasting is done using electric delayed detonator as stipulated by the Explosives Department.	
G14	A licensed person should supervise/control the blasting operations.	Ammasigounder Ranganathan (who is holding Manager's first class Certificate of Competency to manage a metalliferous mine), Sri. Ravisankar Reddy (who is holding Gas testing Certificate of Competency) and S. Guruswamy (who is holding Mining Mate's Certificate of Competency) are supervising/controlling the blasting operations.	AnnexureG.14– Copiesof certificates in respect ofSri.AmmasigounderRanganathan,Sri.RavisankarReddy and Sri.S. Guruswamy (Pages A1-A4)
G15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Access roads to the quarry site are tarred.	Plate G.15 – Tarred access road (Page 27)
G16	Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.	Overburden is stacked in pre-determined site specified for the purpose.	
G17	Height of benches should not exceed 5 m and width should not be less than 5 m.	Formation of benches is progressing. Height and width of benches shall be maintained as 5 m x 5 m.	Plate G.17 – Formation of benches (Page 29)
G18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Mats are used during vibration studies.	

G19	Mining depth should not exceed beyond 40 m, unless otherwise specified or not below the level of nearest stream bed, whichever is less.	Mining depth is above the ground level at present.	Plate G.19 – Mining depth (Page 31)
G20	No mining operations should be carried out at places having a slope greater than 45°.	It is ensured that no mining is carried out at places having a slope greater than 45°, if any.	
G21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided for the crusher unit to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by KSPCB.	Plate G.21 – Acoustic enclosure (Page 33)
G22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site are provided with the required protective equipments such as ear muffs and helmets.	
G23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains are provided to channelize storm water.	
G24	The transportation of minerals should be done in covered trucks to contain dust emissions.	The condition is followed scrupulously.	
G25	The proponent should plant trees at least 5 times of the loss that has been	Badam trees are already grown in the site while clearing the land for the project.	

	occurred while clearing the land for the project.		
G26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil is re-used in compressor.	
G27	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Scrupulously follows the directions contained.	
G28	Norms of Kerala State Pollution Control board should be adhered to regarding distance criteria of residences, roads, rivers and worship places.	Scrupulously follows the directions contained.	
G29	200 m buffer distance should be maintained from forest boundaries.	Statutory safe distance shall be maintained without fail.	
G30	Consent from Kerala State Pollution Control Board under Water and Air (Acts) should have been obtained before initiating activity.	Consent to Operate under Air (Prevention & Control of Pollution) Act, 1981, (Consent No. PCB / PLKD / ICO / R1/ 490 / 2017 dt. 30.11.2017 valid up to 23.05.2019), is obtained from Kerala State Pollution Control Board. <b>[Annexure G.30]</b>	<u>Annexure G.30</u> – Copy of Consent to Operate issued by Kerala State Pollution Control Board (Pages A5-A6)
G31	All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Clearances are obtained from : 1. Akathethara Grama Panchayath for metal crusher unit and quarry <b>[Annexure G.31(1)]</b> 2. Petroleum and Explosives Safety	Annexure G.31(1) – Copies of licenses issued to crusher unit (No. A4/2017-18 dt. 07.04.17 valid up to 31.03.18 and

Page **16** of **38** 

		Organization (former Explosives Department) [Annexure G.31(2)] 3. Department of Mining and Geology [Annexure G.31(3)]	No. $A5/2017-18$ dt. 07.04.17 valid up to 31.03.18) and license issued to quarry unit (No. A3/2017-18 dt. $07.04.17valid up to 31.03.18)issued by AkathetharaGrama Panchayath (PagesA7-A9$ ). <u>Annexure G.31(2)</u> – Copy of license (No. E/SC/KL/22/1222 (E61052) dt. $30.08.2016$ valid up to 31.03.2021) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine. (Pages A10-A15) <u>Annexure G.31(3)</u> – Copy of quarrying lease deed valid for a period of 12 years from 22.08.2014 to
G32	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	21.08.2026 (Pages A16-A29).
G33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	

	take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.		
G34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Strict compliance shall be adhered to the conditions specified herein.	
G35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the	Environmental Clearance were given in two newspapers: 1. Kerala Kaumudi (Malayalam daily) dt. 04.06.2014 2. The New Indian Express (English daily) dt.	

	website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	been forwarded to the Directorate of Environment and Climate Change.	
G36	A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental clearance shall also be put on the website of the company by the proponent.	<ul> <li>Copy of EC has been forwarded to the Secretary, Akathethara Grama Panchayath.</li> <li>Copy of EC is displayed in the notice board of the company.</li> </ul>	
G37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same	Conditions are being complied with. This eighth report is in compliance with the submission of six monthly compliance reports; and is for the period October 2017 to March 2018. Former reports are already submitted to the concerned as stipulated herein the condition.	

	periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate		
	Change, Govt. of Kerala.		
G38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.		Plate G.38 – EC display board (Page 35)
G39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Affidavit was submitted to SEIAA.	

## IV. PLATES

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **21** of **38** 

Page **22** of **38** 

#### <u>Plate S.4 & G.1</u> Rain water storage

EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **23** of **38** 

Page **24** of **38** 



Page **25** of **38** 

Page **26** of **38** 





Page **27** of **38** 

Page **28** of **38** 

#### Plate G.17 Formation of benches

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **29** of **38** 

Page **30** of **38** 

### Plate G.19 Mining depth

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

15- 40.00

Page **31** of **38** 

Page **32** of **38** 

### Plate G.21 Acoustic enclosure

EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **33** of **38** 

Page **34** of **38** 

#### NOTICE

This is to inform to the General Public that the proposed quarry project in Survey Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Result of the second Palakkad Taluk, Palakkad District, Kerala being developed by M/s Royal Sand & Gravels Pvt. Ltd., is accorded with ENVIRONMENTAL CLEARANCE by state Environment Impact Assessment Authority, Kerala vide Order No.160/SEIAA/ KL/3490/2013 dt. 24.05.2014 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaaakerala.org

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **35** of **38** 

© MIKE (Mookambika Institute Keeping Environment). Ph: +91 9446520502. Email- mikeinkerala@gmail.com



6 30

Page **36** of **38** 

# V. ANNEXURE

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **37** of **38** 

© MIKE (Mookambika Institute Keeping Environment). Ph: +91 9446520502. Email- mikeinkerala@gmail.com

CC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **38** of **38** 

© MIKE (Mookambika Institute Keeping Environment). Ph: +91 9446520502. Email- mikeinkerala@gmail.com

		ANNEXURE	G1.14
ਪੱਸ 1952 ACT 1952 A	and the Regulations 1961 J a great as sh tiftera) having topencast workings only 1 2000. L sh antifican fafen sharn it artint gith qu targatu it area faga Hail grunu-ura artin farat man it 1 antim 1 090. angomalian	<ul> <li>is hereby granted MANAGER'S FIRST CLASS</li> <li>ous mine having opencast workings only. This Certificate</li> </ul>	Mond H. M. M. Marine and Mining Examinations
	Mines A Mines A and as penca L al a penca L al a pungo n		8 7/8
स्वान अधिनि स्वान अधिनि त्रभन भ्रेणी प्रनंधक सक्षमता प्रमाण-प नRST CLASS CERTIFICATE OF COMP	Contract of the second statement of the second statement of the second statement of the second statement of the	ad on owowedder, 200. NCY to manage a mitallifer موجود هجود	Wembers of the Board of Mining Examinations. A Styned and Seuled Date 1 19
สเรา มในโร สสเรา มในโร มาย มีขา้า มายังการ มายังโรคม MANAG.R'S FIRST CLASS CERTIFICATE OF COMP	Ty . (Diestigier)       (Under the Metalliferous L         Ty . (Diestigier)       (East laga and and the Metalliferous L         Interfigier       (Restricted to mines having farts and aga aga aga aga aga aga aga aga aga ag	bom ca 1 th other, 1943 the preser ed examination held on ollowamber, 200. CERTIFIC TE OF COMPETENCY to manage a mitallifer is effective rom 03.06.2002 is effective rom 03.06.2002	
			A1

and found to be fit to carry due the prescribed duties up to 16:10, 20

Sirector of Mines Safety, Chennai Region.

2010 Valid PICZ.

भाष सुराधा निर्देशक (वर्षणा) Director of Mines S-fety (Example भाषत ज यह महाश्रेय

Bart of Inc. ++, 17797 1 BRG M.S. HINGHT

Certific cost medically examined to collo 20. Lass and to cad control carry out the referenced de ratio 12012

ector of Mines Safety, and Segion.

Certified that he was medically examined on 3.0.7.1.0.7.2013 and found to be fit to carry out the prescribed duties up to 2.1.10...201

Virector of Mines Safety, Chungal Region.

Certified that he was medically examined on 2.15 11 P-214 out found to be in to carry but the preserved dates opto 20 Aicy2.

Sing

reter of

Oist Sta VIII that he was medically ned on 23-07-2017. found to be fit to carry out the prescribed duties (up to 27-97-2018 05/09/2017 Sirector of Mines Safe-Que timi Region innnar Thecked by and found to he r of Mines Saf examined on. iffed tha

Nabr

Mamil

12

AN IN CASE AND A STATE

inter i

202

NOW

FO

Catter

ă

repared

O

0

Hor he Address

Jalavo

300

Cert No. GT / Sc. 2/0516





भारत सरकार/Government of India खान अधिनियम, 1952/Mines Act, 1952 खनन परीक्षा बोर्ड/Board of Mining Examinations

## गैस परीक्षण सक्षमता प्रमाण-पत्र GAS-TESTING CERTIFICATE OF COMPETENCY

(कोयला खान बिनियम, 1957/धात्विकीय खान विनियम, 1961 के अन्तर्गत) (Under the Coal Mines Regulations, 1957/Metalliferous Mines Regulations, 1961)

श्री सुपुत्र जिनको जन्म तिथि है, को अपनी आय, स्वस्थता और सदाचार का सन्तोषजनक प्रमाण प्रस्तुत करने एवं दिनांक को केन्द्र पर आयोजित विहित परीक्षा में उत्तीर्ण होने पर गैस-परीक्षण सक्षमता प्रमाण-पत्र प्रदान किया जाता है । Shri S Ravi shankar Reddy son of S Rama chandra Reddy 01 st July, 1990 born on having given satisfactory evidence of his age, medical fitness and good character and having passed the prescribed examination held at GVTC, Kalichedu centre on 16-07-2012 is hereby granted GAS-TESTING CERTIFICATE OF COMPETENCY.

बाएं हाथ के अंगूठे का निशान Left hand thumb impression

8/1/13 अंचल सचिव खनन परीक्षा बोर्ड

Zonal Secretary Board of Mining Examinations

Signed and Sealed Date 28-03-2013

अध्यक्ष खनन परीक्षा बोर्ड Chairman Board of Mining Examinations

A3

Marc of Mc Hiferons) the was

22 Document

9227



#10 11 12 WR C. I. M. 1229R

小学 日 日本

1

यान जगितियम, 1952 THE MINE'S ACT, 1952

### खनन मेट संस्थेता प्रमाण-एव MINING MATE'S CERTIFICATE OF COMPETENCY

( यात्वीय साम विकियम, 1961 के अधीत ) (Under Metall fe.ous Mines Regulations, 1961)

(केंबल खन कार्यव्यक्ता वाली करनीय खाता कर शामन) (Restricted to metalliferous mines aving open-cast workings only)

sit , मपत्र (निवासीत) गांव , थाना fun leight , राज्य इत्म तारीख ने अपनी आय, स्वर्थता, सदाचार, साक्षरता और अनुभव का िनेगनमा रमाण ने विसा के और जग-गं हई परीक्षा पास कह जी है इसे यात्वीय खान विनियम, 1961 के अधान उन पालीय खानों के लिये जिनमें केवल खुल कायत्यनों तक कार्य र...भेज होया हे खनन मेट समर्थता प्रमाण-पत्र दिया जाता है। Shri S. GURISAMY, of Vilage CHEMICAL'S COLONY, AKKAMAPET, Thena SANKARI, District SALEM ....., Site TAMILNADU. born on 10th APRIL 1958. Laving given satisfactory evidence of his age, medical fitness, good conduct, literacy and experience and having passed an communition head at SALEM 17.5.1989. is hereby stanted a MINING MATE'S CONTIFICATE under 1961, restricted to meralliferous mines having open cast works galonly. चिव. ध्यवा. मारः "नीक्षा बोई खनग गरीका बोड Secretary, Chairman, Board of Mining Examinations. Board of Mining Examinations. 1. 1907. and Elins The Methor Chemical presi Left hand thumb impression Director of Minet Safety, Chennel Reg 609-04-2018 Instrial Corporation 2. प्रमाणित किया जाता है कि उसकी घरीना की गई और उसे बर्रपन, रोबोप दृष्टि या अन्य दिसी ऐसी धारी दि या मानसिक अवस्विता स रा ज पापा गया. जिसका उसको दशतापूर्वक कार्य नियाद । पर प्रभाव पहले की संभावने हो । Certified that ne was examined and found five 2 on Cofficer, delevive vision or any cheric hange bernar or physical, likebyto interfere with the di cient di charge of his du es. 00514 22-5- az शाव को 0104/07 Diracios of Minaso Selety (Outling 4 0.1 814 97 200 83 00 s. Mit 2 17-4.103 PUR DAD MICH IN Den tor of Marie



# KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2561/2014 Date of issue :30/11/2017

# INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/490/2017

# Ref : CONSENT NO: PCB/PLKD/IC/CO/F/3242/2014 DATED 27.12.2014 VALID UPTO 01.12.2017

The 'Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619 is hereby renewed up to 23/05/2019 and issued to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

### I. GENERAL

S.No.	Items	Description
1	Fee Paid	Rs.34,440/- (Adequate up to 01.12.2022)
2	Renewal Date	ON Before 22.02.2019
3	Validity	23.05.2019

## **II. Stack Details**

Stack No.	Source of Emission	Emission	Stack Hei	ght above	Control
	Linission	Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment

## **III. CONDITIONS**

1. This consent is granted on the basis of the affidavit furnished by the applicant. If the statement furnished in the affidavit is found false, the consent issued will be withdrawn/cancelled.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :30/11/2017

## SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIRONMENTAL ENGINEER



То

MOHAMMED FAZEEL T.A MANAGING DIRECTOR ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR - 680619

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

A6



ANNEXURE G. 31 (

04

തീയതി.

0

20

いちと 通り着れたいい コケリール・シアン あれどれて

The Realized

66EIWIRIN กณล. 2014-12017-18

GLM

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് ( 1994 ലെ 13 ) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു നൽകുന്ന

## ഡി & ഒ ലൈസൻസ്

മേൽവിലാസവും	Condent wing + (Sinder Condent wing + (Sinder Con , mon - 678009	w and elay will	
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	Enizard wing of Givin Enizard could Enix		
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	வருதாக கோக கியுரது	we we we we	
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡു നമ്പരും	1/23, maseman when m	n aley 25°.	
ലൈസൻസ് കാലയളവ്	01.04,2017 ajardi.	31.03.2018 and	
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	4000/	000%00 00000 11604106997 1.3.17	
ലൈസൻസ് അനുവദിക്കു ന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ			
വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്, നൽ കിയ അധികാരസ്ഥാനം)			
ം ഓഫീസ് മു	Anonem	സക്രട്ടറി Secretary A7	chayat
Y-2014			



660 mm mm 2 20 15-18

mon 07.04.2017.

the international

<u>എക്ക്രണണ്</u> ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട്ട് ( 1994 ലെ 13 ) 232, 233, 234, 254 എന്നീ

വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു നൽകുന്ന

	ഡി & ഒ ലൈസന്	ർസ് 👘 👘
ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	egnond or. Wandist, Constanting & Onvo	stand and engly and
സ്ഥാപനത്തിന്റെ പേരും, സ്ഥലനാമവും	Condito wing 4 (0, - Carand (3, 2d Cara	under oracy. elalgred.
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ngen ans and	דביירד היציציב רייח אובי אים "ה
കെട്ടിടത്തിന്റെ നമ്പരും വാർഡു നമ്പരും		mma aleguas. m.m.d. 13.11
ലൈസൻസ് കാലയളവ്	01.04.2017	njora 21.03.2018
ഈടാക്കിയ ലൈസൻസ്		രസീത് നമ്പർ
ഫീസ്	4000/-022	11604107001
ലൈസൻസ് അനുവദിക്കു ന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലയളവ്,നൽ കിയ അധികാരസ്ഥാനം)		
ണ്ട് Gre ലി ഓഫീസ് മ	Jug 20 Arre	Secretarysen Secretarysen Secretary

ഡി & ഒ ലൈസൻസ്



ലൈസൻസ് നമ്പർ 203/2017-18

million 07.04.2017

1994 ലെ കേരളാ പഞ്ചായത്ത് രാജ് ആക്ട് ( 1994 ലെ 13 ) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ചു നൽകുന്ന

	ഡി & ഒ ലൈസൻസ്	
656(m)/m/m/m	51. 2A. 2m23 20 mila	rb
ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	21 cm Blon wand's B	1 0 0 0
	Content and the forde	ron norg. el el a no
സ്ഥാപനത്തിന്റെ പേരും,	Condito wing of Go	alote and alo
സ്ഥലനാമവും	Buran (Buld Conw	V
	222018 01000	
ലൈസൻസ് നൽകിയിട്ടുളള പ്രവർത്തനങ്ങൾ	കറിങ്ങള് പനസം, പ	Novie ouros
(4373700910)(1) 6813 0.0	wewlawew	
കെട്ടിടത്തിന്റെ നമ്പരും	molemma alegra	
വാർഡു നമ്പരും	al. m. mo: 2, 14, 15	
	0,111 - 4,14,15	, 16 1
ലൈസൻസ് കാലയളവ്	01.04.2017 ajord	31.03.2018
		<u></u> a
ഈടാക്കിയ ലൈസൻസ്		രസീത് നമ്പർ
ഫീസ്	12000/- mga	11/
		11604106999
		1.3.1
	•	
ലൈസൻസ് അനുവദിക്കു		
ന്നതിനായി ഹാജരാക്കിയ		
റിരാക്ഷേപ പത്രങ്ങളുടെ പിശദാംശങ്ങൾ ( നമ്പർ,		
ീയതി, കാലയളവ്, നൽ		
പത്രത്രത്താണം)	~	,
Continue Good		
1.37		INN
	a J	t and
ເຜຍດາໃຫ້ເຫັນດ	51	Secrements
Segment in Do Billa	Charle mo	ann Akethethara Grama Pan
1.611		

ANNEXURE G1.31



भारत सरकार | Government of India वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO) पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.ओ.कक्कानाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037 फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SC/KL/22/1222(E61052)

दिनांक (Date): 30/08/2016

सेवा में | To,

#### Shri MOHANAN . Director,

M/s. Royal Sands and Gravels Pvt. Ltd., Theparambil House, Thrithalloor West Post, Thrissur, Town/Village - Thrithalloor. WestPo District-THRISSUR, State-Kerala, Pincode - 680619

C	षय

Survey No.ReSurvey No.13/1 Block.25, ग्राम Akathethara, Palakkad taluk, जिला PALAKKAD, राज्य, Kerala में मेसर्स Shri MOHANAN .Director द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1222(E61052) के संशोधन संदर्भ में (विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन) Possession for Use of of Explosives from magazine situated at Survey No.: ReSurvey No.13/1 Block.25, Akathethara, Palakkad taluk, Dist. Subject: PALAKKAD, Kerala -Licence No.: E/SC/KL/22/1222(E61052) granted in Form LE-3 of Explosives Rules, 2008 -

महोदय | Sir.

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 30/08/2016 का संदर्भ ग्रहण करें। Please refer to your letter no. Nil dated 30/08/2016.

अनुजप्ति संख्या E/SC/KL/22/1222(E61052) 1. VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE AND LOCAL STATE GOVERNMENT AUTHORITIES APPROVAL/ENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME SHALL BE IN POSSESSION.2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR APPROVAL/ENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY.3. OPENING OF QUARRY SHALL BE INFORMED TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED AS PER MINES ACT.4. APPROVED BLASTER SHALL BE APPOINTED IN THE QUARRY FOR BLASTING. 5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-5, RE-7 RE-13 SHALL BE MAINTAINED.6.DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE. के संदर्भ में यथा संशोधित कर भेजी जा रही है।

The Licence No.: E/SC/KL/22/1222(E61052) is forwarded herewith duly amended in respect of followings ;

( Amendment of Quantity of Explosives/Monthly Purchase Limit).

1. VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE AND LOCAL STATE GOVERNMENT AUTHORITIES APPROVAL/ENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME SHALL BE IN POSSESSION.2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR APPROVAL/ENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY.3. OPENING OF QUARRY SHALL BE INFORMED TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED AS PER MINES ACT.4. APPROVED BLASTER SHALL BE APPOINTED IN THE QUARRY FOR BLASTING. 5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-5, RE-7 RE-13 SHALL BE MAINTAINED 6 DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE.

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी। The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	100	Kg.
2	Safety Fuse	6	1	0	2000	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	1000	Nos.

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुजप्ति के लिए लागू): 15 गुना Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 15 times as above.

यह अन्जपित दिनांक 31 मार्च 2021 तक प्रवृत्त रहेगी। This Licence shall remain valid till 31st day of March 2021.

अनुज़प्ति के आगामी नवीकरण हेत् कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें। For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully एस. केंद्रसामी | S.KANDASAMY) <

उप विरूफोटक नियंत्रक | Dy. Controller of Explosives कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

> कृते उप मुख्य विस्फोटवा निवन्त्रक For Deputy Chief Centroller of Explosives UTIDOM Emakulam

			•	South States	
1	(विस्फोटक नियम, 200)	8 की अनसची 4 के भाग	ENCE FORM LE-3 1 के अनुच्छेद 3(क) से (1 e IV of Explosives Rules,	म) देखिए।) 2008)	
(ग) उपयोग के लिए एव	क समय पर वर्ग 1,2,3,4,5 या	ा वर्ग 7 के विस्फोटक या	ा किसी मैगजीन में वर्ग <del>(</del>	के विस्फोटव	
1.00	Licence to possess : (c ) : E/SC/KL/22/1222(F61052	c) for use, explosives of c	elass 1, 2,3,4,5,6 or 7 in a r	magazine	
Licence is hereby granted			11 1 1 1 1	t. of India * *	
State-Kerala, Pincode - 6		<b>Shri Mohanan)</b> , M/s.F Town/Village - Thritha	Royal Sands and Gravels I lloor. WestPot District-Ti	MEMA IRISSUR,	
	ति   Status of licensee : Com		a Commo	1000 ment	M
Licence is valid only for t	नयोजनों के लिए विधिमान्य है the following purpose.	Detonator	5, - 9 344101 9 1010	Safety Fuse, Electric a	nd/or Ordinary
अनुजण्ति विरूफोटकों के 1 Licence is valid for the fo	निम्नलिखित किस्मों, प्रकार 3 blowing kinds and quantity of	भौर मात्रा के लिए विधिन f explosives: (क) (a)	नान्य है।	45 T-44-2-5	
 क	नाम और विवरण	वर्ग और	11911-11		
Sr. No.	Name and Description	Class & D		मात्रा किसी एक सम Quantity at any one	
1.	Nitrate Mixture	2 ,0	0	100 Kg.	and the second s
3. Ele	Safety Fuse ectric and/or Ordinary Detona	6,1 ators 6,3		2000 Mtrs 1000 Nos.	
<li>किसी एक कलैंडर मास</li>	में खरीदे जाने वाले विस्फोटक o be purchased in a calendar mor	की मात्रा (अनच्छेद ३(ख)	और (ग) के भधीन भनजटिन		15 times as above.
ne licensed premises sha नजप्ति परिसर निम्ननि	खाचित्रों) से अनुजप्त परिसर व all conform to the following d खित पते पर स्थित हैं। The p.13/1 Block.25, ग्राम (Town PALAKKAD 8086600900	rawing(s): .	दिनाक (Dated) 30/08/ tuated at following addres a,Palakkad taluध्लिस था	s: ना (Police Station) : Hem ड (Pincode)	
नुज्ञप्ति परिसर में निम्न e licensed premises con	ननिखित सुविधाएं अंतर्विष्ट हैं isist of following facilities.	A set of one	e E type (SR No 299)and	l one D type (Sr No 210) j ans Engg & Fab.Unit Er	oortable nakulam,
ie licence is granted subj	नर यथासंशोधित विस्फोटक 3 निखित उपाबध्दों के अधीन ject to the provision of Explo additional conditions and the	ाधिनियम, 1884 और उन रहते हुए अनुदत्त की ज sives Act=1884 as amend	ति है।		
1. उपर्युक्त क्रम सं. 5	5 में यथा कथित रेखाचित्र (स्थ ng site, constructional and oth	गन, सन्निर्माण संबंधी अं	ौर अन्य विवरण दर्शित व	न्स्ते हुए)।	
<ol> <li>भल चपित पाशिकार्य</li> </ol>	री व्दाररा हस्ता.क्षरित इस अव	नज़प्ति की शर्त और अ	तिरिक्ति शर्ते।		
- Jelen Middar	dditional Conditions of this lie	cence signed by the licer	ising authority.		
Conditions and Ad 3. বুহী সক্ষ DE-2   E	Distance Form DE-2.	the This liamon should		C34 1 2014	
Conditions and Ad 3. दूरी प्ररूप DE-2   I अन्जप्ति तारीख 31 म	Distance Form DE-2. गार्च 2016 तक विधिमान्य रहेव	गी। This licence shall r	emain valid till 31st day o	of March 2016.	×
Conditions and Ad 3. दूरी प्ररूप DE-2 1 अनुजप्ति तारीख 31 म अनुजप्ति, अधिनियम रुजप्ति की शर्तों का अधि निलंबित या प्रतिसंह्रत	Distance Form DE-2. 11र्च 2016 तक विधिमान्य रहेव या उसके अधीन विरचित निर धेक्रमण करने या यदि अनुज्ञ की जा सकती है, जहां वह ल	पमों या अनुसूची V के ¥ न्त परिसर योजना या उ 1ग हो।	गग 4 के प्रति निर्दिष्ट सेट ससे संलग्न उपबंध में दर्भि	-VII के अधीन तथा उपर्वा र्शत विवरण के अनुरूप नर्ह	ों पाए जाने
Conditions and Ad 3. दूरी प्ररूप DE-2   E अनुजप्ति तारीख 31 म जुजप्ति की शर्तों का अधि निलंबित या प्रतिसंहत is licence is liable to be s th under Set VIII, where	Distance Form DE-2. गर्च 2016 तक विधिमान्य रहेब या उसके अधीन विरचित निर	यमों या अनुसूची V के अ न्त परिसर योजना या उ ग्यू हो। violation of the Act or I Part 4 of Schedule V or	गग 4 के प्रति निर्दिष्ट सेट ससे संलग्न उपबंध में दर्भि Rules framed there under (	-VII के अधीन तथा उपर्वा रोत विवरण के अनुरूप नई or the conditions of this lic e not found conforming to	ों पाए जाने ence as set
Conditions and Ad 3. दूरी प्ररूप DE-2   E अन्जप्ति तारीख 31 म अनुजप्ति, अधिनियम पुजप्ति की शर्तों का अधि निलंबित या प्रतिसंहत is licence is liable to be s th under Set VIII, where corption shown in the pla	Distance Form DE-2. तार्च 2016 तक विधिमान्य रहेव या उसके अधीन विरचित निर धेक्रमण करने या यदि अनुजप की जा सकती है, जहां वह ला suspended or revoked for any ever applicable, referred to in lans and Annexure attached he	यमों या अनुसूची V के भ न्त परिसर योजना या उ iगू हो। violation of the Act or I Part 4 of Schedule V or greto.	गग 4 के प्रति निर्दिष्ट सेट ससे संलग्न उपबंध में दा Rules framed there under a if the licensed premises ar	-VII के अधीन तथा उपर्वा र्शत विवरण के अनुरूप नई or the conditions of this lie	ों पाए जाने ence as set the
Conditions and Ad 3. दूरी प्ररूप DE-2   E अन्जप्ति तारीख 31 म अनुजप्ति, अधिनियम उजप्ति की शर्तों का अधि नितंबित या प्रतिसंहत is licence is liable to be s th under Set VIII, where cription shown in the pla रीख   The Date - 06/05/2 dments :	Distance Form DE-2. गर्च 2016 तक विधिमान्य रहेव या उसके अधीन विरचित निर धैक्रमण करने या यदि अनुज्ञ की जा सकती है, जहां वह ला suspended or revoked for any ever applicable, referred to in lans and Annexure attached he 2011	यमों या अनुसूची V के भ प्त परिसर योजना या उ ग्रि हो। Violation of the Act or I Part 4 of Schedule V or greto. संयुक्त र	गग 4 के प्रति निर्दिष्ट सेट ससे संलग्न उपबंध में द <sup>15</sup> Rules framed there under a if the licensed premises au मुख्य विस्फोटक नियंत्रक ४⁄ कु	-VII के अधीन तथा उपर्वा र्शत विवरण के अनुरूप नर्ह or the conditions of this lic e not found conforming to J. M.V J Joint Chief Controller South Cir ते उप मरस विकर्ण	ों पाए जाने ence as set the of Explosives rcle, Chennai
Conditions and Ad 3. दूरी प्ररूप DE-2   E अनुजप्ति, अधिनियम जुजप्ति की शर्तों का अधि निलंबित या प्रतिसंहत is licence is liable to be s th under Set VIII, where scription shown in the pla रीख   The Date - 06/05/2 adments : nendment of Quantity of sfers : iange in Licensee Name/	Distance Form DE-2. गर्च 2016 तक विधिमान्य रहेव या उसके अधीन विरचित निर धैक्रमण करने या यदि अनुज्ञ की जा सकती है, जहां वह ला suspended or revoked for any ever applicable, referred to in lans and Annexure attached he 2011 f Explosives/Monthly Purcha: /Address/Status dated : 03/11/	यमों या अनुसूची V के भ न्त परिसर योजना या उ ागू हो। Violation of the Act or I Part 4 of Schedule V or greto. संयुक्त र se Limit dated : 30/08/20 /2011	गग 4 के प्रति निर्दिष्ट सेट ससे संलग्न उपबंध में दा Rules framed there under if the licensed premises au <b>मुख्य विस्फोटक नियंत्रक</b> अ 2016 F <b>0</b>	-VII के अधीन तथा उपर्वा र्शत विवरण के अनुरूप नर्ह or the conditions of this lic e not found conforming to S. M. V J Joint Chief Controller	ों पाए जाने ence as set the of Explosives rcle, Chennai
Conditions and Ad 3. दूरी प्ररूप DE-2   E 3 अनुजप्ति, अधिनियम 3 जनुजप्ति, अधिनियम 4 जनुजप्ति की शर्तों का अधि निलंबित या प्रतिसंहत is licence is liable to be s th under Set VIII, where scription shown in the pla the under set VIII, where the under set VIII, where scription shown in the pla the under set VIII, where the unde	Distance Form DE-2. गर्च 2016 तक विधिमान्य रहेव या उसके अधीन विरचित निर धैक्रमण करने या यदि अनुज् की जा सकती है, जहां वह ला suspended or revoked for any ever applicable, referred to in lans and Annexure attached he 2011 f Explosives/Monthly Purcha: /Address/Status dated : 03/11. /Address/Status dated : 13/09. नवी	यमों या अनुसूची V के भ न्त परिसर योजना या उ ागू हो। Violation of the Act or I Part 4 of Schedule V or greto. संयुक्त र se Limit dated : 30/08/20 /2011	गग 4 के प्रति निर्दिष्ट सेट ससे संलग्न उपबंध में दगि Rules framed there under d if the licensed premises au <b>मुख्य विस्फोटक नियंत्रक</b> <b>7</b> 016 Fo एप लिए स्थान	-VII के अधीन तथा उपर्वा रोत विवरण के अनुरूप नई or the conditions of this lic e not found conforming to J. M.V. J Joint Chief Controller South Chief Controller Deputy Chief Controller	ों पाए जाने ence as set the of Explosives rcle, Chennai

#### (सेट VIII | Set VIII)

मंगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 [अनुच्छेद 3 (ख) से (ग)] में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक व्दारा प्रदान किए जाने वाले अनुज्ञप्ति सं. E/SC/KL/22/1222(E61052) की शर्त निम्नलिखित हैं 1 The following are the conditions of licence number E/SC/KL/22/1222(E61052) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c) ) granted by Chief controller of Explosives or Controller of Explosives.

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी। The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्तर होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
- The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुजप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबध्द आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं ।

The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.

- 4. पैकर्जों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा । The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- 5. दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैंगजीन में रखे जाने की अनुजा दी जा सकती है, मैंगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पटार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पंर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु –

(ध) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मारगतनी विभाजक या स्थायत के उसे जा सकते हैं।

मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं । (ड) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे ।

(च) वर्ग 1 के अंतर्गत आने वाले बारुद को अलग रखा जाएगा 1

Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—

(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately.

 वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुजापन प्राधिकारी की विशेष मंजरी के मैगजीन में नहीं रखा जाएगा ।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.

 वर्ग 3 (नाइट्रो योगिक) के विरुफोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विरुफोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो ।

(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुरत करेगा।

(ii) जब कोई विस्फोटक मानक शुध्दता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञप्तिधारी अपने ही

व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें ।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or

(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.

8. मैगजीन के भीतरी भाग या उसमें लगी बैंचो, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बंचे, शैल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरुध्द सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्येकर नहीं होगा जिसमें वर्ग 6 (गोला बारुद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है ।

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from:

Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a

building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

9. यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञाप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुजण्तिधारी व्दारा पश्चात्वर्ती प्रत्येक परीक्षण के लिए तब तक द जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा : परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबध्द हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस

ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों , उपयुक्त जूतों के प्रयोग व्दारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों व्दारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुोएं या पदार्थ, जिससे

विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :

परंतु इस शर्त का वह भाग. जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विरूफोटक नहीं रखा गया है ।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction,

position or character as not to cause any danger of fire or explosion: Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञप्तिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोंटकों का अभिलेख और लेखा रखेगा और 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके व्दारा ऐसा करने की मांग की जाने पर स्टाक विस्फोटक नियम,

पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी । The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञप्तिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुजापन प्राधिकारी विनिर्दिष्ट करें ।

No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.

13. मैंगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी )। यदि किसी कारणवंश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुजण्तिधारी इस बात की सूचना अनुजापन

प्राधिकारी को त्रंत देगा । Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

मैंगजीन का अनुज़प्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुजापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत

दी जाएगी । Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

- 15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।
- The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।

- The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.
- तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओहम से अधिक नहीं होगा । The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
- 17. मैंगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।
- A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
- 18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी ।
- Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition. 19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा ।
- Not more than 4 persons shall be allowed inside the magazine or store house at any one time.

20. विस्फोटकों के खाली पैकजों को शीघतिशीघ वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा । Empty packages of the explosives shall be removed at the earliest and destroyed. \

21. अनुजण्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए ।

The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.

22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज़त परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह

सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकत: अनुपालन किया जा रहा है, अधिकारी को प्रत्येक संविधा प्रदान की जाएगी ।

Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.

23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञप्तिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या

बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा ।

If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.

24. अनुजण्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विरुफोटक सूची में उल्लिखित अनुजत फैक्टरी या कंपनी से प्राधिकृत विरुफोटक / आतिशबाजी या सरक्षा पलीते खरीदेगा ।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –

(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;

(ख) श्रृंखला (जुई हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) झी.बी. (सी) पी.के.प्रतिबंधित होंगे :

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log10 (N) dB, where N = number of crackers joined together.

26. आग या विस्फोट व्दारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुजापन प्राधिकारी और अनुजापन प्राधिकारी और अनुजापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी ।

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

#### अतिरिक्त शर्तें / Additional Conditions :

 अनुजप्तीधारी विदेशी मूल के आतिशबाजी को ना रखेगा ना ही उसकी बिक्री करेगा । The licensee shall not possess and sale fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक निर्यत्रक For Joint Chiel Controller of Explosives कृते उप नुख्य विस्फोटक नियन्त्रक For Deputy Chief Controller of Explosives एरनाकुलम Ernakulam

#### Form DE-2

(See rule 113 of the Explosives Rules, 2008) (Distance Form to be attached to the licence)

	Type of Structure(s) S	afety distan	ices meter
	Inside Safety Distances(ISD)	м	UM
1	Room or Workshop used in Connection with the Magazine	11	17
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
THE R	Middle Safety Distances(MSD)		
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		33
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or c	ther	22
~	places of worships, Hospital, College, School or Factory	ulei	
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmillor or Solar panel for Power Generation		
	Outside Safety Distances(OSD)		
13	Dwelling House		
14	Govt, and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cin or other Building where the public are accustomed to assemble	ema	
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammabl hazardous substances		
19	Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives	tain	45
20	Acrodrome		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
	Overhead Electric lines	an the moments in a	
27	Electric Power over head Transmission Lines above 440V		15
28	Electric Power over head Transmission Lines upto 440V		45 15

The Date : 06/05/2011

#### Amendments :

Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/08/2016
Transfers :

- Change in Licensee Name/Address/Status dated : 03/11/2011
- Change in Licensee Name/Address/Status dated : 13/09/2012

For Joint Chief Controller of Explosives

रुते उप मुख्य विस्फोटक नियन्त्रक For Deputy Chief Controller of Explosives एरनाकुलम Ernakularn

Annexure (1.31(3) Terompieal 2 Coon gival not - mi PP 4 250 44 in housed celled the HISCHINDIA **SNONSUDIC** Sivadas Viswanata Sub Registrer

# Cchago केरल KERALA

AM 259574

## FORM - 'H' (See Rule 32) QUARRYING LEASE

This indenture made this the Twenty Second day of August. 2014 between the Governor of Kerala (hereinafter referred to as the "State Government" which expression shall, where the context so admits be deemed to include his successors and assigns) of the one part and M/s Royal Sand & Gravels (P)Ltd., Plaza Junction, Dhoni(P.O), Palakkad – 678009 represented by Sri. Mohammed Fazeel, Managing Director aged 35 years son of Sri. Abdul Salam resident of Theparambil House, Thrithalloor West (P.O), Trissur Dist. - 680619, in the village of Akathethara, taluk of the Palakkad, Palakkad District (hereinafter called the "lessee" which expression shall where the context so admits, include his executors, administrators, representatives and permitted assigns) of the other part.

For Royal Sand and Gravels pvi. ] Mohammed fazeel 2014

Muhanmed Fastil. T.A. Muhanmed Fastil. T.A. Mg Director of Rogal Sand J. Gravels (A) (H) District Office of the Departme Mining and Feology, Palak

2244

AUG 2014

VENDOR SUB COURT TEMPORARY] PALAKKAC

2486 Mana 100 m the office or the 5 .P. Registrar & the price grave a timper over a the Busetin spellerite A priseries and in uncie. se a sind bille or No 6497 Ser a rever X marsh the It have Bup to 20 14 Mohammed tazeel . Almael Execution admissione 26 hs Sep 2044 Sivadas Vist Sub Registrar 1 Mohammed torzeet. (Image) to sons Royal Sand & Goards & Lod ) Secting 2) and The param big house this Than Satisfied most on by the Cocose This is strongent months. S. Kishor Jealu Jin \_ 070 Dept grunning ad goology where is ed from Riozo wel Jozeanie 43 (2(1) of an Identified by NISART NOT SOI T.K. YOUSUF. THOTTITHODY HOUSE THA CHAMPARA (DO) PALOKRAD. 678593 (BUDINED) TP: DRS

Witnesseth that in consideration of the rents and royalties and lessee covenants, hereinafter reserved and contained the State Government both hereby demise upto the lessee the land measuring 7.0655 hectares described in the schedule hereunder the delineated on the plan here to annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of 12 (twelve) years commencing from the Twenty Second ... day of August 2026. for the purposes of extracting minor minerals and subject to the terms and conditions contained in the Kerala Minor – Mineral Concession rules, 1967 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

- 1. The lessee shall have the right in and upon the said lands to extracts Granite Building Stone (hereinafter called the said mineral) and to do all acts necessary for the extraction of the said mineral including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose off the said minerals extracted as aforesaid.
- 2. The lessee shall during the subsistence of this lease have the liberty to work the said mineral and remove the same from the quarry hold on permits issued by the State Government /Competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
- 3. The lessee shall pay to the State Government an yearly surface rent equal to the land revenue if any, assessable under the rules for the time being the force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any per hectare of the land the surface whereof shall be occupied or used by the lessee for any of the purposes of this demise and so in proportion for any area less than a hectare. The said surface rent shall be paid by yearly payments, the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.
- 4. The lessee shall at all time during the currency of this demise keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also, maintain a register of employees showing therein separately men, women and children employed daily and shall at all reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority") or the officer authorised by him/her/them to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee shall submit reports in Forms 'F' and 'G' on the specified dates.

For Royal Sand and Gravels pvt. Ltd. Mohammech Fazeel

A18 ologist District Office of the Department of Mining and Geology, Palakkad.

Pice a Destri Book and ind and to.

ABDULMAJEED. DIRECT . STO MUHAMED. KAYAMKULAM HOUSE. P.O. ENKAKAD. WAOAKAW CHERY. THRISSUR. PESSIONER.

26 ms Sig 20 14 (

1987 Gook I wilde

Bab Registran

Sivadas Viswan

Sivadas Viswanath Sub Registrar


Sub Registrar

A19

- 5. All sums found due under or by virtue of this deed from the lessee may be recovered from him jointly and severally from them and his/her/their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
- 6. The lessee shall at the lessee's own expense erect and at all time maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan hereto annexed.
- No quarrying operations or working shall be carried on or permitted to be carried on by the lessee in or under the said lands at any point within a 7. distance of 75 meters from any railway line except with the previous permission in writing of the railway administration concerned; and from any bridge on the National Highway or 50 meters from any reservoir, canal or other public works such as public roads and buildings or inhabited site, burial ground etc. shown on the plan thereto annexed except with the previous permission in writing of the State Government / competent authority or otherwise than in accordance with such instructions, restrictions and condition either general or special which may be attached to such permission. The said distance of 50 meters shall be measured in the case of a railway, reservoir, or canal horizontally from the outer edge of the bank or outer edge of the cutting, as the case may be and in the case of a building horizontally from the plinth thereof. In the case of village roads no workings shall be carried on within a distance of 10 meters of the outer edge of the cutting except with the previous permission in writing of the State Government / competent authority. For the purposes of this clause the expression "railway and railway administration" shall have the same meaning as defined in sub section (4) and (6) of section 3 of Indian Railway Act, 1890 (IX of 1890).
- 8. The sides of open workings shall sloped, stepped or secured by the lessee in such a manner as to prevent danger from falls of material, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
- \*9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
  - 10. The lessee shall at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.

For Roval Sand and Gravels pvj. Lid Mohummed Forzeel ( Anjoice ) 2014

District Office of the Department of Mining and Geology, Palakkad. A20



Bucherst of the first the set of the set of the set of the second the first of the provident of the provident of the set of the set

the vertical as this area labored the full wrate, of all as



A21


10A The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time to the quarry.

- 11. The lessee shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government / Competent authority
- 11A Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 34 read with condition 11, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from the time to time, to the quarry.
- 12. The lease may be surrendered by the lessee at any time after 3 months notice in writing to the State Government / Competent authority. Provided that the lessee has paid all sums due on account of the lease. Provided further that if the lessee elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the terms of the lease deed.
- 13. On the expiration of the term of this lease or on its earlier determination under clause 12 the lessee shall pay to the State Government for all land which has been rendered useless for agriculture through the exercise of the powers demised by this lease such sum as the District Collector may fix as equivalent to the capitalized value or the land revenue of such land rendered useless. The lease shall continue if the sums are not cleared before the date of determination of notice.
- 14. If the lessee shall be desirous of taking a further lease of the said lands for a further term of years he/they shall give three months previous notice in writing of such desire to the State Government / Competent authority and if the lessee has duly observed all the conditions of this lease, the State Government / competent authority may agree to renew the lease for such further term and on such terms and conditions as the State Government / competent authority may determine which shall be in accordance with the provisions of these rules.
- 15. If the lessee shall at any time during the said term use the said lands or any part thereof in any manner other than as authorised by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government / competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government / competent authority to cancel this lease and take possession of the said lands or in the alternative to receive from the lessee such penalty for the breach not exceeding five times the amount of the said yearly dead rent as the State Government / competent authority may fix.

For Royal Sand and Gravels, pvt. Ltd

ologist District Office of the Department of

Mohrin ned Fazeel



- 16. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or upon the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences the said minerals or other property which the lessee is entitled to remove from the said lands, the same shall, if not removed by the lessee within one calendar month after notice in writing requiring their removal be given to the lessee by the State Government / competent authority be deemed to become the property of the State Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee in respect thereof.
- 17. This lease is subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting the safety, health and convenience of the lessee's employees or of the public, whether under the Indian Mines Act or other wise.
- 18. The lessee shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.
- 19. The lessee shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
- 20. The lessee shall make and pay such reasonable satisfaction and compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
- Any condition prescribed in the Kerala Minor Mineral Concession Rules, 1967, but left out in this lease which may be found applicable to the lessee shall be treated as binding on the lessee. In this case anticipated royalty for the mineral at the rate of Rs.16/- (Rupees Sixteen only) per tonne for a period of one year is Rs.16,00,000/- (Rupees Sixteen Lakhs only).
- 22. Dead rent realizable at the rate of Rs. 1<sup>st</sup> year Nil, 2<sup>nd</sup> year Rs.200/- and 3<sup>rd</sup> year onwards Rs.800/- per hectare subject to revision from time to time. Surface rent at the rate of Rs.200/- (Rupees Two hundred only) per hectare for 7.0655 hectare per year is Rs.1413/- (Rupees One thousand four hundred and thirteen only) security deposit is Rs.1,000/- (Rupees One thousand only).

For Royal Sand and Gravels put, Lt

Mohammed Fazer

Displicate one :- There are no differences between the -Original document and this Duplicate There are no Interlineations Compared & Reader Thouference Rahman Perf. by J Examined Sucreshbabus PP. Julius

26th day of September 2014 Sivadas Viswanath SubRegistran

#### The schedule above referred to Description of Land

District Taluk	Village	Re-Survey No. of the area	Area in Hectares
Palakkad	Akathethara	2/P	
Palakkad		14/P	7.0655 Hectares
		15/P	H P P
		16/1P	
		Block No.25	
	lodt	Block No.25	5

#### Bounded by

Sy. Nos.

On the North by

On the East by

On the South by

On the West by

In witness whereof the parties hereto have set their hands hereunto on the day and year first above written

2,3

: 2P, 15P, 16/1

16/1, 14P, 15P

14P, 15P, 2P

Signed by .....

for and on behalf of the Governor of Kerala

District Office of the Department of Mining and Geology, Palakkad.

In the presence of

- 1. Vinod MV, Assistant Geologot. Distant office of the Department of mining End Geology, Balakkad.
- \*2. Funil kumar. R. Assistant Geologist District office of the department of mining and gulogly. In Palakkad.

For Royal Sand and Gravals pvt, Ltd. Signed by ... for and on behalf of the lessee bhammed Forzee

1. MISAR . T S/O: T.K: YOUSUF


THOTTI THODY HOUSE THECHAMPARA


MOHAMMED SHEBEER. M.A.

A26

8000 00.2014

CERTIFICATE B- 4797/14 24/9/2014 amount of R. 2,25,0441-(Rupees Two hards INENTY FIVE THOUSAND (Dive AND FORRY FOURT ONLY) has been Remitted by The Managing Director, m/s. Royal Sand and Greavels (P) (tol, Dhonicke) Palaikikad Vide Chalan No. 189 dtd. 23/9/14 at Sub Treasury, Poilarwiked towards adjudication fars of Quarrying Lean deed. Now the docur i-is stamped as per law. No segponsibility of about the contents of this deed is accepted by this office.





CMBGZINE 16/9 2:42 5 1 9-17 14 0.001 8:55 .4 JUNCTION 9.01 2. 14 110. 62.19 INIMMO 135-0 0 100 4 314D 0-001 01-90 9-49 w 20.0 120 RECEIVED 1. 11 Bog mile. 0-82 8-54 S 0-04 38.6 50 ć And the for the server 66 31-6 3 S S N 0. 00, 12-41 PLAZA JON JUNGTION SCALE-1 PANCHAYATH READ cel 3 7.0655 02034 Tahsfida' & No Ha <-- 5973 0-0303 2-6318 LOGI wkar in hay & in Nry. aca7 01 7 DHININ this sleet de is allowed 16/10. - d 41 Jarwig 15/0 NELLAGE OFFICER ·嬴武者了行之了 ... 兵代為 tore a subada a John here for modula by LANG A 29