Quarry project of

M/s Royal Sand and Gravels (P) Ltd.

Akathethara Village Akathethara Panchayath Palakkad Taluk Palakkad District Kerala State

13th Compliance Report

(Ref: E.C. No. 160/SEIAA/KL/3490/2013 dt. 24.05.2014 OF SEIAA KERALA)

for the period from

April to September 2020

Quarry project of

M/s Royal Sand & Gravels (P) Ltd.

Akathethara Village Akathethara Panchayath Palakkad Taluk Palakkad District Kerala State

13th Compliance Report

(Ref: E.C. No. 160/SEIAA/KL/3490/2013 dt. 24.05.2014 OF SEIAA KERALA)

for the period from April to September 2020

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 3 of 42

TABLE OF CONTENTS

Item No.	Description	Page No.	
	Monitoring Report - Part I	7	
I.	About the proponent	9	
	About the project	•	
	Project category	10	
II.	Project location	10	
	Project extent and activity	10	
	Project description	10	
	Report of Compliance		
II.	Compliance of Specific Conditions	11	
	Compliance of General Conditions	12-20	
	Plates		
	Plate G.4-Solar street light	23	
	Plate G.9 - Barbed metal wire fencing	25	
	Plate G.11 - Green belt	27	
IV.	Plate G.12 - Blasting time display	29	
1 V •	Plate G.17 - Bench formation	31	
	Plate G.21 - Acoustic enclosure	33	
	Plate G.23 - Garland drain	35	
	Plate G.25 - Saplings planted in the site	37	
	Plate G.26 - Spent oil storage	39	
	Annexure		
	Annexure A1 - Erratum regarding the validity of EC	A1-A2	
	Annexure A2 - Copy of judgement in WP (C). No. 14175 of 2020 (V)] filed in the Honourable High Court of Kerala by Sri. Joby K. Joseph	A3-A9	
	Annexure G.2 - Copy of minutes of meeting of Environment Monitoring Cell held on 05/2020, 06/2020, 07/2020, 08/2020 and 09/2020	A10-A14	
	Annexure G.30 - Copy of Consent to Operate issued by Kerala State Pollution Control Board	A15-A16	
ν.	Annexure G.31(1) - Copies of license for the quarry and crusher units (valid upto 31.03.2025) issued by Akathethara Grama Panchayath	A17-A19	
	Annexure G.31(2) - Copy of license (No. E/SC/KL/22/1222 (E61052) dt. 30.08.2016 valid up to 31.03.2021) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine	A20-A25	
	Annexure G.31(3) - Copy of quarrying lease deed valid for a period of 12 years from 22.08.2014 to 21.08.2026	A26-A39	

MONITORING REPORT - PROFORMA - PART I

E.C. No. 160/SEIAA/KL/3490/2013 dated 24-05-2014 r.w. proceedings of even no. dt. 16.02.19 of SEIAA Kerala

1,	Name of the project	Quarry project of M/s Royal Sand and Gravels Pvt. Ltd.
2.	Clearance letter no. & date	Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24-05-2014 r.w. proceedings of even no. dt. 16.02.19 of SEIAA Kerala
3,	Location: District & State/UT	Palakkad District, Kerala State
4.	Address for correspondence:	Mr. Mohammed Fazeel T.A. Managing Director M/s Royal Sand & Gravels (P) Ltd. Plaza Junction, Dhoni P.O. Palakkad Kerala state Pincode: 678009.
5.	Contact No. of office with name of responsible official	Nisar T.
6.	Mobile No. of concerned officials associated with monitoring	9544982222/ 8606544222/9562482222
7.	Date of commencement (Actual and/or planned)	24.05.2014
8.	Validity of CFO (Consent for Operation obtained from Kerala State PCB)	01.10.2023
9.	Present status of the project	Continuing
10.	Email id of the contact person to whom communications to be sent	royal_grs@yahoo.com; mail2nisa2200@gmail.com
11.	FAX Number	

Date: 05/11/2020



Signature of authorized signatory

Nr.

Name : NISAR . T Designation: MANAGE R For ROYAL SAND AND GRAVELS PVT.LTD.

Manager

I. <u>ABOUT THE PROPONENT</u>

M/s Royal Sand and Gravels Private Limited possess a quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala state.

State level Environment Impact Assessment Authority Kerala (SEIAA Kerala) accorded Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24.05.2014 to the quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala managed by M/s Royal Sand and Gravels Private Limited. An erratum regarding the validity of EC has been issued vide Proceedings no. 160/SEIAA/KL/3490/2013 dated 16.02.2019 of SEIAA Kerala and the validity of EC was clarified as 15 years from 24.05.2014 subject to review in every 5 years. Copy of the order is attached as *Annexure A1* (Pages A1 to A2).

M/s Royal Sand and Gravels Private Limited is controlled and managed by Mr. Mohammed Fazeel T.A., Managing Director, M/s Royal Sand & Gravels (P) Ltd., Plaza Junction, Dhoni P.O., Palakkad - 678009; Mob. No. 09447129278; E-mail: royal_grs@yahoo.com.

Among the conditions specified in the said Environmental Clearance (EC), it is mandatory to file six-monthly compliance report(s). This report is in compliance of it; and the twelfth report in its series.

Quarrying activities were temporarily suspended from 1st *April to* 4th *May 2020 due to nationwide lockdown and from* 7th *August to* 17th *August 2020 due to rain red alert.*

Writ petition [WP (C). No. 14175 of 2020 (V)] has been filed in the Honourable High Court of Kerala by Sri. Joby K. Joseph against the project and the matter was disposed off on 22.07.2020 directing SEIAA Kerala to take up the matter raised by the petitioner for consideration without much delay. Copy of the judgement is attached as Annexure A2 (Pages A3 to A9).

II. ABOUT THE PROJECT

a. Project category:

The project comes under the Category B, Activity 1(a) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project location:

Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District, Kerala. The proposed project site falls within 10^{0} 51' 24.53" N to 10^{0} 51' 38.56" N and 76^{0} 37' 50.95" E to 76^{0} 38' 5.63" E.

c. Project extent and activity:

The project is for quarrying of 3,50,000 MTA of building stone from an area of 9.3928 hectares of land located as specified above. The expected life of mine is 28 years.

d. Project description:

The proposed project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be backfilled and reclaimed and rehabilitated by plantation leaving no void. The proposed project does not involve any underground mining activities. The mining will be done by open cast semi mechanized method. The sewage of 0.8 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.

III. <u>REPORT OF COMPLIANCE</u>

A. SPECIFIC CONDITIONS

ltem No.	Stipulations in EC	Status of Compliance	Remarks
S1	Limit quarry to the stream on the eastern side to permit unhindered flow of the stream.	Special care is taken to ensure that quarrying is limited to the stream on the eastern side.	
S2	Leave statutory distance from the forest land on the north.	Statutory safe distance is being maintained without fail.	
S3	The stream may be provided with low level check dams to trap silt.	Construction activities for building the check dam is progressing.	
S4	Rain water harvesting facility is required in the absence of dependable source of water.	Provision is made to store rain water in ponds even when sufficient dependable source of water is available for the present project.	

B. GENERAL CONDITIONS

ltem No.	Stipulations in EC	Status of Compliance	Remarks
G1	Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified elsewhere.	Provision is made to store rain water in ponds.	
G2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment Monitoring Cell constituted is fully functional. Copy of minutes of meeting of Environment Monitoring Cell held on 05/2020, 06/2020, 07/2020, 08/2020 and 09/2020 are attached as Annexure G.2 .	5
G3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees by way of natural vegetation are present on either side of the tarred road. Besides this, saplings are also planted along either side of the tarred road and open parking areas inclusive of approach road and internal roads.	
G4	The project shall incorporate devices for solar energy generation and utilization wherever possible.	Solar street light has been installed within the project area.	Plate G.4-Solar street light (Page 23)
G5	Sprinklers shall be installed and used in the project site to contain dust emissions.	In order to contain dust emissions, sprayers are installed inside the project site.	

G6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	The condition shall be followed scrupulously.	
G7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumpings and overburden and planted with indigenous plant species that are eco-friendly.	The directions contained shall be scrupulously followed at the time of mine closure.	
G8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented in tune with the conditions specified in the Companies Act, 2013.	proposed ones. An amount of Rs. 1,04,694/- has been spent towards CSR for the period April to	
G9	Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that falling of animals/human beings/dumping of garbages, etc. does not happen.	Barbed metal wire fencing around the mining area with a height of not less than 5 feet is provided.	Plate G.9 – Barbed metal wire fencing (Page 25)
G10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Warning alarms indicating the time of blasting is	
G11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	5 1 5	Plate G.11 - Green belt (Page 27)

			1
		green belt are being done. Controlled blasting	
		technique is used to reduce blast vibrations.	
G12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Quarrying activities are done only during day time and is in tune with the KSPCB guidelines. Blasting is done at 10 am, 1 pm and 5 pm.	Plate G.12 – Blasting time display (Page 29)
	Blasting should be done in a controlled		
G13	manner as specified by the regulations of Explosives Department or any other concerned agency.	Blasting is done using electric delayed detonator as stipulated by the Explosives Department.	
G14	A licensed person should supervise/control the blasting operations.	Ammasigounder Ranganathan (who is holding Manager's first-class Certificate of Competency to manage a metalliferous mine) and S. Guruswamy (who is holding Mining Mate's Certificate of Competency) are supervising/controlling the blasting operations at present.	
G15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Access roads to the quarry site are tarred.	
G16	Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.	Overburden is stacked in pre-determined site specified for the purpose.	
G17	Height of benches should not exceed 5 m and width should not be less than 5 m.	Formation of benches is progressing. Height and width of benches shall be maintained as 5 m x 5 m.	Plate G.17 – Bench formation (Page 31)
G18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Mats are used during vibration studies.	

G19	Mining depth should not exceed beyond 40 m, unless otherwise specified or not below the level of nearest stream bed, whichever is less.	Mining depth is above the ground level at present.	
G20	No mining operations should be carried out at places having a slope greater than 45°.	It is ensured that no mining is carried out at places having a slope greater than 45°, if any.	
G21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided for the crusher unit to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by KSPCB.	Plate G.21 – Acoustic enclosure (Page 33)
G22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site are provided with the required protective equipments such as ear muffs and helmets. In addition to this, as part of 'Break the chain' campaign associated with covid outbreak, all workers were provided with masks and gloves and sanitizers were placed at the entrance of the company.	
G23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains are provided to channelize storm water.	Plate G.23 – Garland drain (Page 35)
G24	The transportation of minerals should be done in covered trucks to contain dust emissions.	The transportation of minerals is done in covered trucks to contain dust emissions.	
G25	The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the	Badam trees are already grown in the site while clearing the land for the project. Further, saplings of indigenous plant species like banana, jackfruit,	Plate G.25 – Saplings planted in the site (Page 37)

	project.	mango, guava, cashew, etc. are also grown in the site and a well-planned green belt area is also maintained within the project area.	
G26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil is re-used in compressor.	Plate G.26 – Spent oil storage (Page 39)
G27	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Explosives are stored in magazines in isolated place as stipulated by the Explosives Department.	
G28	Norms of Kerala State Pollution Control board should be adhered to regarding distance criteria of residences, roads, rivers and worship places.	Scrupulously follows the directions contained.	
G29	200 m buffer distance should be maintained from forest boundaries.	Statutory safe distance shall be maintained without fail.	
G30	Consent from Kerala State Pollution Control Board under Water and Air (Acts) should have been obtained before initiating activity.	Inegrated Consent to Operate -Renewal (Consent No. PCB / PLKD / IC/ ICO / R2/ 965 / 2019 dt. 03.05.19 valid up to 01.12.2023), is obtained from Kerala State Pollution Control Board. [Annexure G.30]	<u>Annexure G.30</u> – Copy of Consent to Operate issued by Kerala State Pollution Control Board (Pages A15- A16)
G31	All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	Clearances are obtained from : 1. Akathethara Grama Panchayath [Annexure G.31(1)] 2. Petroleum and Explosives Safety	Annexure G.31(1) – Copies of license for the quarry and crusher units (valid upto 31.03.2025) issued by Akathethara Grama Panchayath (Pages

		Organization (former Explosives Department)	A17-A19).
		[Annexure G.31(2)]	<u>Annexure G.31(2)</u> – Copy
		3. Department of Mining and Geology [Annexure G.31(3)]	of license (No. E/SC/KL/22/1222 (E61052) dt. 30.08.2016 valid up to 31.03.2021) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine. (Pages A20-A25) Annexure G.31(3) – Copy of quarrying lease deed valid for a period of 12 years from 22.08.2014 to
G32	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	21.08.2026 (Pages A26-A39).
G33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	

G34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Strict compliance shall be adhered to the conditions specified herein.	
G35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	 Advertisements regarding the obtaining of Environmental Clearance were given in two newspapers: Kerala Kaumudi (Malayalam daily) dt. 04.06.2014 The New Indian Express (English daily) dt. 05.06.2014 The copies of newspaper advertisements had been forwarded to the Directorate of Environment and Climate Change. 	

G36	A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental clearance shall also be put on the website of the company by the proponent.	 Copy of EC has been forwarded to the Secretary, Akathethara Grama Panchayath. Copy of EC is displayed in the notice board of the company. 	
G37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.	Conditions are being complied with. This thirteenth report is in compliance with the submission of six- monthly compliance reports; and is for the period April to September 2020. Former reports are already submitted to the concerned as stipulated herein the condition.	
G38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green	EC display board is erected at the entrance of the project site.	

	background and yellow letters of Times New Roman font of size of not less than 40.		
G39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Affidavit was submitted to SEIAA.	

IV. PLATES

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 21 of 42

Page 22 of 42



Page 23 of 42

Page 24 of 42

<u>Plate G.9</u> e fencing Barlo 0



13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

00

Page 25 of 42

Page 26 of 42

Plate G.11 <u>Green belt</u>



© MIKE (Mookambika Institute Keeping Environment). Ph: +91 9446520502. Email- mikeinkerala@gmail.com

GREEN BELT AREA

0000

SHOT ON POCO



5. Phyllanthus acidus

6. Simarouba glauce

7. Punicia grantum

9. Persea americana

10. Grevillea robusta

11. Psidium cattleyanum

13. Artocarpus heterophyllus

12. Pongamia pinnata

8. Citrus limon

17. Saraca Indica 18. Manilkara zapota 19. Garcínia combagia 20. Azadirachata indica 21. Butea frondosa 22. Curcuma longa 23. Passifiora eduis 24. Syzygium myrtifolium 25. Annona muricata 26. Aquilaria agellocha

31. Libidible contenie 32. Monoon longituliun 33. Promus avium 34. Piper nigrum 35. Morus niba 36. Mangifera Indica 17. Syzygium cumini -38. Citrus maxima 19. Largerirtoemia Ipre 40. Citrus X sinensis 27. Syzgium aromaticum

Page 28 of 42

Plate G.12 Blasting time display



13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 29 of 42

Page **30** of **42**

Plate G.17 Bench formation

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 31 of 42

Page 32 of 42



Page 33 of 42

Page **34** of **42**

Plate G.23 Garland drain

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 35 of 42

Page 36 of 42


Plate G.25 Saplings planted in the site

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 37 of 42

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 38 of 42

Plate G.26 Spent oil storage

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **39** of **42**

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **40** of **42**

V. ANNEXURE

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 41 of 42

13th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **42** of **42**



Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Dr.H.Nagesh Prabhu IFS (Retd.), Dr. Jayachandran.K, Member and Dr.Usha Titus I.A.S., Member Secretary.

Sub: SEIAA- Quarry Project in Survey Nos. 2, 14, 15 and 16/1 at Akathethara Village and Pachayath, Palakkad Taluk, Palakkad District, Kerala by M/s Royal Sand & Gravels Pvt. Ltd. - Environment Clearance – Accorded – Erratum – Orders issued

State Environment Impact Assessment Authority, Kerala

No. 160/SEIAA/KL/3490/2013

dated, Thiruvananthapuram 16.02.2019

Ref:- 1. E.C. issued vide Proceedings No.160/SEIAA/KL/3490/2013 dt.24.05.2014 2. Representation received on 14.01.2019 from Sri.Mohammed Fazeel T.A

3. Minutes of the 88th meeting of SEIAA held on 25.01.2019

ERRATUM

Environmental Clearance was issued to Sri.Mohammed Fazeel T.A, Managing Director, M/s Royal Sand & Gravels Pvt. Ltd, Plaza Junction, Dhoni P.O, Palakkad, Kerala – 678 009 for the quarry project in Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District for an area of 9.3928 hectares based on the decision of 30th meeting of SEIAA held on 09.05, 2014, vide reference 1st above.

The proponent, vide reference 2^{nd} cited above has submitted an application for renewal of EC. The matter has been examined and found that at the front page of the Order granting EC, it is mentioned that validity expires on 23.05.2019. In the Order granting EC to the proponent it is stated that the EC is for a period of 15 years from 24.05.2015 subject to renewal in every five years.

The matter was placed in the 88th meeting of SEIAA held on 25.01.2019. Authority observed that the term 'renewal' in EC No.160/SEIAA/KL/3490/2013 dated. 24.05.2014

Page 1 of 2

AL

creates ambiguity, hence decided to replace the word 'renewal' with 'review'. The validity of the EC will be 15 years from 24.05.2014 subject to review in every 5 years.

As decided by SEIAA the word 'renewal' referred in the 8th paragraph of the Order read as 1st paper above is modified and corrected to read as 'review'. The validity of the EC will be 15 years from 24.05.2014 subject to review in every 5 years.

The Environmental Clearance issued as per the paper read as 1st paper above stands modified to the above extent only.

Sd/-Dr.Usha Titus I.A.S Member Secretary, SEIAA

To,

Sri.Mohammed Fazeel T.A Managing Director M/s Royal Sand & Gravels Pvt. Ltd Plaza Junction, Dhoni P.O Palakkad, Kerala – 678 009

Forwarded/By Order

Administrator, SEIAA

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. Director, Mining & Geology, Thiruvananthapuram -4.
- 4. District Collector, Palakkad
- 5. The Secretary, Akathethara Panchayat, Palakkad
- 6. Chairman, SEIAA.
- 7. S/f
- 8. O/c



Page 2 of 2

Scanned by CamScanner

High Court 100,000 18/411 28 9 2009 GPE

THE HIGH COURT OF KERALA

Ernakulam, Dated 17/9/2020

From

No.

THE REGISTRAR OF THE HIGH COURT

H/s Royal Sand & Gravels Put Itd rep. by MD Mg. Mohd Fazeel Plaza Junction, Dhoni P.O To T.A Palakkad Sir,

I am to forward herewith a copy of Judgment in W.P. (C) No. 14175/2020 (V) for information and necessary action.

Yours faithfully,

Section Officer For Registrar.

34

Encls:

IN THE HIGH COURT OF KERALA AT ERNAKULAM

PRESENT

THE HONOURABLE MR. JUSTICE ALEXANDER THOMAS

WEDNESDAY, THE 22ND DAY OF JULY 2020 / 31ST ASHADHA, 1942

WP(C).No.14175 OF 2020(V)

PETITIONER/S:

JOBY K JOSEPH AGED 46 YEARS S/O K.S JOSEPH, RESIDING AT KALLAMMAKKAL HOUSE, DHONI P.O.PALAKKAD DISTRICT-678 009.

BY ADVS. SRI.RAJAN VISHNURAJ SRI.V.HARISH

RESPONDENT/S:

- 1 STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY REPRESENTED BY ITS MEMBER SECRETARY, K.S.R.T.C BUS TERMINAL COMPLEX, 4TH FLOOR, THAMPANOOR, THIRUVANANTHAPURAM-695 001.
- M/S ROYAL SAND AND GRAVELS PVT LTD, REPRESENTED BY ITS MANAGING DIRECTOR MR. MOHAMMED FAZEEL T.A, PLAZA JUNCTION, DHONI P.O. PALAKKAD, KERALA-678 009.

OTHER PRESENT:

SRI.K.J.MANU RAJ, GOVT.PLEADER

THIS WRIT PETITION (CIVIL) HAVING COME UP FOR ADMISSION ON 22.07.2020, THE COURT ON THE SAME DAY DELIVERED THE FOLLOWING:

W.P.(C.) No. 14175 of 2020 Dated this the 22nd day of July, 2020

JUDGMENT

The case set up in the Writ Petition (Civil) is as follows :

That the petitioner is a resident of Dhoni in Palakkad district. The petitioner approaches this Court being highly aggrieved by the nonconsideration of his representation by the 1st respondent, which highlights the illegal mining operations done by the 2nd respondent in his guarry flouting all the conditions laid down in Exhibit P1 clearance. That the petitioner submits that the mining operations presently carried out by the 2nd respondent are by flouting the conditions laid down in Exhibit P1 clearance, that too obtained by submitting false information. That the petitioner also submits that on enquiry it is also learnt that Exhibit P1 by the 2nd respondent has been obtained by deliberately concealing various information in the Form-1 application. As a result of which, there has been heavy environmental degradation in the area of the petitioner. That the petitioner submits that as per Regulations 8(vi) of the EIA Notification, 2006, any deliberate concealment and/or submission of false or misleading information or data which is material to screening or scoping or appraisal or decision on the application shall make the

A5

application liable for rejection, and cancellation of prior environmental clearance granted on that basis. Hence, the petitioner believes that upon bringing to the notice of the above mentioned illegalities, the 1st respondent has to conduct an enquiry, and is duty bound to hear the petitioner as well as the 2nd respondent and pass orders on Exhibit P2 in a time bound manner. That moreover, the area where the mining operations is being carried is having high risk of landslide as classified by the National Centre for Earth Science Studies. The blasting operations causes much risk to the locality for landslides and landslips and must be curtailed at all costs. The factual aspect also was not disclosed by the 2nd respondent while obtaining Exhibit P1. Hence, the 1st respondent was not able to appraise this aspect with regard to the 2^{nd} respondent's project. Through a judgment reported in 2019 KHC 803 this Court held that the 1st Respondent has a duty to do post EC Monitoring. However, even after a period of almost an year, the 1st respondent has not taken any steps to curtail the illegal mining operations of the 2nd respondent or even hear the petitioner's grievances. The petitioner believes that the inaction of the 1st respondent herein facilitating the 2nd Respondent to perpetuate the

3

2. It is in the light of these averments and contentions that the petitioner has filed the instant Writ Petition (Civil) with the following prayers:

illegality.

"Issue a writ of mandamus or any other appropriate writ directing the 1st respondent to consider on Exhibit P2 representation, in accordance with law.
 Pass such any other order, direction or reliefs as this Hon'ble Court may deem fit in the interest of justice, equity and good conscience."

3. Heard Sri.Rajan Vishnuraj, learned counsel appearing for the petitioner and Sri.M.K.Aboobacker, learned Standing Counsel for Kerala State Environment Assessment Authority appearing for R1. In the nature of the orders proposed to be passed in this petition, notice to contesting respondent No.2 will stand dispensed with.

4. Without getting into the merits of the controversy in any manner, it is ordered that the 1st respondent will take up the matters raised by the petitioner in Ext.P2 representation dated 20.7.2019 for consideration without much delay and may conduct an inspection, if necessary with due prior notice to the 2nd respondent and the petitioner and copies of the inspection report may then be given in advance to the 2nd respondent and the petitioner and thereafter, the 2nd respondent and the petitioner shall be afforded reasonable opportunity of being heard through their authorized representative/counsel, if any and then the competent authority of the respondent will take a considered decision on the matters raised in Ext.P2 representation in accordance with law, without much delay, preferably within an outer time limit of 3 months from the date of production of a certified copy of this judgment.

5. The petitioner will produce certified copy of this judgment along with the memorandum of this W.P.(C.) with all the exhibits before the Secretary of the 1st respondent-State Environment Impact Assessment Authority for necessary information and further action. Registry will forward a certified copy of this judgment to contesting respondent No.2, at the cost of the petitioner.

With these observations and directions, the above Writ Petition (Civil) will stand finally disposed of.

sd/-

The forther store

ALEXANDER THOMAS, JUDGE

UNITED STREET STRE

ITRUE CO

R CI.H

Scanned with CamScanner

WF(C) .No.14175 OF 2020 (V)

APPENDIX

6

PETITIONER'S/S EXHIBITS:

- E (IBIT P1 A TRUE PHOTOCOPY OF THE ENVIRONMENTAL CLEARANCE NO 160/SEIAA/KL/3490/2013 DATED 24.5.2014 ISSUED BY THE 1ST RESPONDENT TO THE 2ND RESPONDENT
- EXHIBIT P2 A TRUE PHOTOCOPY OF THE REPRESENTATION (ALONG WITH ANNEXURE) DATED 20.7.2019 PREFERRED BY THE PETITIONER BEFORE THE 1ST RESPONDENT
- EXHIBIT P3 A TRUE PHOTOCOPY OF THE POSTAL RECEIPT ISSUED TO THE PETITIONER

EXHIBIT P4 TRUE PHOTOGRAPHS OF THE QUARRY SITE AND A GOOGLE IMAGE OF THE AREA.

ANNEXURE G.2 1105/2020 Members presided. NISARIT 11 Vijayelumar. E.M. Bayya . v. 3. 4. Anun Homhahanan. P.J. 5. Meeting conducted by NISBR. due to Could 19. membro. are not able to attal the. meeting only first members is proted. previous minutes of the meeting read and. updeled by him Alizon instructed Beyr to male. Sight bond and. Alert all shall for the Bracke the chain program. Igant Sanitory in all entrare at the company. promido mark. glove heldout for all statto. marland the billing Sociation in a district all intimeting boards Pluy in company Compand. put instelled a wind basin in the entrue of the avon Riston should class the head before only to the confor cherman telephenesely instructed to the product mabos. to quin fort procently in Scholl he impuded. to check thermal Scery below any long the No waters and to allowed in the carry. Nifeya learnor concluded the may the hould all apparentitutions and thete all for participation A10

8/06/2022. Mohemmed fazzel. 7.A Mohanan . 67. MA ALLSON T Beyy. y. Vijeyskummer C.M. 5 Mohemored Dhyhail 4 Hamberron. p. 2. 5. . Harush. Avan learner Shuheib Due to covid-19. Online meeting is conducted previous minter of the muly also real and updated by. Alvar. chairmen theles all members. To alle he fillment of job, asynut to them. by charmen chairmon instructed the member to keep Social. tales presenting to the risy Scool distance and charmen in objected Horresh to valide the drive are and clean the Sartan. and give stone to all daillens. Mr: Andi have the responsibility to train the dailes. Mr: Harroh reported that the demand barbed metal ration phendy is replaced and mented the hight of is not les this in st required the valetor peth and driver orce condition at the inten 1 mos conducted the many with ball by Alisan All

6/1/2000 Due to covid 19. online meating is conduited. Presenter 1. Participated Mohemmad C1). Mohanan . 122. Vyleyslama. E.M (+) Baija Nisar T (4.) (3) in di Harush Cal Lai Car Mohemmad Shubelb 6 Arun kumaz. (1). Members appraise the previous meeting proposition armon instand the members the selet. A < Mining one min. J. heavy bax mpoun ould Ice 211 -12 moser clean. Stocle yeard with. to concl malij tale -19. Monda p So fell a gind more Could to MIDIT mily and ... chairman instanted to start a 10 reparsible posis tor Desaler may Y. jay stermore is the aling team. He valill may the tram. VI forge by mor Thailes all my more concluded the meeting A12

경화 중련 영상 방법을 얻는 것 같아? 7 82000 Members presented: -Mohammed fazel. 1.A. Nr. 21 NISAR. T 3. VIJAYAKUMAN 3. Bayin . Arun Lumers A 41 5. Fazal. Hornsch. milt 6. Mohemmed Inel. 7. Bell 9. Mohummed Shuhib. chamman and members. wisted the and. All mond. The one nutread the implimentation of provisions. Gin chammen decided the will the north side of the mining to see the stocarm rainter Bryin and 1 mu, charmon drustered the members to herep augos once, in benches, should keep the over banded in Compiled ond beretres. charmon directed to start grand in and terminic cultures abril The anicimes of Covid-19 Or. Myskumer rain and land Slipping The beles agrinh presaution compact the soll renoving and and Angthen it-Theman and the could "A. preaution and build. + Marting aded with ride of their The next me " is she duied in the method . Sep 2000. A13

7 9 2020 Members presented:-(chamman) 1. Mohammed fazzol. 7.A. Mohanan. 5. (convines) -Milaya Kermar E.M. Member) 31 · an Shahaib 4. Bayju . V. 5 Anun Laziharan . ps 7. 11 KLISAR .T 8. " and Sabar 9. Harresh. 1º Haaishl 10 . chammon delained the salelione Speach. conviner revived and balested the previous minuts of meeting charman area the implimentations of pravious meeting Areado. charmen and the whole kans visted the mining and over band area, chaimen dired to increase the debth of the rain relater horizot. Addicole the numbers of point planted in this overbonder anis charmon direct to incree the cappointy of the onin ralety Hornest. and also check the etking of Fain those and Spanble divil to increa the humbers of Sprinklin the fee chaimer. Appreced the wild member of the dedicated Service for to Stinsfeetry acord. Meerting concluded, to date neary stops for to which is here ming shop the ming minte. A14



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2561/2014 Date of issue :03/05/2019

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/IC/CO/R2/965/2019

Ref: 1. Application no:10184919

2. Previous consent no: PCB/PLKD/ICO/R1/490/2017 Dated: 30/11/2017, valid up to 23/05/2019

The 'Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST, THRISSUR DIST,

Pin Code : 680619 is hereby renewed up to 01/12/2023 and issued to M/s ROYAL SAND AND GRAVELS PVT. LTD QUARRY

THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST

Pin Code : 680619 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	ANNUAL FEE	Rs. 9600/-
2	SURVEY NUMBER	2/P, 14/P, 15/P, 16/1P
3	CATEGORY	RED
4	VILLAGE	AKATHETHARA
5	CAPITAL INVESTMENT	Rs. 46/- lakhs
6	FEE REMITTED	Rs. 67,520/-(out of this Rs. 8707/- is excess and is carry over to next renewal)
7	VALIDITY	01/12/2023
8	LAST DATE FOR RENEWAL APPLICATION	01/10/2023
9	RAW MATERIALS AND PRODUCTS	QUARRYING IN 7.0655 HECTARES

II. Stack Details

Stack No.	Source of	Emission	Stack Hei	ght above	Control
	Emission	Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment
II. CONDITIO	NS				,
ll other condition	s of the Integrated (Consent to Operate i	ssued as per referenc	e above remain un	changed.
			KRISHNAN		gned by KRISHNAN M 9.05.04 06:53:03 +05'30
DATE :03/05/20	19		SIGNATURE &		
		CORTA STATE	TION CONTROL &		
		CONTACT OF A	TION CONTROL		
THEPARAMBII ROYAL SAND A THEPARAMBII	L HOUSE, THRIT AND GRAVELS L HOUSE, THRIT	THALLOOR WES	TOR ROYAL SAN T POST THRISSU	R DIST PIN - 68	
MOHAMMED F THEPARAMBII ROYAL SAND THEPARAMBII Pin Code : 68061	L HOUSE, THRIT AND GRAVELS L HOUSE, THRIT 9	THALLOOR WES PVT. LTD QUAR THALLOOR WES	T POST THRISSU RY	R DIST PIN - 68 R DIST	0619
MOHAMMED F THEPARAMBIL ROYAL SAND A THEPARAMBII Pin Code : 68061	L HOUSE, THRIT AND GRAVELS L HOUSE, THRIT 9 igned document is	THALLOOR WES PVT. LTD QUAR THALLOOR WES legally valid as per	T POST THRISSU RY T POST THRISSU	R DIST PIN - 68 R DIST echnology Act 200	0619 0

ŝ

A16



accentrative mand : A6-1696/2020-21-55

തിന്നതി : 27/04/2020

അകങ്ങേതന ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1934 ലെ കോള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 12) 222,222,224,254 എന്നീ വകുപ്പുകളും യാതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് ഹാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

പ്രോഗം ഉപ്പോട്ടം പ്രോസന്യാ	മൂഹങ്ങദ് എന്നിൽ ടിഎ, മാനേജിംഗ് ഡയറക്ടർ, റോയൽ സാൻഡ്സ് 8 ഗ്രാവൽസ് ഡ്രൈവറ്റ് ലിമിറ്റഡ്
ംമാടങ്ങമാന പ്രഹം ഉറ്റത്തെന്നംവാന	ດວະພະວຣ໌ ຫນວະນຳມຳນຳ & ເທວກມວຣຳນຳ, ແພວສກາໄ
സെസർസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	ന്ന്രസ്താണം നേസ്ഥ രേഷ്കെ പ്രിയായും നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വെ നമ്പറും വാർഡ് നമ്പറും	ກາວອ້ອງ ພາກາວ 2, 11, 13, 16(1) ດາວວັດພ້–1
രണ്ടെന്ന് കാഞ്ഞളവ്	e1/e4/2020 aj (3)-35 21/02/2025 (1)-99
ന്റ്രം നർസ്ഥരെ തിരംഗേള	50,000/- 23-1+ 20,000/- 23-1 2007233 mmid: 119040107733 dt. 23/03/2020 & 120040100133 dt. 27/04/2020
essestatema alosec	2300 2712 0.020 mmit 119040107734 dt. 03/03/2020
ലൈസൻസ് അനുവരിക്കുന്നതിനായി പാന്താക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശാാംശങ്ങൾ (നമ്പർ, തിയ്യതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാനം)	 സംനിപ്പി സർട്ടിംവിരെറ്റ് നമ്പർ 21/20 dt. 12,02,20, Valid upto 31/03/2021. മെല്നിംഗണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/IC/CO-2561/2014 dt. 03,05,2019 Valid upto 01/12/2023. മറ്റി മണ്ട്രോളർ ഓഫ് എക്സ്പ്റ്റോസിവ്സ് ഒറ്റ് അനുമതി നമ്പർ E/SC/KL/22/1222(E61052) dt. 21.06.18. Valid upto 31/03/2021. മൈനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുമുമ അനുമതി നമ്പർ 2486/2014 dt. 26.09.14. Valid upto 21/08/2026. സ്റ്റെ എർവായൺമെറ്റൽ ഇംപാക്ട് അസസ്മെറ്റ് ജാതൊറിറ്റിയുടെ അനുമതി നമ്പർ 160/SEIAA/KL/3490/2013 dt. 16.02.19. Valid upto 15/02/2024. പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈഗ്ഡ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. മേൽ പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിമാക്ഷേപ സാക്ഷ്യപത്രങ്ങൾ കാലാവധ് അവസാനിക്കുന്ന തിയ്യതിക്കൂ മുമ്പ് യഥാവിധി പുത്വക്കേ ണ്ടതാണ്. അല്ലാത്തപക്ഷം ആയതുമുലമുണ്ടാകുന്ന സാമ്പത്തിക ബാദ്ധ്യത ഉൾപ്പെടെയുള്ള എല്ലാ കഷ്ടനസ്ട്

Akathethara P.O., Patakkat - 678 005 Ph: 9496047271, 0491-2555171 Email: dipakathetharapkd@gmail.com





ടെ ലസൻസ് നമ്പർ : A6-1698/2020-21-57

തിയ്യതി : 27/04/2020

അകത്തേത്തറ ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	മോഹനൻ.ജി, ഡയറക്ടർ, റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് പ്രൈവറ്റ് ലിമിറ്റഡ്
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് ക്രഷർ യൂണിറ്റ്, ധോണി
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	1240 എച്ച്.പി ഉപയോഗിച്ച് മെറ്റൽ ക്രഷർ യൂണിറ്റ് നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വെ നമ്പറും വാർഡ് നമ്പറും	കെട്ടിട നമ്പർ : 1/22
ലൈസൻസ് കാലയളവ്	01/04/2020 മുതൽ 31/03/2025 വരെ
ഈടാക്കിയ ലൈസൻസ് ഫ ീസ്	50,000/- മൂപ+ 62,000/- മൂപ. രശീതി നമ്പർ: 119040107736 dt. 03/03/2020 & 120040100115 dt. 27/04/2020
ഈടാക്കിയ തൊഴിൽക്കരം	2500/രൂപ. രശിതി നമ്പർ: 119040107737 dt. 03/03/2020
ലൈസൻസ് അനൂവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തിയ്യതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാനം)	 സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 19/20 dt. 18.02.20. Valid upto 31/03/2021. മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുരുള്ള അനുമതി നമ്പർ PCB/PLKD/ICO/R15PAL2242826/2019 dt. 29.11.2019. Valid upto 30/11/2024. അഗ്നി സുരക്ഷ വകുപ്പിൽ നിന്നുരുള്ള പരിശോധന റിപ്പോർട്ട് നമ്പർ B773/2017 dt. 09.02.2017. ഫാക്ടറീസ് & ബോയലേഴ്സ് വകുപ്പിൽ നിന്നുരുള്ള സാക്ഷ്യപത്രം നമ്പർ D13/PGT/09/701/2018 dt. 12.12.2018. Valid upto 31/12/2020.) മൈനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുരുര അനുമതി നമ്പർ 2276/M3/2019 dt. 07.03.19. Valid upto 31/03/2020. പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. മൽ പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളു നൽകിയ നിരാക്ഷേപ സാക്ഷ്യപത്രങ്ങൾ കാലാവധ അവസാനിക്കുന്ന തിയ്യതിക്കു മുമ്പ് യഥാവിധി പുതുക്ഷേ ണ്ടതാണ്. അല്ലാത്തപക്ഷം ആയനുമുള്ള എല്ലാ കഷ്ടനഷ് ങൾക്കും ലൈസൻസി മാത്രമായിരിക്കും ഉത്തരവാദി.



A18 MURASON M.

Akathethara P.O., Palakkad - 678 008 Ph: 9496047271, 0491-2555171 Email: ddpakathetharapko@gmail.com



ถุดอุเกษณีกษั เกิดแต่ เ A6-1697/2020-21-56

(0)(0)(0) 1 27/04/2020

അകരത്തത്താന ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1984 ഒല കേരള പണ്ടായത്ത് താജ് ആക്ട് (1984 വെ 13) 232,233,234,284 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടണേളും അനുസരിച്ച് ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

മോഹനൻ.ജി, ഡയറക്ടർ, റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് ലൈസൻസിയുടെ പേരും പ്രൈവറ്റ് ലിമിറ്റഡ് മേൽവിലാസവും റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് ക്രഷർ യുണിറ്റ്, ധോണി സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും 210 എച്.പി ഉപയോഗിച്ച് മെറ്റൽ ക്രഷർ യൂണിറ്റ് ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ നടത്തുന്നതിന് കെട്ടിടം/സർവ്വെ നമ്പറും വാർഡ് ഹെട്ടിട നമ്പർ : 1/23 നമ്പറും 01/04/2020 മുതൽ 31/03/2025 വരെ ലൈസൻസ് കാലയളവ് 50,000/- രൂപ+ 10,800/- രൂപ. രശീതി നമ്പർ: 119040107/39 dt. ഈടാക്കിയ ലൈസൻസ് ഫിസ് 03/03/2020 & 120040100114 dt. 27/04/2020 ഈടാക്കിയ തൊഴിൽക്കരം 2500/രൂപ. രശീതി നമ്പർ: 119040107740 dt. 03/03/2020 1) സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 20/20 dt. 18.02.20. Valid upto 31/03/2021. 2) മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/IC/CO/76/2007 dt. 03.07.2018. Valid upto 30/06/2023. 3) അഗ്നി സുരക്ഷ വകുപ്പിൽ നിന്നുമുള്ള പരിശോധന റിപ്പോർട്ട് നമ്പർ B773/2017 dt. 09.02.2017. 4) ഫാക്ടറീസ് & ബോയലേഴ്സ് വകുപ്പിൽ നിന്നുമുള്ള സാക്ഷ്യപത്രം നമ്പർ D13/PGT/09/701/2018 dt. 12.12.2018. ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ Valid upto 31/12/2020. പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, 5)) മൈനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുമുള്ള അനുമതി തിയ്യതി, കാലയളവ്, നൽകിയ നമ്പർ 2276/M3/2019 dt. 07.03.19. Valid upto 31/U3/2020. അധികാര സ്ഥാനം) 6) പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. മേൽ പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്ഷേപ സാക്ഷ്യപത്രങ്ങൾ CONDCKO200 അവസാനിക്കുന്ന തിയ്യതിക്കു മൂമ്പ് യഥാവിധി പുതുക്കേ ണ്ടതാണ്. othelactocloco ആയതുമുലമുണ്ടാകുന്ന സാമ്പത്തിക ബാദ്ധ്യത ഉൾപ്പടെയുള്ള എല്ലാ കഷ്ടനഷ്ട ങ്ങൾക്കും ബൈസൻസി മാത്രമായിരിക്കും ഉത്തരവാദി.

ലൈസൻസ്

(ഓഫിസ് മുഗ്ര)



OUMO

അകരത്തേത്തറ ഗ്രാമ (ORD) ALD CL Akathothara Grama Panchayat Akatholhora P.O., Palakkad - 678 608 ph: 9405047271, 0451-2555171

Email: ddpakathetharapkets

ANNEXURE GI.31 (2



भारत सरकार | Government of India वाणिज्य और उद्योग मंत्रांलय | Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO) पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives केन्द्रीय भेवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.ओ.कक्कानाडु कोच्ची | CSEZ PO Kakkanad Dist. Emakulam Ernakulam 682037 फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SC/KL/22/1222(E61052)

दिनांक (Date): 30/08/2016

सेवा में | To,

Shri MOHANAN .Director,

M/s. Royal Sands and Gravels Pvt. Ltd., Theparambil House, Thrithalloor West Post, Thrissur, Town/Village - Thrithalloor. WestPo District-THRISSUR, State-Kerala, Pincode - 680619

विषय :

Survey No.ReSurvey No.13/1 Block.25, ग्राम Akathethara, Palakkad taluk, जिला PALAKKAD, राज्य, Kerala में मेसर्स Shri MOHANAN .Director दवारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेत् विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुजप्ति सं E/SC/KL/22/1222(E61052) के संशोधन संदर्भ में। (विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन)

Subject: Possession for Use of of Explosives from magazine situated at Survey No.: ReSurvey No.13/1 Block.25, Akathethara, Palakkad taluk, Dist. PALAKKAD, Kerala - Licence No.: E/SC/KL/22/1222(E61052) granted in Form LE-3 of Explosives Rules, 2008 -(Amendment of Quantity of Explosives/Monthly Purchase Limit).

महोदय | Sir.

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 30/08/2016 का संदर्भ ग्रहण करें। Please refer to your letter no. Nil dated 30/08/2016.

अन्त्रप्ति संख्या E/SC/KL/22/1222(E61052) 1. VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE AND LOCAL STATE GOVERNMENT AUTHORITIES APPROVAL/ENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME SHALL BE IN POSSESSION.2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR APPROVAL/ENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY.3. OPENING OF QUARRY SHALL BE INFORMED TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED AS PER MINES ACT.4. APPROVED BLASTER SHALL BE APPOINTED IN THE QUARRY FOR BLASTING. 5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-5, RE-7 RE-13 SHALL BE MAINTAINED.6.DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE. के संदर्भ में यथा संशोधित कर भेजी जा रही है।

The Licence No.: E/SC/KL/22/1222(E61052) is forwarded herewith duly amended in respect of followings; 1. VALID AUTHORISED QUARRY PERMIT IN THE NAME OF THE LICENSEE AND LOCAL STATE GOVERNMENT AUTHORITIES APPROVAL/ENVIRONMENTAL CLEARANCE AS APPLICABLE AND RENEWED FROM TIME TO TIME SHALL BE IN POSSESSION.2. IF ANY CHANGE OF QUARRY OR ADDITIONAL QUARRY IS INVOLVED, NECESSARY PRIOR APPROVAL/ENDORSEMENT SHALL BE OBTAINED FROM THE LICENSING AUTHORITY.3. OPENING OF QUARRY SHALL BE INFORMED TO THE DGMS AND BLASTING OPERATIONS SHALL BE CONDUCTED AS PER MINES ACT.4. APPROVED BLASTER SHALL BE APPOINTED IN THE QUARRY FOR BLASTING. 5. ALL RECORDS OF USE OF EXPLOSIVES IN RE-3, RE-5, RE-7 RE-13 SHALL BE MAINTAINED 6 DAILY PASS FOR USE OF EXPLOSIVES (RE-13)SHALL BE GENERATED ONLINE...

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी। The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	ड्काई Unit
1	Nitrate Mixture	2	0	0	100	Kg.
2	Safety Fuse	6	1	0 .	2000	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	1000	Nos.

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुजप्ति के लिए लागू): 15 गुना Quantity of explosives to be purchased in a calendar month[applicable for licence under article.3(b) and (c)]: 15 times as above.

यह अनुज्ञप्ति दिनांक 31 मार्च 2021 तक प्रवृत्त रहेगी। This Licence shall remain valid till 31st day of March 2021.

अनुजप्ति के आगामी नवीकरण हेतु कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें। For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवटीय | Your's faithfully WH. AGHIAI (S.KANDASAMY)

उप विस्फोटक नियंत्रक | Dy. Controller of Explosives कृते उप मुख्य विस्फोटक नियंत्रक | For Dy. Chief Controller of Explosives

करों उप मुख्य विस्फोटक निबन्त्रक For Deputy Chief Centreller of Explosives Uter Emekulam

211	(विस्फोटक नियम, 2008 की अन	ल. ई3 LICENCE FOR! सूची 4 के भाग 1 के अनुच्छेद rt 1 of Schedule IV of Explosiv	3(क) से (घ) देखिए।)	•
(ग) उपयोग के लिए एक स	नमय पर वर्ग 1,2,3,4,5 या वर्ग 7 वे Licence to possess : (c) for use,	न विस्फोटक या किसी मैगजीन	में वर्ग 6 के विस्फोटव	
अनुज्ञप्ति सं. (Licence No.) : E वार्षिक फीस रुपए (Annual Fee	SC/KL/22/1222(E61052)	explosives of class 1, 2,3,4,3,0	भारत सरकार	-
and the second se	r (अधिभोगी / Occupier : Shri Mo Iloor West Post, Thrissur, Town/V	hanan), M/s.Royal Sandy and illage - Thrithalloor, Westrod I	* Govt. of India * *	
State-Ketala, Pincode - 6806 को अन्जप्ति अनुदत्त की ज 2. अनुजप्तिधारी की प्रास्थिति	गु तती है।			
^{3.} अनुजप्ति निम्नलिखित प्रयोग Licence is valid only for the 1 4. अनुजप्ति विस्फोटकों के निम	जनों के लिए विधिमान्य है।	के लिए विधिमान्य है।	Autorencement Prosecter	ectric and/or Ordinary
क्र	नाम और विवरण Name and Description	वर्ग और प्रभाग उप	प-प्रभाग मात्रा किसी । D-division Quantity at	
1. 2.	Nitrate Mixture Safety Fuse	Class & Division Sub 2,0 6,1	0 Quantity at a 0 100 0 2000	Kg.
3. Electr	ic and/or Ordinary Detonators	6,3	0 1000	to be by particulation of the second state of
(ख) किसी एक कलैंडर मास में व (b) Quantity of explosives to be	खरीदे जाने वाले विस्फोटक की मात्रा purchased in a calendar month[applic	[अनुच्छेद 3(ख) और (ग) के अधीन able for licence under article 3(b)	न अनुज्ञप्ति के लिए] and (c)] :	15 times as above.
The licensed premises shall on 6. अन्जपित परिसर निम्नलिखित	वेत्रों) से अनुज्ञप्त परिसर की पुष्टि onform to the following drawing(s त पते पर स्थित हैं। The licensed /1 Block 25 जाम (Town/Village)): . दिनांक (Dat premises are situated at follow	(Drawing No.) E/SC/KL/22/ ed) 30/08/2016 ing address:	
जिला (District)	/1 Block.25 , ग्राम (Town/Village) PALAKKAD राज्य (S 8086600900 ई. मेल ()	tate) Kerala	ष्पुलस याना (Police Station) पिनकोड (Pincode) फैक्स (Fax)	1) : Hemambika Nagar 678686
. ^{7,} अनुजप्ति परिसर में निम्नलि The licensed premises consist	खित सुविधाएं अंतर्विष्ट हैं।	and the second	lo 299)and one D type (Sr N M/s Thekkans Engg & Fab	
8. अनुजप्ति समय – समय पर अतिरिक्त शर्ती और निम्नलि The licence is granted subject	यथासंशोधित विस्फोटक अधिनियम खित उपाबध्दों के अधीन रहते हुए to the provision of Explosives Act itional conditions and the followin	r, 1884 और उनके अधीन विरो अनुदत्त की जाती है। 1884 as amended from time to		
1. उपर्युक्त क्रम सं. 5 में	यथा कथित रेखाचित्र (स्थान, सनि itc, constructional and other details	नर्माण संबंधी और अन्य विवरा		
2. अनुज्ञप्ति प्राधिकारी व Conditions and Addit	व्दाररा हस्ता क्षरित इस अनुज्ञप्ति ional Conditions of this licence sig	की शर्ते और अतिरिक्ति शर्ते।		
 दूरी प्ररूप DE-2 Dist यद अनजप्ति ताग्रिय 31 मार्च 	ance Form DE-2. 2016 तक विधिमान्य रहेगी। Th	is licence shall semain valid till	31st day of March 2016.	
	उसके अधीन विरचित नियमों या			था उपवर्णित इस
अनुज़प्ति की शर्तों का अधिक्र पर निलंबित या प्रतिसंहत की This licence is liable to be sus	मण करने या यदि अनुज्ञप्त परिस जा सकती है, जहां वह लागू हो। pended or revoked for any violatio	ार योजना या उससे संलग्न उप n of the Act or Rules framed th	बिंध में दर्शित विवरण के अ 	नुरूप नहीं पाए जाने of this licence as set
forth under Set VIII, wherever	r applicable, referred to in Part 4 or s and Annexure attached hereto.	f Schedule V or if the licensed	premises are not found confe (1 MV	orming to the
तारीख The Date - 06/05/201	11	संयुक्त मुख्य विस्फोटक	त नियंत्रक) Joint Chief Co	ntroller of Explosives South Circle, Chennai
Transfers : • Change in Licensee Name/Ad	xplosives/Monthly Purchase Limit Idress/Status dated : 03/11/2011	dated : 30/08/2016	कृते उप मुख्य For Deputy Chief (एरनाकुलन Ernal	विस्कोटक नियन्त्रव
Change in Licensee Name/Ad	idress/Status dated : 13/09/2012 नवीनीकरण	के पृष्ठांकन के लिए स्थान Endorsement of Renewal		
नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अन्ज्ञापन प्र	ाधिकारी के हस्ताक्षर और स्त of licensing authority and sta	

т. К

Sd/-

4

(सेट VIII | Set VIII)

मंगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 |अनुच्छेद 3 (ख) से (ग)| में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक व्दारा प्रदान किए जाने वाले अनुराप्ति सं. E/SC/KL/22/1222(E61052) की शर्ते निम्नलिखित हैं। The following are the conditions of licence number E/SC/KL/22/1222(E61052) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

- 1. परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी ।
 - The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्तर होने वाली मैगजीन अनुसूची III और अनुज्ञप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।
 - The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- 3. मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबध्द आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं । The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- 4. पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा ।

The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.

5. दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु –

(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।

(ड) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे ।

(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा ।

Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—

(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately.

11 17

वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुजापन प्राधिकारी की विशेष मंजुरी के मैगजीन में नहीं रखा जाएगा ।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.

7. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजुरी दे दी हो ।

(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तूरत करेगा ।

(ii) जब कोई विस्फोटक मानक शुध्दता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुजुप्तिधारी अपने ही

ट्यय 'पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें। Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.

(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.

मैगजीन के भीतरी भाग या उसमें लगी बैंचो, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बेंचे, शैल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरुध्द सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्येकर नहीं होगा जिसमें वर्ग 6 (गोला बारुद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है ।

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from:

Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a

Duilding in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञाप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय

न्यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुजण्तिधारी व्दारा पश्चात्वर्ती प्रत्येक परीक्षण के लिए तब तक जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा : परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्धद है तो ऐसे सभी चालकों के परीक्षण के लिए फीस

ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।

If the lighting conductor is tested by the Controller of Explosives, the licensec shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी सांचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :

परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

 अनुजण्तिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके व्दारा ऐसा करने की मांग की जाने पर स्टाक

पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी ।

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

- 12. परिसरों में कोई परिवर्तन या तबदीली अनुजापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुजाप्तिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुजापन प्राधिकारी विनिदिष्ट करें । No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
- 13. मैंगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) | यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञप्तिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तूरंत देगा ।

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

मैंगजीन का अनुज्ञप्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुजापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।

Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

 यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।

The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable. 16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकजों की हालत की जांच

करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके । The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.

तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओहम से अधिक नहीं होगा । The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

17. मैंगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी । A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी । Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.

19. किसी मैगजीन / अंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा । Not more than 4 persons shall be allowed inside the magazine or store house at any one time.

20. विस्फोटकों के खाली पैकजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा ।

- Empty packages of the explosives shall be removed at the earliest and destroyed. \
- 21. अनुजप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए 🕻

9

The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.

22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकत: अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी ।

Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.

23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञन्तिधारक को अनुज्ञात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा ।

If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.

24. अनुजण्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुजत फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सरक्षा पलीते खरीदेगा ।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –

(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;

(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के.प्रतिबंधित होंगे ;

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by $5 \log 10$ (N) dB, where N = number of crackers joined together.

26. आग या विस्फोट व्दारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी ।

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शतें / Additional Conditions :

1. अनुजप्तीधारी विदेशी मूल के आतिशबाजी को ना रखेगा ना ही उसकी बिक्री करेगा | The licensee shall not possess and sale fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक नियेंगक For Joint Chief Controller of Explosives कृते उप मुख्य विस्फोटक नियन्त्रक For Deputy Chief Controller of Explosives एरनाकलम Ernakulam

Form DE-2 (See rule 113 of the Explosives Rules, 2008) (Distance Form to be attached to the licence)

rety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1222(E61052) in form LE-3 granted to Shri MOHANAN .Director, M/s.Royal Sands and Gravels Pvt.Ltd., Theparambil House, Thrithalloor West Post, Thrissur, Kerala-678686 .

		Type of Structure(s)	Sa	fety distan	ces meter
	n an 2	Inside Safety Distances(ISD)	- The second second of the second s	M	UM
1	Room or Workshop used in Conr			11	17
2		or store House or Factory of the Appli	cant		
3	Magazine Office				
	- Balance Office	91			
	annen anderen ernen fri annen enter eine enter inderen den einen deren annen konstanten einen och och anderen e	Middle Salety Distances(MSD)	W. Stor		
	Magazine Keeper's or Chowkidar		and the second sec		
5	Railway including Minerals and I				
5	Canal (in active use) or other nav				
7	Dock or Pier or Jetty	0			
3	Public Highway or Public Road				33
)		L means of access to a Temple, Mos	que, Church, Gurudwara or ot	her	
	places of worships, Hospital, Col		And the second se		
0	River Embankment or Sea Emban				
1	Reservoir or Bounded tank/rope				
2	Windmillor or Solar panel for Po				
		Outside Safety Distances(OSD)			
3	Dwelling House				
4	Govt. and Public Building				
5		idwara or other Places of Worships	化物理器器 WELLING		
		ation and Coorts Cround Collage C	chool Hospital Theater Cine	ma	
6	Shops, Market place, Public recre		Andort Thospitant's Thomas' Chic		
6	Shops, Market place, Public recre or other Building where the publi		Chiefer a station of the state of the		
	or other Building where the publi Factory	c are accustomed to assemble			
7	or other Building where the publi Factory Buildings or Works used for the				
7	or other Building where the publi Factory Buildings or Works used for the hazardous substances	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi	it, gas, or other inflammable	or	45
78	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St	c are accustomed to assemble	it, gas, or other inflammable	or	45
7	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi	it, gas, or other inflammable	or	45
7 8 9	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi	it, gas, or other inflammable	or	45
7 8 9	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi	it, gas, or other inflammable	or	45
7 8 9 0	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi orage and Manufacture of Explosiv	it, gas, or other inflammable	or	45
7890123	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi orage and Manufacture of Explosiv	it, gas, or other inflammable	or	45
7890123	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substatio Wireless Station	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi orage and Manufacture of Explosiv	it, gas, or other inflammable	or	45
78901234	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi orage and Manufacture of Explosiv	it, gas, or other inflammable	or	45
78 9 012345	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substatio Wireless Station Warehouse or other Storage Build	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi orage and Manufacture of Explosiv on	it, gas, or other inflammable	or	45
7 8 9 0 1 2 3 4 5	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substatio Wireless Station	c are accustomed to assemble e Storage in Bulk of Petroleum, Spi orage and Manufacture of Explosiv on	it, gas, or other inflammable	or	45
7 8 9 0 1 2 3 4 5	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substatio Wireless Station Warehouse or other Storage Build	c are accustomed to assemble e Storage in Bulk of Petroleum, Spr orage and Manufacture of Explosiv on	it, gas, or other inflammable es or of articles which cont	or	45
7 8 9 10 12 23 4 15 16	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substatio Wireless Station Warehouse or other Storage Build Any other Protected works	c are accustomed to assemble e Storage in Bulk of Petroleum, Spr orage and Manufacture of Explosiv on ding Overhead Electric	it, gas, or other inflammable es or of articles which cont	or	
16 17 18 19 10 11 23 14 25 16 17 18	or other Building where the publi Factory Buildings or Works used for the hazardous substances Building or Works used for St Explosives Acrodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substatio Wireless Station Warehouse or other Storage Build	c are accustomed to assemble e Storage in Bulk of Petroleum, Spr orage and Manufacture of Explosiv on ding Overhead Electric ission Lines above 440V	it, gas, or other inflammable es or of articles which cont	or	45 45 15

The Date : 06/05/2011

Amendments :

Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 30/08/2016
Transfers :

- Change in Licensee Name/Address/Status dated : 03/11/2011
- Change in Licensee Name/Address/Status dated : 13/09/2012

For Soint Chief Controller of Explosives

कृते उप मुख्य विस्फोटक नियन्त्रक For Deputy Chief Controller of Explosives. एरनाकुलम Ernakulam

Annexure G.31(3)



கே0ஓo केरल KERALA

AM 259574

FORM - 'H'

(See Rule 32) QUARRYING LEASE

For Royal Sand and Gravels pvt. Ltd Mohammed Jazeel. 8 2014 **District** Offi of the Departme No. 2868 RS 1001 Sold to Gieology, Palak Mining and Muhanned Fastil. T.A. c 201 Director of Royal Sand 4 Gravels (P) TEMPORARY AKKAL Dhoni). R. 2014 For Royal Sand And Gravel (P) Ltd. For Royal Sand and Gravels pvt, Ltd Mohammed Faseel My ologist District Office of the Department of " Mining and Geology, Palakkad.

Hast leo in the office of the 5 .D. Registrar at the provide a dieger inter of the Busan chefere HS GHE SHE SHE WINGE TO BE THE BALL AND A SHE ine I wood En 2014 Mohammed Fazeel . Appres Execution educione ep 204 Mohammed Forzeet. My are tor roops Royal Salar Mg. Ditator and The porces but house Thinking - Id) - Que Soting Than Satisfied mail as to the care of this is dramped - months on M. S. Kishor geo fin - of o Dept g Mining ad geology the the excuss ed from trozo wel gozeanin 45 (2(1) of S/01 T.K. YOUSUF. THOTTI THODY HOUSE NISAR.T. HANPARA (PO) PALSELS. 678593 (Busines)

Witnesseth that in consideration of the rents and royalties and lessee covenants, hereinafter reserved and contained the State Government both hereby demise upto the lessee the land measuring 7.0655 hectares described in the schedule hereunder the delineated on the plan here to annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of 12 (twelve) years commencing from the Twenty Second ... day of Angust 2014 and ending on the Twenty first..... day of Angust 2026. for the purposes of extracting minor minerals and subject to the terms and conditions contained in the Kerala Minor - Mineral Concession rules, 1967 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

- 1. The lessee shall have the right in and upon the said lands to extracts Granite Building Stone (hereinafter called the said mineral) and to do all acts necessary for the extraction of the said mineral including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose off the said minerals extracted as aforesaid.
- 2. The lessee shall during the subsistence of this lease have the liberty to work the said mineral and remove the same from the guarry hold on permits issued by the State Government /Competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
- 3. The lessee shall pay to the State Government an yearly surface rent equal to the land revenue if any, assessable under the rules for the time being the force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any per hectare of the land the surface whereof shall be occupied or used by the lessee for any of the purposes of this demise and so in proportion for, any area less than a hectare. The said surface rent shall be paid by yearly payments, the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.
 - The lessee shall at all time during the currency of this demise keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also, maintain a register of employees showing therein separately men, women and children employed daily and shall at all reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority") or the officer authorised by him/her/them to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee shall submit reports in Forms 'F' by Creef For Royal Strind And Gravels (P) Ltd. Managing Director 22/8/2014 Managing Director and 'G' on the specified dates.

For Royal Sand and Gravels pvt, Ltd, Mohammed Fazeel Mana

4.

M HOR ologist District Office of the Department of Mining and Geology, Palakkad.

basto'. Sed se ind sto. P.G. a

ABOULMAJEED.	WADAKAN CHERY . THRISSUR.	AMKULAM HOUSE.
P.O. ENRAKAD.	WADAKAW CHERY . THRISSUR.	PESSIONER.

26 ms Sig 20 14

Bub Logistown

Sivadas Viswanath

Sivadas Viswanath Sub Registrar

Sivadas Viswand

A29

Sub Registrer



- 5. All sums found due under or by virtue of this deed from the lessee may be recovered from him jointly and severally from them and his/her/their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
- 6. The lessee shall at the lessee's own expense erect and at all time maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan hereto annexed.
- 7. No quarrying operations or working shall be carried on or permitted to be carried on by the lessee in or under the said lands at any point within a distance of 75 meters from any railway line except with the previous permission in writing of the railway administration concerned; and from any bridge on the National Highway or 50 meters from any reservoir, canal or other public works such as public roads and buildings or inhabited site, burial ground etc. shown on the plan thereto annexed except with the previous permission in writing of the State Government / competent authority or otherwise than in accordance with such instructions, restrictions and condition either general or special which may be attached to such permission. The said distance of 50 meters shall be measured in the case of a railway, reservoir, or canal horizontally from the outer edge of the bank or outer edge of the cutting. as the case may be and in the case of a building horizontally from the plinth thereof. In the case of village roads no workings shall be carried on within a distance of 10 meters of the outer edge of the cutting except with the previous permission in writing of the State Government / competent authority. For the purposes of this clause the expression "railway and railway administration" shall have the same meaning as defined in sub section (4) and (6) of section 3 of Indian Railway Act, 1890 (IX of 1890).
- 8. The sides of open workings shall sloped, stepped or secured by the lessee in such a manner as to prevent danger from falls of material, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
 - *9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
 - 10. The lessee shall at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.

or Roval Sand and Gravels pyl. Lid hummed Farel Angice 22/8/2014

District Office of the Department of Mining and Geology, Palakkad.



-4-

- 10A The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time to the quarry.
- 11. The lessee shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government / Competent authority
- 11A Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 34 read with condition 11, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from the time to time, to the quarry.
- 12. The lease may be surrendered by the lessee at any time after 3 months notice in writing to the State Government / Competent authority. Provided that the lessee has paid all sums due on account of the lease. Provided further that if the lessee elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the terms of the lease deed.
- 13. On the expiration of the term of this lease or on its earlier determination under clause 12 the lessee shall pay to the State Government for all land which has been rendered useless for agriculture through the exercise of the powers demised by this lease such sum as the District Collector may fix as equivalent to the capitalized value or the land revenue of such land rendered useless. The lease shall continue if the sums are not cleared before the date of determination of notice.
- 14. If the lessee shall be desirous of taking a further lease of the said lands for a further term of years he/they shall give three months previous notice in writing of such desire to the State Government / Competent authority and if the lessee has duly observed all the conditions of this lease, the State Government / competent authority may agree to renew the lease for such further term and on such terms and conditions as the State Government / competent authority may determine which shall be in accordance with the provisions of these rules.
- 15. If the lessee shall at any time during the said term use the said lands or any part thereof in any manner other than as authorised by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government / competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government / competent authority to cancel this lease and take possession of the said lands or in the alternative to receive from the lessee such penalty for the breach not exceeding five times the amount of the said yearly dead rent as the State Government / competent authority may fix.

For Royal Sand and Gravels, pvt. L For Royal Sand and Gran Moheurs need Fazeel Manar

ISHOR eologist District Office of the Department of Mining and Geology, Palakkad.

P

- 16. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or upon the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences the said minerals or other property which the lessee is entitled to remove from the said lands, the same shall, if not removed by the lessee within one calendar month after notice in writing requiring their removal be given to the lessee by the State Government / competent authority be deemed to become the property of the State Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee in respect thereof.
- 17. This lease is subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting the safety, health and convenience of the lessee's employees or of the public, whether under the Indian Mines Act or other wise.
- 18. The lessee shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.
- 19. The lessee shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
- 20. The lessee shall make and pay such reasonable satisfaction and compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
- Any condition prescribed in the Kerala Minor Mineral Concession Rules,
 1967, but left out in this lease which may be found applicable to the lessee shall be treated as binding on the lessee. In this case anticipated royalty for the mineral at the rate of Rs.16/- (Rupees Sixteen only) per tonne for a period of one year is Rs.16,00,000/- (Rupees Sixteen Lakhs only).
- 22. Dead rent realizable at the rate of Rs. 1st year Nil, 2nd year Rs.200/- and 3rd year onwards Rs.800/- per hectare subject to revision from time to time. Surface rent at the rate of Rs.200/- (Rupees Two hundred only) per hectare for 7.0655 hectare per year is Rs.1413/- (Rupees One thousand four hundred and thirteen only) security deposit is Rs.1,000/- (Rupees One thousand only).

For Royal Sand and Gran Mohammed fazer

KASHOF ologist District Office of the Department of

-5-

Displicate one :- There are no differences between the --Original document and this Dyplicate There are no Intertimentions Compared & Reader Thoufecane Rahman (tal. by] Examined Sucreshbeby PP. July

26th day 04 September 2014 Divadas Viswanath SubRegistran Com

A35

The schedule above referred to Description of Land

District Taluk	Village	Re-Survey No. of the area	Area in Hectares
Palakkad Palakkad	Akathethara	2/P 14/P	7.0655 Hectares
		15/P	
		16/1P	
		Block No.25	
			· · · · · · · · · · · · · · · · · · ·

Bounded by

Sy. Nos.

On the North by	:	2P, 15P, 16/1
On the East by	:	16/1, 14P, 15P
On the South by	:	14P, 15P, 2P
On the West by	:	2, 3

In witness whereof the parties hereto have set their hands hereinto on the day and year first above written

Signed by

for and on behalf of the Governor of Kerala

District Office of the Department of Mining and Geology, Palakkad.

In the presence of

- 1. Vinad M 2, Assistant Geologice. Distant office of the Deportment of Mining and Geology, Balakkad.
- *2. Frince kumar R. Assistant Geologist District office of the obpartment of mining and gulogly . In 2.05. Palakkad

. Fer Royal Send and Gravels pvt. Signed by ... C for and on behalf of the lessee thammed Fazee 2014

1. MISAR . T S/O: T.K: YOUSUF

THUTTI THODY HOUSE

THEWAMPAKA 2. MOHAMMED SHEBEER. M.L S/0: EUNJIMON MAMMASRAYILLATH D.O. PR DOOR

shelp a

8000 00 2014

CERTIFICATE

B- 4797/14

2419/2014

Certified that an R. 2,25,0441amount of Rupees Two haksts TWENTY FIVE THOUSAND (Down AND FOIRTY FOURT ONLY) has Leen Remitted by The Managing Director, Ms. Royal Sand and Greaves CP) Ud, Dhonicke Palarkikad Vide chalan No. 189 dtd. 23/9/14 at Sub Treasury, Pailarikkad towards adjudication fees of Quarrying Lean deed. Now the docur iis stamped las per law. No sesponsibility about the contents of this deed is accepted by this office



