

Quarry project of

M/s Royal Sand and Gravels (P) Ltd.

Akathethara Village

Akathethara Panchayath

Palakkad Taluk

Palakkad District

Kerala State

16th Compliance Report

(Ref: E.C. No. 160/SEIAA/KL/3490/2013 dt. 24.05.2014 OF SEIAA KERALA)

for the period from

October 2021 to March 2022

Quarry project of

M/s Royal Sand & Gravels (P) Ltd.

Akathethara Village

Akathethara Panchayath

Palakkad Taluk

Palakkad District

Kerala State

16th Compliance Report

(Ref: E.C. No. 160/SEIAA/KL/3490/2013 dt. 24.05.2014 OF SEIAA KERALA)

for the period from

October 2021 to March 2022

TABLE OF CONTENTS

Item No.	Description	Page No.
	Monitoring Report – Proforma - Part I	7
I.	About the proponent	9
II.	About the project	
	Project category	9
	Project location	10
	Project extent and activity	10
	Project description	10
III.	Report of Compliance	
	Compliance of Specific Conditions	11
	Compliance of General Conditions	12-20
IV.	Plates	
	Plate S.3 – Check dam	23
	Plate G.3 – Avenue trees alongside the parking area	25
	Plate G.4 – Solar panel	27
	Plate G.5 – Sprinkler	29
	Plate G.9 – Barbed metal wire fencing	31
	Plate G.10 – Warning alarm	33
	Plate G.11 - Green belt	35
	Plate G.17 – Bench formation	37
	Plate G.21 – Acoustic enclosure	39
	Plate G.25 – Trees in the site	41
	Plate G.26 – Spent oil storage	43
	Plate G.27 – Magazine	45
	Plate G.38 – EC display board	47
	V.	Annexure
Annexure 1 - Erratum regarding the validity of EC		A1-A2
Annexure G.2 – Copies of minutes of meeting of Environment Monitoring Cell		A8
Annexure G.8 – Copies of receipts for the amount spent towards CSR for the period from October 2021 to March 2022		A9-A29
Annexure G.30(1) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for quarry		A30-A39
Annexure G.30(2) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit		A40-A46
Annexure G.30(3) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit		A47-A54

	Annexure G.31(1) – Copies of licenses for the quarry and crusher units (valid upto 31.03.2025) issued by Akathethara Grama Panchayath	A55-A60
	Annexure G.31(2) – Copy of license (No. E/SC/KL/22/1222 (E61052) dt. 15.04.2021 valid up to 31.03.2025) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine	A61-A68
	Annexure G.31(3)(1) – Copy of quarrying lease deed valid for a period of 12 years from 22.08.2014 to 21.08.2026	A69-A82
	Annexure G.31(3)(2) – Copy of additional quarrying lease deed granting permission to enhance the average annual quantity of extraction from 1,00,000 tonnes to 3,00,000 tonnes valid up to 21.08.2026	A83-A88
	Annexure G.37 – Copy of air, water, soil and noise quality reports of the project site	A89-A95

MONITORING REPORT – PROFORMA – PART I

E.C. No. 160/SEIAA/KL/3490/2013 dated 24-05-2014 r.w. proceedings of even no. dt. 16.02.19 of SEIAA Kerala

1.	Name of the project	Quarry project of M/s Royal Sand and Gravels Pvt. Ltd.
2.	Clearance letter no. & date	Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24-05-2014 r.w. proceedings of even no. dt. 16.02.19 of SEIAA Kerala
3.	Location: District & State/UT	Palakkad District, Kerala State
4.	Address for correspondence:	Mr. Mohammed Fazeel T.A. Managing Director M/s Royal Sand & Gravels (P) Ltd. Plaza Junction, Dhoni P.O. Palakkad Kerala state Pincode: 678009.
5.	Contact No. of office with name of responsible official	Nisar T.
6.	Mobile No. of concerned officials associated with monitoring	9544982222/ 8606544222/9562482222
7.	Date of commencement (Actual and/or planned)	24.05.2014
8.	Validity of CFO (<i>Consent for Operation obtained from Kerala State PCB</i>)	01.10.2023
9.	Present status of the project	Continuing
10.	Email id of the contact person to whom communications to be sent	royal_grs@yahoo.com ; mail2nisa2200@gmail.com
11.	FAX Number	

Date: 03/04/2022



(Company Seal)

Signature of authorized signatory

Name : _____
Designation: _____

I. ABOUT THE PROPONENT

M/s Royal Sand and Gravels Private Limited possess a quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala state.

State level Environment Impact Assessment Authority Kerala (SEIAA Kerala) accorded Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24.05.2014 to the quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala managed by M/s Royal Sand and Gravels Private Limited. An erratum regarding the validity of EC has been issued vide Proceedings no. 160/SEIAA/KL/3490/2013 dated 16.02.2019 of SEIAA Kerala and the validity of EC was clarified as 15 years from 24.05.2014 subject to review in every 5 years. Copy of the order is attached as *Annexure 1* (Pages A1 to A2).

M/s Royal Sand and Gravels Private Limited is controlled and managed by Mr. Mohammed Fazeel T.A., Managing Director, M/s Royal Sand & Gravels (P) Ltd., Plaza Junction, Dhoni P.O., Palakkad - 678009; Mob. No. 09447129278; E-mail: royal_grs@yahoo.com.

Among the conditions specified in the said Environmental Clearance (EC), it is mandatory to file six-monthly compliance report(s). This report is in compliance of it; and the sixteenth report in its series.

Original Application No. 124 of 2021 (SZ) filed by Sri. Sibi Joseph before the Honourable National Green Tribunal, Southern Zone, Chennai against the project is pending for final judgment.

II. ABOUT THE PROJECT

a. Project category:

The project comes under the Category B, Activity 1(a) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project location:

Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District, Kerala. The proposed project site falls within $10^{\circ} 51' 24.53''$ N to $10^{\circ} 51' 38.56''$ N and $76^{\circ} 37' 50.95''$ E to $76^{\circ} 38' 5.63''$ E.

c. Project extent and activity:

The project is for quarrying of 3,50,000 MTA of building stone from an area of 9.3928 hectares of land located as specified above. The expected life of mine is 28 years.

d. Project description:

The proposed project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be backfilled and reclaimed and rehabilitated by plantation leaving no void. The proposed project does not involve any underground mining activities. The mining will be done by open cast semi mechanized method. The sewage of 0.8 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.

III. REPORT OF COMPLIANCE

A. SPECIFIC CONDITIONS

Item No.	Stipulations in EC	Status of Compliance	Remarks
S1	Limit quarry to the stream on the eastern side to permit unhindered flow of the stream.	Special care is taken to ensure that quarrying is limited to the stream on the eastern side.	
S2	Leave statutory distance from the forest land on the north.	Statutory safe distance is being maintained without fail.	
S3	The stream may be provided with low level check dams to trap silt.	The check dam construction has been completed.	Plate S.3 – Check dam (Page 23)
S4	Rain water harvesting facility is required in the absence of dependable source of water.	Provision is made to store rain water in ponds even when sufficient dependable source of water is available for the present project.	

B. GENERAL CONDITIONS

Item No.	Stipulations in EC	Status of Compliance	Remarks
G1	Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified elsewhere.	Provision is made to store rain water in ponds.	
G2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment Monitoring Cell constituted is fully functional. Copy of minutes of meeting of Environment Monitoring Cell held on 08.10.21, 15.11.21, 14.12.21, 10.01.22, 05.02.22 and 07.03.22 are attached as Annexure G.2.	Annexure G.2 – Copies of minutes of meeting of Environment Monitoring Cell (Pages A3-A8)
G3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees by way of natural vegetation are present on either side of the tarred road and open parking areas. Besides this, saplings of bamboo are also planted along either side of the tarred road and open parking areas inclusive of approach road and internal roads.	Plate G.3 – Avenue trees alongside the parking area (Page 25)
G4	The project shall incorporate devices for solar energy generation and utilization wherever possible.	Solar panels are installed within the project area and street lights connected with them lit up the area.	Plate G.4 – Solar panel (Page 27)
G5	Sprinklers shall be installed and used in the project site to contain dust emissions.	In order to contain dust emissions, sprinklers are installed inside the project site.	Plate G.5 – Sprinkler (Page 29)
G6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	The condition shall be followed scrupulously.	

G7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumpings and overburden and planted with indigenous plant species that are eco-friendly.	The directions contained shall be scrupulously followed at the time of mine closure.
G8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented in tune with the conditions specified in the Companies Act, 2013.	CSR component is implemented in tune with the proposed ones. An amount of Rs. 1,56,700/- has been spent towards CSR for the period from October 2021 to March 2022 for various activities. Copies of receipts for the same are attached as Annexure G.8.
G9	Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that falling of animals/human beings/dumping of garbages, etc. does not happen.	Barbed metal wire fencing around the mining area with a height of not less than 5 feet is provided.
G10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Warning alarms indicating the time of blasting is arranged.
G11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	The directions contained are being scrupulously followed. In order to control noise, proper maintenance of machinery and maintenance of wide green belt are being done. Controlled blasting technique is used to reduce blast vibrations.

G12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Quarrying activities are done only during day time and is in tune with the KSPCB guidelines. Blasting is done at 10 am, 1 pm and 5 pm.
G13	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Blasting is done using electric delayed detonator as stipulated by the Explosives Department.
G14	A licensed person should supervise/control the blasting operations.	Sri. A. Avudaiyappan (who is holding Manager's second class Certificate of Competency to manage a metalliferous mine) and Sri. S. Gurusamy (who is holding Mining Mate's Certificate of Competency) are supervising/controlling the blasting operations at present.
G15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Access roads to the quarry site are tarred.
G16	Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.	Overburden is stacked in pre-determined site specified for the purpose.
G17	Height of benches should not exceed 5 m and width should not be less than 5 m.	Formation of benches is progressing. Height and width of benches shall be maintained as 5 m x 5 m.
G18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Mats are used during vibration studies.

G19	Mining depth should not exceed beyond 40 m, unless otherwise specified or not below the level of nearest stream bed, whichever is less.	Mining depth is above the ground level at present.	
G20	No mining operations should be carried out at places having a slope greater than 45°.	It is ensured that no mining is carried out at places having a slope greater than 45°, if any.	
G21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided for the crusher unit to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by KSPCB.	Plate G.21 – Acoustic enclosure (Page 39)
G22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site are provided with the required protective equipments such as ear muffs and helmets.	
G23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains are provided to channelize storm water.	
G24	The transportation of minerals should be done in covered trucks to contain dust emissions.	The transportation of minerals is done in covered trucks to contain dust emissions.	
G25	The proponent should plant trees at least 5 times of the loss that has been	Badam trees and mahogany are already grown in the site while clearing the land for the project.	Plate G.25 – Trees in the site (Page 41)

	occurred while clearing the land for the project.	Further, saplings of indigenous plant species like tapioca, banana, jackfruit, mango, guava, cashew, etc. are also grown in the site and a well-planned green belt area is also maintained within the project area.	
G26	Disposal of spent oil from diesel engines should be as specified under relevant Rules/Regulations.	Spent oil is re-used in compressor.	Plate G.26 – Spent oil storage (Page 43)
G27	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Explosives are stored in magazines in isolated place as stipulated by the Explosives Department.	Plate G.27 – Magazine (Page 45)
G28	Norms of Kerala State Pollution Control board should be adhered to regarding distance criteria of residences, roads, rivers and worship places.	Scrupulously follows the directions contained.	
G29	200 m buffer distance should be maintained from forest boundaries.	Statutory safe distance shall be maintained without fail.	
G30		<ul style="list-style-type: none"> Integrated Consent to Operate - Renewal (Consent No. PCB / PLKD / IC/ ICO / R2/ 965 / 2019 dt. 03.05.19 valid up to 01.12.2023), is obtained from Kerala State Pollution Control Board for quarrying. [Annexure G.30(1)] Integrated Consent to Operate - Renewal (Consent No. PCB / PLKD / ICO / R1/ 99 / 2018 	<p>Annexure G.30(1) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for quarry (Pages A30-A39)</p> <p>Annexure G.30(2) – Copy of Consent to Operate issued by Kerala State</p>

	<p>dt. 02.03.18 valid up to 31.01.2023), is obtained from Kerala State Pollution Control Board for the crusher unit. [Annexure G.30(2)]</p> <ul style="list-style-type: none"> Integrated Consent to Operate - Renewal (Consent No. PCB / PLKD / ICO / R1/ 11239836 / 2019 dt. 29.11.19 valid up to 30.11.2024), is obtained from Kerala State Pollution Control Board for the crusher unit. [Annexure G.30(3)] 	<p>Pollution Control Board for the crusher unit (Pages A40-A46)</p> <p>Annexure G.30(3) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit (Pages A47-A54)</p>
G31	<p>Clearances are obtained from :</p> <ol style="list-style-type: none"> Akathethara Grama Panchayath [Annexure G.31(1)] <p>All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.</p>	<p>Annexure G.31(1) – Copies of licenses for the quarry and crusher units (valid upto 31.03.2025) issued by Akathethara Grama Panchayath (Pages A55-A60).</p> <p>Annexure G.31(2) – Copy of license (No. E/SC/KL/22/1222 (E61052) dt. 15.04.2021 valid up to 31.03.2025) issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine. (Pages A61-A68)</p> <p>Annexure G.31(3)(1) – Copy of quarrying lease deed valid for a period of 12 years from 22.08.2014</p>

		<p>to 21.08.2026 (Pages A69-A82).</p> <p>Annexure G.31(3)(2) – Copy of additional quarrying lease deed granting permission to enhance annual quantity of extraction from 1,00,000 tonnes to 3,00,000 tonnes valid up to 21.08.2026 (Pages A83-A88).</p>
G32	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.
G33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.
G34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air	Strict compliance shall be adhered to the conditions specified herein.

	(Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	
G35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	<ul style="list-style-type: none"> • Advertisements regarding the obtaining of Environmental Clearance were given in two newspapers: <ol style="list-style-type: none"> 1. Kerala Kaumudi (Malayalam daily) dt. 04.06.2014 2. The New Indian Express (English daily) dt. 05.06.2014 • The copies of newspaper advertisements had been forwarded to the Directorate of Environment and Climate Change.
G36	A copy of the clearance letter shall be sent by the proponent to concerned Grama Panchayat/ District Panchayat/ Municipality/Corporation/Urban Local Body and also to the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The Environmental clearance shall also be	<ul style="list-style-type: none"> • Copy of EC has been forwarded to the Secretary, Akathethara Grama Panchayath. • Copy of EC is displayed in the notice board of the company.

	put on the website of the company by the proponent.	
G37	The proponent shall submit half yearly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.	<ul style="list-style-type: none"> Conditions are being complied with. This sixteenth report is in compliance with the submission of six- monthly compliance reports; and is for the period October 2021 to March 2022. Former reports are already submitted to the concerned as stipulated herein the condition. Copy of air, water, soil and noise quality reports of the project site is attached as Annexure G.37. <p>Annexure G.37 – Copy of air, water, soil and noise quality reports of the project site. (Pages A89-A95)</p>
G38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.	Plate G.38 – EC display board (Page 47)
G39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Affidavit was submitted to SEIAA.

IV. PLATES

Plate S.3

Check dam



Plate G.3

Avenue trees alongside the parking area



Plate G.4

Solar Panel




Plate G.5
Sprinkler



Plate G.9

Barbed metal wire fencing



Plate G.10

Warning alarm



Plate G.11

Green Belt



Plate G.17
Bench formation



Plate G.21

Acoustic enclosure



Plate G.25

Trees in the site



16th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page 41 of 50




Plate G.26
Spent oil storage



Plate G.27

Magazine



Plate G.38

EC display board

Licence No	Validity Period of the Permit	Name of the Person	Name of the Firm	Licence Hold?
281/2014-15/ 8473/ M3/2014	21.8.2026	M/S Royal Sand & Gravels (P) Ltd.	രാജ് സൻ ടെസ്റ്റ് ഗ്രാവല്സ്	ഈ പേരിൽനിന്ന് ഉപയോഗിക്കുന്നതിന് ശ്രദ്ധിച്ചുവരുന്നു
dt. : 2.8.2014				
281/2014-15/ 8473/ M3/2014	21.8.2026	മുളക്കുറ്റം എഞ്ചിനീയർ	രാജ് സൻ ടെസ്റ്റ് ഗ്രാവല്സ്	300000 mt (3 ലക്ഷം Mt) ഒരു ദിവസം
dt. : 2.8.2014				

NOTICE

This is to inform to the General Public that the proposed quarry project in Survey Nos. 2, 14, 15 and 161 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District, Kerala being developed by M/s Royal Sand & Gravels Pvt. Ltd., is accorded with ENVIRONMENTAL CLEARANCE by state Environment Impact Assessment Authority, Kerala vide Order No. 160/SEIAAU/KL/349/2013 dt. 24.05.2014 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.seiaakerala.org

Please
**WASH YOUR HANDS
BEFORE ENTERING**

സ്വാഭാവി ലൈഷ് ഓഫീസേലേജ് [പ്രവേശനക്കു

V. ANNEXURE



**Proceedings of the State Environment Impact Assessment Authority
Kerala**

Present: Dr.H.Nagesh Prabhu IFS (Retd.), Dr. Jayachandran.K, Member and
Dr.Usha Titus I.A.S., Member Secretary.

Sub: SEIAA- Quarry Project in Survey Nos. 2, 14, 15 and 16/1 at Akathethara Village and Pachayath, Palakkad Taluk, Palakkad District, Kerala by M/s Royal Sand & Gravels Pvt. Ltd. - Environment Clearance – Accorded – Erratum – Orders issued

State Environment Impact Assessment Authority, Kerala

No. 160/SEIAA/KL/3490/2013

dated, Thiruvananthapuram 16.02.2019

- Ref:- 1. E.C. issued vide Proceedings No.160/SEIAA/KL/3490/2013 dt.24.05.2014
2. Representation received on 14.01.2019 from Sri.Mohammed Fazeel T.A
3. Minutes of the 88th meeting of SEIAA held on 25.01.2019

ERRATUM

Environmental Clearance was issued to Sri.Mohammed Fazeel T.A, Managing Director, M/s Royal Sand & Gravels Pvt. Ltd, Plaza Junction, Dhoni P.O, Palakkad, Kerala – 678 009 for the quarry project in Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District for an area of 9.3928 hectares based on the decision of 30th meeting of SEIAA held on 09.05.2014, vide reference 1st above.

The proponent, vide reference 2nd cited above has submitted an application for renewal of EC. The matter has been examined and found that at the front page of the Order granting EC, it is mentioned that validity expires on 23.05.2019. In the Order granting EC to the proponent it is stated that the EC is for a period of 15 years from 24.05.2015 subject to renewal in every five years.

The matter was placed in the 88th meeting of SEIAA held on 25.01.2019. Authority observed that the term ‘renewal’ in EC No.160/SEIAA/KL/3490/2013 dated. 24.05.2014

creates ambiguity, hence decided to replace the word 'renewal' with 'review'. The validity of the EC will be 15 years from 24.05.2014 subject to review in every 5 years.

As decided by SEIAA the word 'renewal' referred in the 8th paragraph of the Order read as 1st paper above is modified and corrected to read as 'review'. The validity of the EC will be 15 years from 24.05.2014 subject to review in every 5 years.

The Environmental Clearance issued as per the paper read as 1st paper above stands modified to the above extent only.

Sd/-
Dr.Usha Titus I.A.S
Member Secretary, SEIAA

To,

✓ Sri.Mohammed Fazeel T.A
Managing Director
M/s Royal Sand & Gravels Pvt. Ltd
Plaza Junction, Dhoni P.O
Palakkad, Kerala – 678 009

Forwarded/By Order

Administrator, SEIAA

Copy to,

1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
3. Director, Mining & Geology, Thiruvananthapuram -4.
4. District Collector, Palakkad
5. The Secretary, Akathethara Panchayat, Palakkad
6. Chairman, SEIAA.
7. S/f
8. O/c



8-10-2021

MUHAMMED FAZEEL T.A [Chairman]

All

MUHAMMED SUHAIB T.M - Member

DEEPAK - U.S - "

BAITU - V.R - "

NISAR - T - "

ARUN KUMAR - "

HARISH - "

RSU.SBatuTDawnHarish

Meeting has been conducted under Covid Protocol

Chairman delivered the welcome speech and invited all members

Asses the implementation and Progress of the Previous meeting agenda

Chairman Instruct to all Department head to take Safety class for workers

Chairman Instruct Mr. Baiju to set a garden near Store room.

- Chairman Instruct Mr. Nisar to take General Safety instruction in Rainy Season.

Concluded the meeting with thanks of Mr : NISAR T

15/11/2021

MUHAMMED FAZEEL T.A [CHAIRMAN]

MUHAMMED SUHAIB T.M. - MEMBER *(Signature)*
DEEPAK. U.S - *(Signature)*
BAITU . V.R - *(Signature)*
NISAR . T - *(Signature)*
ARUN KUMAR - *(Signature)*
HARISH - *(Signature)*

Meeting has been conducted under covid Protocol
Chairman delivered the welcome speech and Instructed
all members.

- Chairman instructed to Mr Harish to remove the water from the Quarry.
- Chairman Instructed Mr Baiju to set a garden near staff quarters.
- Chairman gave Instructions to all departments for conducting regular Safety classes.
- Chairman instructed Mr Baiju to clean the mud inside the checkdam.
- Chairman approved the CSR fund for the marriage of ~~Mr~~; Devan; Akash daughter.

Chairman concluded the meeting by giving thanks to all members.

14-12-2021

MOHAMMED FAZEL (Chairman)

MUHAMMED SHUAIB T.M member (P)

Nisar.T

"

(1)

Baiju V.R

"

(B)

Deepak U.S

"

(2)

Harrish

"

(Harrish)

Abdul Salam

"

(2)

Meeting has been conducted under covid protocol

Chairman delivered the welcome speech
and invited all members

Chairman asses the implementation and progress
of the previous meeting agenda.

1, Chairman instructed Mr. Baiju to clean the
check Dam and increasing the depth of the
check dam

2, Chairman gave direction to Mr. Harrish
for to make the bench in mining
area

3, Chairman instructed Mr. Shuaib
to ensure safety precaution of
the staff

Chairman concluded the meeting by giving
thanks to all members

10/01/2022

1) Mohammed Faraz. T.M (Chairman)

2) Mohamed (Convenor)

3) Mohammed Shuhail (Member) ~~M~~

4) Bayo. V.R. ~~B~~

5) Aliya. J. ~~Nr.~~

6) Arunkumar. A. ~~A~~

7) Deepak. ~~D~~

8) Harish. ~~Hari~~

9) Vijaykumar. E.M. ~~VM~~

10) Sagar. ~~S~~

Chairman Mohammed Faraz. T.M conducted the meeting

Mr. Mohamed Shuhail done the welcome speech, chairman and convenor review

The last meeting brief the last meeting agenda.

Chairman and board members visited the mining area, and assess the implementation of the works

Chairman discussed the change of the quarry during the monsoon season

Bayo suggested the ghorla drain

Chairman decided to do the ghorla drain in next 2 days at the quarry before the rain. Mr. Harish comes to look after this.

Mr. Harish is the responsible person to do the ghorla drain at the quarry. Chairman instructed Bayo to provide the mechanism for the work completion.

Mr. Shuhail advised the chair to all committee members to be self and considerate

11. Mohanan (7) (convenor)

5/02/2022

2. Shuhaili

A
B
C

3. Bayu - v.e

4. Deepak

5. Aliya

N

6. Arunkumar

B

7. Harish

Hari

In the presence of chairmen convenor conducted the meeting. Convenor welcomed all present members.

Mr. Bayu told the last meeting implementation Harish explained the progress of garden change over. It will take some more days to complete.

Convenor instructed Shuhaili to plant some more trees plants in Royal Garden 2, 4 and 5 and also undertake the opinion from our friend Mr. Selbyan.

Shuhaili suggested a dry irrigation project to Harish in the garden. Convenor accepted his opinion and instructed Mr. Bayu to do the need full.

Convenor instructed Harish to remove the red soil in the north side of the quarry and make it in benches also plant bamboo trees in this slope area.

Convenor and board members visited the quarry area and assess the progress of the work.

Deepak concluded the meeting with thanks to all present members.

11. Mohammed Fazal. I.M

7/03/2022

- 2. Aliwan. ✓
- 3. Mohamed shubib ✓
- 4. Deepali ✓
- 5. Hanrosh ✓
- 6. Bejju. ✓
- 7. Anukumar. ✓
- 8. Salem. ✓

Chairman conducted the meeting with welcome.
all members started in the meeting.

Bejju brief the last meeting.

Chairman asked Hanrosh the progress of Gharib storage.
valade progress. Hanrosh explained the jororo progress he needed.
Some more time for to complete this project.

Mr. Shubib Suggested an idea of dnp regulator for the
plant metering to control the usage of water.

Mr. Bejju also have an idea supported this plan.

Chairman Approved this plan and directed Anukumar to do the needfull.

Bejju Suggested Solar panel with light in Quarry premises
and control the electricity bill.

Chairman directed Mr. Salem to do the need bill

conclude the meeting with thanks of Mr. Shubib

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 16447

Date : 23/03/2022

Account Head	Type	Debit
CCR EXPENSES		350.00
	Total	350.00

Amount In Words : Rupees Three Hundred Fifty Only
Remarks : CCR EXP PAID TO RMS PALAKRAD
Paid By

Signature

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
BANK PAYMENT VOUCHER

Voucher No : 987

Date : 21/03/2022

Account Head	Type	Debit	Credit
CSR EXPENSES SBI DD VADAMAPALLY 37209800407 100000.00		100000.00	
	Total	100000.00	100000.00

Cheque No : 596936 Cheque Date : 25/03/2022
Amount In Words : Rupees One Lakh Only
Remarks : NEFT TO SHREE CHETIL VETTIYA BHAGAVATHI KSHETHRAM , DHONI FOR VELA MAH
OLSAVAM
Paid By Signature



ഓ. ക്ഷേത്രിവായ

**ശ്രീ ചേറിയൻ വെട്ടിയ
ഡോതി ക്ഷേത്രം & ശ്രീവ ക്ഷേത്രം**
Reg. No. 469/98 യോണി



സംഭാവന സമിതി

തീയതി 22-3-2022

നമ്പർ 1023

ശ്രീ/ശ്രീമതി ROYAL SAND-AND-GRAVELS

DHONI

പക്കൽ നിന്നും

ONE LAKH RUPEES ONLY

ക

സംഭാവനയായി നമ്പിപുർണ്ണം കിട്ടിവോധിച്ചു.

₹	100000/-
---	----------

ROYAL SAND AND GRAVELS (P) LTD

DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 15932

Date : 16/03/2022

Account Head	Type	Debit
CASH EXPENSE		₹300.00
	Total	₹300.00

Amount In Words : Rupees Five Thousand Three Hundred Only

Remarks : CASH PAID FOR FENCING WORK NEIGHBOUR (MATERIAL)

Paid By

Signature

A12

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 15733

Date : 15/03/2022

Account Head	Type	Debit
CR-ACT-A1029		5000.00
	Total	5000.00

Amount In Words : Rupees Five Thousand Only
Purpose : CASH PAID FOR LABOUR CHARGE FENCING WORK (WETCON)
Date :
Signature :

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 15549

Date : 10/03/2022

Account Head	Type	Debit
CSR EXPENSES		5000.00
	Total	5000.00

Amount In Words : Rupees Five Thousand Only

Remarks : CSR EXPENCE PAID TO FOOD FEST FOR UMMINI SCHOOL RENOVATION
Paid By _____ Signature _____

A14

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 14326

Date : 24/02/2022

Account Head	Type	Debit
CSR EXPENSES		250.00
	Total	250.00

Amount In Words : Rupees Two Hundred Fifty Only
Remarks : CASH PAID FOR GRAMOTHAYA BHAVAN (DONATION)
Paid By

Signature

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 12027

Date : 05/02/2022

Account Head	Type	Debit
CSR EXPENSES		200.00
	Total	200.00

Account In Words : Rupees Two Hundred Only
Remarks : DONATION PAID TO GURUPRASADAM CHARITABLE TRUST
Paid By

Signature

A16

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 12347

Date : 28/01/2022

Account Head	Type	Debit
CSR EXPENSES		300.00
	Total	300.00

Amount In Words : Rupees Three Hundred Only

Remarks : DONATION PAID TO AASHIYANA OLD AGE HOME, EDATHARA

Paid By

Signature

A17

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER


Voucher No : 11998

Date : 24/01/2022

Account Head	Type	Debit
CSR EXPENSES [Cur. Bal. is 708170.60 Dr]		
300		

Total	300
-------	-----

Amount In Words : Rupees Three Hundred Only
Remarks : CSR EXPENSES PAID TO THATHA ACCIDENT PATIENT
Paid By


Signature

ROYAL SAND AND GRAVELS (P) LTD

FRONT PLAZA - JH
CASH PAYMENT VOUCHER

Voucher No : 10027

Date : 06/01/2022

Account Head

Type

Debit

CSR EXPENSES

5000.00

Total

5000.00

Amount In Words : Rupees Five Thousand Only
Amount : CSR EXP PAID TO FOREST ANGUTHESA
Paid By

Signature

A19

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 9031

Date : 24/12/2021

Account Head	Type	Debit
CSR EXPENSES		7650.00
	Total	7650.00

Amount In Words : Rupees Seven Thousand Six Hundred Fifty Only

Remarks : CSR EXPENSES PAID TO PURCHASE OF CAKE FOR NEIGHBOURS DHONI
Paid By _____ Signature _____

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 9739

Date : 23/12/2021

Account Head	Type	Debit
CSR EXPENSES		500.00
	Total	500.00

Amount In Words : Rupees Five Hundred Only

Remarks : CSR EXPENSESPAIID TO RAJAMANI MELARKODE (HEART PATIENT)

Paid by Signature 

A21

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 0739

Date : 06/12/2021

Account Head	Type	Debit
CSR EXPENSES		500.00
	Total	500.00

Amount In Words : Rupees Five Hundred Only

Remarks : CSR EXPENSE PAID TO THIRUVOTHUPALLI - RAILWAY COLONY RECOMMENDED BY BA
TJU RC

Paid By

Signature

A22

ROYAL SAND AND GRAVELS (P) LTD
BHONI PLAZA JH
CASH PAYMENT VOUCHER

Voucher No. : 8294

Date : 27/11/2021

Account Head	Type	Debit
CSR EXPENSES		10000.00
	Total	10000.00

Amount In Words : Rupees Ten Thousand Only
Remarks : DONATION PAID TO DEVI CHECHI FOR DAUGHTER MARRAGE , BHONT ,PALAKKAD
Paid By : Signature

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 7222

Date : 09/11/2021

Account Head	Type	Debit
CSR EXPENSES		10000.00
	Total	10000.00

Amount In Words : Rupees Ten Thousand Only

Remarks : CSR EXPENSES PAID TO PRADEEP BOLLERO DRIVER MOTHER HOSPITAL EXPENCE
Paid By _____ Signature _____


ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 6638

Date : 28/10/2021

Account Head	Type	Debit
CSR EXPENSES [Cur. Bal. is 674220.60 Dr] 300		
	Total	300

Amount In Words : Rupees Three Hundred Only
Remarks : CASH PAID TO RAMACHANDRAN - KIDNEY PATIENT
Paid By 

Signature 

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 6488

Date : 23/10/2021

Account Head

Type

Debit

CSR EXPENSES [Cur. Bal. is 669220.60 Dr]
5000

Total

5000

Amount In Words : Rupees Five Thousand Only

Remarks : CASH PAID TO KERALA FOREST PROTECTIVE STAFF ASSOCIATION

Paid By

Signature

ROYAL SAND AND GRAVELS (P) LTD

DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 5961

Date : 11/10/2021

Account Head	Type	Debit
CGR EXPENSES [Cur. Bal. is 668920.60 Dr] 300		

Total	300
-------	-----

Amount In Words : Rupees Three Hundred Only
Remarks : CGR DONATION PAID TO FATHA
Paid By

Signature

A27

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 5845

Date : 07/10/2021

Account Head	Type	Debit
CSR EXPENSES [Cur. Bal. is 668670.60 Dr]		
250		
	Total	250

Amount In Words : Rupees Two Hundred Fifty Only
Remarks : CASH PAID TO SREERAMAJAYAM FOUNDATION PALAKKAD
Paid By

Signature

ROYAL SAND AND GRAVELS (P) LTD
DHONI PLAZA JN
CASH PAYMENT VOUCHER

Voucher No : 5777

Date : 06/10/2021

Account Head	Type	Debit
CSR EXPENSES [Cur. Bal. is 668170.60 Dr] 500		
	Total	500

Amount In Words : Rupees Five Hundred Only

Remarks : CASHPAID TO CSR DONATION RAJAMANI HEART PATIENT
Paid By

Signature

A29



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2561/2014

Date of issue :03/05/2019

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/IC/CO/R2/965/2019

Ref : 1. Application no:10184919

2. Previous consent no: PCB/PLKD/ICO/R1/490/2017 Dated: 30/11/2017, valid up to 23/05/2019

The ' Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE,THRITHALLOOR WEST POST,THRISSUR DIST.
Pin Code : 680619 is hereby renewed up to 01/12/2023 and issued to M/s ROYAL SAND AND GRAVELS PVT. LTD QUARRY

THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST

Pin Code : 680619 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	ANNUAL FEE	Rs. 9600/-
2	SURVEY NUMBER	2/P, 14/P, 15/P, 16/IP
3	CATEGORY	RED
4	VILLAGE	AKATHETHARA
5	CAPITAL INVESTMENT	Rs. 46/- lakhs
6	FEES REMITTED	Rs. 67,520/- (out of this Rs. 8707/- is excess and is carry over to next renewal)
7	VALIDITY	01/12/2023
8	LAST DATE FOR RENEWAL APPLICATION	01/10/2023
9	RAW MATERIALS AND PRODUCTS	QUARRYING IN 7.0655 HECTARES

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

KRISHNAN M N

Digitally signed by KRISHNAN M N
Date: 2019.05.04 06:53:03 +05'30'

DATE :03/05/2019

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To

MOHAMMED FAZEEL T.A MANAGING DIRECTOR ROYAL SAND AND GRAVELS PVT. LTD
THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619
ROYAL SAND AND GRAVELS PVT. LTD QUARRY
THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST
Pin Code : 680619

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocimms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2561/2014

Date of issue :30/11/2017

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/490/2017

Ref : CONSENT NO: PCB/PLKD/IC/CO/F/3242/2014 DATED 27.12.2014 VALID UPTO 01.12.2017

The ' Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619 is hereby renewed up to 23/05/2019 and issued to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Fee Paid	Rs.34,440/- (Adequate up to 01.12.2022)
2	Renewal Date	ON Before 22.02.2019
3	Validity	23.05.2019

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

1. This consent is granted on the basis of the affidavit furnished by the applicant. If the statement furnished in the affidavit is found false, the consent issued will be withdrawn/cancelled.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :30/11/2017

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To

MOHAMMED FAZEEL T.A
MANAGING DIRECTOR
ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE,
THRITHALLOOR WEST POST
THRISSUR - 680619

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

FILE NO. - PCB/PLKD/IC/CO-2561/2014 Date of issue: 27-12-2014



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO OPERATE

UNDER

Air (Prevention & Control of Pollution) Act, 1981

TO

**M/s. Royal Sand and Gravels Pvt. Ltd
Theparambil House,
Thrithalloor West.P.O.,
Thrissur – 680 619**

**(For Quarrying in Sy. No. 2/P, 14/P, 15/P, 16/1P
Dhoni, Akathethara Village, Palakkad)**

Consent No. PCB/PLKD/IC/CO/3242/2014 Valid upto : 01-12-2017



A34


1. GENERAL

Consent No. PCB/PLKD/IC/CO/3242/2014

1	VALIDITY	01-12-2017
2	Name and address of establishment	M/s. Royal Sand and Gravels Pvt. Ltd., Quarry (in Survey No. 2/P, 14/P, 15/P, 16/1P), Dhoni, Palakkad Taluk, Akathethara Village. Theparambil House, Thrithallur West.P.O., Thrissur – 680 619.
3	Communication	Telephone : Fax : e-mail : unnikodu@gmail.com
4	Occupier details	Sri. Muhammed Fazeel.T.A., Managing Director, Royal Sand and Gravels Pvt. Ltd., Theparambil House, Thrithallur West P.O., Thrissur – 680 619.
5	Survey Number	2/P, 14/P, 15/P, 16/1P
6	Village	Akathethara
7	Taluk	Palakkad
8	District	Palakkad
9	Panchayath	Akathethara Grama Panchayath
10	Category	Red
11	Scale	Small
12	Capital Investment	Rs. 46.0 Lakh
13	Annual Fee	Rs. 6,560/-
14	Fee remitted	Rs. 42,640/-
15	Date of commissioning	December-2014
16	PRODUCTS	Quarry of granite building stone (boulders) - 800 MT/day from survey No. 2/P, 14/P, 15/P, 16/1P in 9.39 hectares of land in Akathethara Village

2. GENERAL CONDITIONS

- 2.1 This consent is granted subject to the power of the Board to review and make variation on all or any of the conditions as per relevant sections of the Acts/Rules.
- 2.2 This consent unless withdrawn earlier and subject to condition No. 2.1 shall be valid up to 01/12/2017.
- 2.3 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.



A35

- 2.4 In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.

**.3. CONDITIONS AS PER
Air (Prevention & Control of Pollution) Act**

- 3.1 Sound level at 1m outside the boundary of the premises shall not exceed the Ambient Air Quality Standards in respect of Noise applicable to that area.
- 3.2 The suspended particulate matter (SPM) and respirable suspended particulate matter (RSPM) at boundary of the premises of the quarry shall not exceed the limit applicable to that area as per the National Ambient Air Quality Standards.
- 3.3 After excavation at the site is completed, the land may be used for rain water harvesting with protective barriers/any other suitable approved purpose or may be reclaimed.
- 3.4 The consent issued is subject to the conditions specified in the clearances issued by the Mining and Geology Department and Explosive Department as per the provisions of the relevant statutes.
- 3.5 The quarry should not be operated between 6.00 p.m. and 6.00 a.m.
- 3.6 All the control measures provided should be maintained properly to ensure that the system is adequate to control the pollution caused.
- 3.7 The minimum distance from boundary of quarry operation area to existing residential buildings, places of worship, public buildings, public road having vehicular traffic, river or lake, railway line and bridges shall be 100 m.
- 3.8 Boundary of quarrying area shall be fenced.
- 3.9. Fugitive emission from the premises shall be suppressed.
- 3.10. A signboard showing the name of the quarry and its crushing and production details should be displayed at the entrance of the site.

4. OTHER CONDITIONS:

- 4.1 Quarrying operations shall be started only after obtaining the D & Q license under the Kerala Panchayath Raj Act from the concerned Local Self Government Institution and submitting a copy of the same to the District Office of the Board.
- 4.2 Products shall be transported with proper cover and/or after wetting to prevent spreading of dust.
- 4.3 Quarrying shall be done only in the area shown in the drawing attached.
- 4.4 This consent is issued on the basis of the Environmental Clearance submitted by the unit dated 23/05/2014.
- 4.5 The validity of this consent is subjected to the final order of Hon'ble High Court / National Green Tribunal in relevant cases.

DATE OF
ISSUE : 27/12/2014






SIGNATURE & SEAL OF
ISSUING AUTHORITY
C.V. Jayasree
Senior Environmental Engineer

STRICT. PALAKKAD
TALUK. PALAKKAD



FIELD NO: 2, 14, 15, 16/1

VILLAGE-AKATHETHAR
BLOCK NO: 25





Sketch map of field 16/2

sy-2 | P - 2-8161
 14 | P - 1-5973
 15 | P - 2-6318
 16 | P - 0-0203
 16 | P - 7-0655 ~~RECEIVED~~



Sketch, Pollachi Col
Bund in working
Date 11/2/2004

This sketch is allowed to
ministry before Geology & Mining
Department for identification
purposes.



JUMMING
JUNCTION



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2640/2015

Date of issue :02/03/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/99/2018

Ref : 1. Your application No: 6228958

2. Consent No:PCB/PLKD/IC/CO/F/3367/2015 Dated 03.03.2015 Valid Upto 31.01.2018

The ' Integrated Consent to Operate' issued as per reference above to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State is hereby renewed up to 31/01/2023 and issued to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Validity	31.01.2023
2	Renewal date	On or before 30.11.2023
3	Fee Remitted	35,500/-

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

1. Roads inside the crusher shall be tarred on or before 31.05.2018. Otherwise the bank guarantee submitted will be forfeited
2. This consent is granted on the basis of the affidavit and other documents furnished by the applicant. If the statement furnished in the affidavit/document is found false or in the case of non compliance of integrated consent to operate conditions the consent issued will be withdrawal/cancelled

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

J AURTHER XAVIER

Digitally signed by J AURTHER XAVIER
Date: 2018.03.12 22:19:51 +05'30'

DATE :08/03/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To

MOHANAN KUNNATH HOUSE VALUPARAMBU KANNAMBRA POST PALAKKAD DIST
KERALA STATE PIN - 678686

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krocmmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2640/2015

Date of issue :02/03/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/RI/99/2018

Ref : 1. Your application No: 6228958

2. Consent No:PCB/PLKD/IC/CO/F/3367/2015 Dated 13.03.2015 Valid Upto 31.01.2018

The 'Integrated Consent to Operate' issued as per reference above to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State is hereby renewed up to 31/01/2023 and issued to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Validity	31.01.2023
2	Renewal date	On or before 30.11.2023
3	Fee Remitted	35,500/-

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

- Roads inside the crusher shall be tarred on or before 31.05.2018. Otherwise the bank guarantee submitted will be forfeited
- This consent is granted on the basis of the affidavit and other documents furnished by the applicant. If the statement furnished in the affidavit/document is found false or in the case of non compliance of integrated consent to operate conditions the consent issued will be withdrawal/cancelled

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

J AURTHER XAVIER

Digitally signed by J AURTHER XAVIER
Date: 2018.03.12 22:19:51 +05'30'

DATE :08/03/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To

MOHANAN KUNNATH HOUSE VALUPARAMBU KANNAMBRA POST PALAKKAD DIST
KERALA STATE PIN - 678686

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to krcmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link,in the home page of the Board's Online Consent Management and Monitoring System.

FILE NO.- PCB/PLKD/IC/ CO-2640 /2015

Date of issue: 03/03/2015



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO OPERATE (EXPANSION)


UNDER

The Air (Prevention & Control of Pollution) Act, 1981

TO

Sri. Mohanan,
Director of M/s. Royal Sand & Gravels Pvt. Ltd.,
Kunnath House, H. No. 93,
Valuparambu, Kannambra.P.O.,
Palakkad.

Consent No. PCB/PLKD/IC/CO/F/3367/2015 Valid upto : 31/01/2018



A42

1. GENERAL

1	VALIDITY	31/01/2018
2	Name and address of establishment	M/s. Royal Sand & Gravels Pvt. Ltd., Dhoni, Palakkad- 678 009.
3	Communication	Telephone : 9544332222, 9447129278 Fax:- Email:-
4	Occupier details	Sri. Mohanan, Director
5	Survey Number	13, 14
6	Village	Akathethara
7	Taluk	Palakkad
8	District	Palakkad
9	Panchayath & Ward	Akathethara Grama Panchayath, Ward – I
10	Category	Red
11	Scale	Small
12	Capital Investment	Rs. 35.50 Lakh
13	Annual Fee	Rs.5,440/-
14	Fee remitted	Rs.16,320/- (Excess fee paid Rs. 4,240/-)
15	Water consumption	18,000 l/day
16	Activity/Products	6" size Soling – 300 MT/Day M-Sand – 300 MT/Day Primary crusher (1 No.) – 50 HP VSI (1 No.) – 50 HP Accessories ID fan for bag filter – 10 HP Belt conveyors (3 Nos. – 5x3) – 15 HP Clarifier – 20 HP Air compressor – 2 HP Water sprinkler – 1 HP Total – 148 HP
17	Machinery details	DG Set – 250 KVA

2. GENERAL CONDITIONS

- 2.1 This consent is granted subject to the power of the Board to review and make variation on all or any of the conditions



A43

- 2.2 This consent unless withdrawn earlier and subject to condition No. 2.1 shall be valid up to 31/01/2018. In case the operation of the industrial plant is to be continued thereafter application for renewal of the consent is to be made in the prescribed form between 3 and 4 months in advance of the date of expiry of the consent period.
- 2.3 The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention & control of air, water, land & sound pollution.
- 2.4 For renewal of the integrated consent, application in the prescribed form shall be submitted to the Board between 3 and 4 months in advance of the date of expiry of consent.
- 2.5 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.
- 2.6 Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
- 2.7 If operations are done with backup power, the source shall have adequate capacity to run all associated pollution control devices.
- 2.8 In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
- 2.9 Septic tank as per the design IS 2470 (Part 1) – 1985 shall be provided for sewage.
- 2.10 The soak pit shall have concreted bottom, honey comb brick or perforated ring side wall and 75 cm thick 2 mm sand envelope around.

3. CONDITIONS AS PER

Air (Prevention & Control of Pollution) Act

- 3.1 The following pollution control facilities shall be provided.
 - a) Crushers, Classifiers/screens, conveyors and related accessories, other noise/dust producing units shall be housed in buildings with wall of minimum 40 cm thickness and with suitable roofing. One door opening in any side is allowable.
 - b) Long belt conveyors leading to feed hoppers or product silos may be separately enclosed with metal sheets on all four sides if it is difficult to enclose the same with 40 cm thick brick wall.
 - c) Screens/classifiers may be enclosed with wooden planks of minimum 2.5 cm thickness or metal sheets if enclosing with 40 cm thick brick wall as mentioned in (a) above is found not practical
 - d) Dust suppression system with water spray and sprinkling shall be provided and operated satisfactorily.
 - e) Water storage facility of at least 2 days capacity shall be provided.
 - f) The roads inside the crusher premises shall be tarred or concreted.
 - g) Facility for regular cleaning and wetting of the ground shall be provided
 - h) Trees of suitable species shall be planted and maintained to develop a green belt within and along the boundary of the premises.



A44

- i) The crusher shall not be operated between 6.00 pm and 6.00 am.
- 3.2 The occupier shall at his own cost get the ambient air monitored for suspended particulate matter at least once in three months.
- 3.3 Records of such monitoring shall be maintained and shall be made available to the inspecting officers of the Board whenever called for.
- 3.4 Suspended particulate matter measured between 3.0m and 10.0m from the unit shall not exceed 600 micro grams per cubic metre.
- 3.5 The PM₁₀ in ambient air at the boundary shall not exceed 100µ g/m³
- 3.6 Sound level measured 1 m outside the boundary of the site shall not exceed the ambient noise standards applicable to the adjoining areas.
- 3.7 All operations likely to produce dust or noise shall be carried out with sufficiently closed & insulated premises.
- 3.8 There shall not be any fugitive emission from the plant and the premises.
- 3.9 Raw materials and products shall be transported with proper cover and/or after wetting to prevent spreading of dust.
- 3.10 Water used for sand washing shall be completely recycled after settling.
- 3.11 Water meter shall be fixed to record consumption of water.
- 3.12 Water consumption return under the Water (Prevention & Control of Pollution) Cess Act shall be furnished on or before 5th of every calendar month in Form I showing the quantity of water consumed in the previous month if the consumption is more than 10 KL/day or if there is generation of hazardous waste.

4. OTHER CONDITIONS:

- 4.1 The applicant shall put up two signboards of size 6x4 ft. near the main entrance of the plant. One board shall display the name of the industry and important consent conditions. The other shall display the latest air and noise monitoring data against the standards specified.
- 4.2 Adequate safety measures shall be provided in the unit in accordance with fire and safety regulations.
- 4.3 Used oil/waste oil shall be stored in properly covered containers and disposed through authorized recyclers.
- 4.4 The location of the unit shall be shown in the drawing attached and no change or alteration shall be made.
- 4.5 All the internal roads shall be tared / concreted within six month.

DATE OF
ISSUE : 03/03/2015



SIGNATURE & SEAL OF
ISSUING AUTHORITY
C. V. Jayasree
Senior Environmental Engineer

Site Plan for the Proposed Crusher Unit of M/S ROYAL SAND AND GRAVELS PVT LTD., THEPARAMBIL
HOUSE, THRITHALLOOR WEST POST, THRISSUR DIST. AT SY. NO. 13 / 1, 14/ 1 OF AKATHETHARA VILLAGE,
PALAKKAD TALUK, PALAKKAD DIST, KERALA STATE




DETAILS OF SITE

Sy No.	13/1, 14/1
VILLAGE	AKATHETHARA
BLOCK	23
TALUK	PALAKKAD
DIST	PALAKKAD
STATE	KERALA
PANCHAYATH	AKATHETHARA
WARD	1

APPLICANT

[Signature]
MOHANAN
DIRECTOR
ROYAL SAND AND GRAVELS P. LTD
REGD. OFFICE:
THEPARAMBIL HOUSE
THRITHALLOOR WEST POST
THRISSUR DIST., KERALA STATE, PIN - 680 619



Approved Site Location of
M/s. Royal Sand & Gravels
Pvt. Ltd., Kannambrae

[Signature]
SENIOR ENVIRONMENTAL ENGINEER



PREPARED BY
[Signature]
SNEHA ENTERPRISES
LAKKIDI POST
PALAKKAD DIST
KERALA STATE
PIN - 679 301

A4b



KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/ICO/R15PAL2242826/2019

Date of issue :29/11/2019

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/11239836/2019

Ref : 1. Consent no: PCB/PLKD/IC/CO/F/4528/2016 Dated: 19/12/2016, valid up to: 30/11/2019 in file no: PCB/RO/PLKD/IC/116/2012

The 'Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PRIVATE LIMITED DHONI PLAZA JUNCTION, 1/22, 1/23, DHONI POST, PALAKKAD Pin Code : 678009 is hereby renewed up to 30/11/2024 and issued to M/s ROYAL SAND AND GRAVELS PRIVATE LIMITED DHONI PLAZA JUNCTION, 1/22, 1/23, DHONI POST, PALAKKAD Pin Code : 678009 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	CAPITAL INVESTMENT	Rs. 420/-lakhs
2	TOTAL POWER REQUIRED	PRIMARY JAW CRUSHER-1no:-150 HP, CONE CRUSHER-1no:-300 HP, VSI/HSI- 1no:-250 HP, AIR CLASSIFIER-1no:-150 HP, ACCESSORIES-390 HP, TOTAL-1240 HP
3	LAST DATE FOR RENEWAL APPLICATION	30.09.2024
4	FEE REMITTED	Rs. 375416/- (out of this Rs.127499/- is excess and is carry over to net renewal)
5	ANNUAL FEE	Rs. 40,000/-
6	CATEGORY	ORANGE
7	PRODUCT	STONE AGGREGATE, SAND AND QUARRY DUST - 1000TPD
8	VALIDITY	30.11.2024

II. Stack Details

Stack No.	Source of Emission	Emission Rate(Nm ³ /Hr)	Stack Height above		Control Equipment
			Ground Level(In Meters)	Roof Level(In Meters)	

III. CONDITIONS

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

KRISHNAN M N

Digitally signed by KRISHNAN M N
Date: 2019.11.30 07:53:00 +05'30'

DATE :29/11/2019

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER



To

MOHANAN, THEPARAMBIL HOUSE, THRITHALLOOR WEST P. O, VADANAPALLY, TIRISSUR,
- 680619

ROYAL SAND AND GRAVELS PRIVATE LIMITED
DHONI PLAZA JUNCTION, 1/22, 1/23, DHONI POST, PALAKKAD
Pin Code : 678009

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

FILE NO : PCB/RO/PLKD/IC/116/2012
Date of issue : 19/12/2016



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974
The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

**As per Application No. :4301790
Dated:14-11-2016**

TO

M/s ROYAL SAND AND GRAVELS PRIVATE LIMITED

Sri Mohanan
Theparambil House,
Thrithalloor West P.O.,
Vadanapally, Thrissur

Consent No. :PCB/PLKD/IC/CO/F/4528/2016
Valid Upto :30/11/2019



A49



1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	30/11/2019
2	Name and Address of the establishment	ROYAL SAND AND GRAVELS PRIVATE LIMITED 1/22, 1/23, DHONI POST, PALAKKAD - 678009 678009
3	Communication	Telephone :0-9544982222 Fax :0-0 E-mail:royal_grs@yahoo.com
4	Occupier Details	MOHANAN, THEPARAMBIL HOUSE, THRITHALLOOR WEST P. O, VADANAPALLY, THRISSUR, - 680619
5	Local Body	AKATHETHARA GRAMAPANCHAYATH
6	Survey Number	13,14
7	Village	AKATHETHARA
8	Taluk	PALAKKAD
9	District	PALAKKAD
10	Capital Investment(Rs in Lakhs)	Rs 420 lakhs
11	Scale	Small
12	Category	ORANGE
13	Annual fee(Rs)	Rs. 17000/-
	Total Fee remitted(Rs)	Rs. 17000/-
14	RAW MATERIAL	PRODUCTS
	GRANITE BUILDING STONE @1000 Metric Tonnes	STONE AGGREGATES QUARRY DUST & SAND @1000 Metric Tonnes
15	Total Power Required (HP)	primary jaw crusher - 1no- 150HP, cone crusher - 1no- 300 HP, VSI/HSI - 1No- 250 HP, air classifier - 1no- 150 HP, accessories - 390 HP, Total - 1240 HP

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption: 35000 l/day
- 2.3 Effluent generation: nil
- 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

SL.NO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent



2.5 Mode of disposal of treated effluent: na

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level	Roof Level	

3.2 Emission characteristics shall not exceed the following:

SL.No.	Parameter	Limiting Standards (mg/Nm3)

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.

4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001

4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

4.3.1 Activities for which Authorisation is granted

Collection		transport	
Reception		Storage	
Treatment		Reprocessing/Disposal	

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

SL.No.	Hazardous Waste	Schedule Category	Quantity Tonne/year
Mode of			
Storage		Disposal	

4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

5.1. The location of the unit shall be as shown in the application

5.2 The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention & control of air, water, land & sound pollution.

5.3 For renewal of the integrated consent, application in the prescribed form shall be submitted to the Board



in 3 months in advance of the date of expiry of consent.

5.4 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.

5.5 Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.

5.6. If operations are done with backup power, the source shall have adequate capacity to run all associated pollution control devices.

5.7. In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.

5.8. Septic tank as per the design IS 2470 (Part 1) – 1985 shall be provided for sewage.

5.9. The soak pit shall have concreted bottom, honey comb brick or perforated ring side wall and 75 cm thick 2 mm sand envelope around.

5.10. The following pollution control facilities shall be provided.

a) Crushers, Classifiers/screens, conveyors and related accessories, other noise/dust producing units shall be housed in buildings with wall of minimum 23 cm thickness and with suitable roofing.

b) Dust suppression system with water spray and sprinkling shall be provided and operated satisfactorily.

c) Water storage facility of at least 2 days capacity shall be provided.

d) The roads inside the crusher premises shall be tarred or concreted.

e) Facility for regular cleaning and wetting of the ground shall be provided

f) Trees of suitable species shall be planted and maintained to develop a green belt within and along the boundary of the premises.

g) The crusher shall not be operated between 6.00 pm and 6.00 am.

5.11. The occupier shall at his own cost get the ambient air monitored for suspended particulate matter at least once in three months.

5.12. Records of such monitoring shall be maintained and shall be made available to the inspecting officers of the Board whenever called for.

5.13. Suspended particulate matter measured between 3.0m and 10.0m from the unit shall not exceed 600 micro grams per cubic metre.

5.14. The PM 10 in ambient air at the boundary shall not exceed 100 μ g/m³

5.15. The PM 2.5 in ambient air at the boundary shall not exceed 60 μ g/m³

5.16. Sound level measured 1 m outside the boundary of the site shall not exceed the ambient noise standards applicable to the adjoining areas.

5.17. All operations likely to produce dust or noise shall be carried out with sufficiently closed & insulated premises.

5.18. There shall not be any fugitive emission from the plant and the premises.

5.19. Raw materials and products shall be transported with proper cover and/or after wetting to prevent spreading of dust.

5.20. If water is used for sand washing, the same shall be completely recycled after settling.

5.21. Water meter shall be fixed to record consumption of water.

5.22. Water consumption return under the Water (Prevention & Control of Pollution) Cess Act shall be furnished on or before 5th of every calendar month in Form I showing the quantity of water consumed in the previous month if the consumption is more than 10 KL/day or if there is generation of hazardous waste.

5.23. The applicant shall put up two signboards of size 6x4 ft. near the main entrance of the plant. One board shall display the name of the industry and important consent conditions. The other shall display the latest air and noise monitoring data against the standards specified.

5.24. Adequate safety measures shall be provided in the unit in accordance with fire and safety regulations.



5.25. Used oil/waste oil shall be stored in properly covered containers and disposed through authorized recyclers only.



DATE :19/12/2016

OFFICE SEAL


SIGNATURE & SEAL OF ISSUING AUTHORITY

BIJU B
ENVIRONMENTAL ENGINEER
9447975716

To

Sri Mohanan
Theparambil House,
Thrithalloor West P.O.,
Vadanapally, Thrissur

SITE PLAN OF THE PROPOSED CRUSHER UNIT OF M/S ROYAL SAND AND GRAVELS PVT.LTD DHONI PLAZA JN ,DHONI POST, PALAKKAD -678009



DETAILS OF SITE

SY NO	:	13,14
VILLAGE	:	AKATHETHARA
BLOCK	:	25
THALUK	:	PALAKKAD
DIST	:	PALAKKAD
STATE	:	KERALA
PANCHAYATH	:	AKATHETHARA
WARD	:	1

COMPANY OWN PROPERTY

APPLICANT

MOHANAN.G
DIRECTOR
ROAL SAND AND GRAVELS PVT.LTD

PREPARED BY

RADHAKRISHNAN.V
Registered Building Supervisor-A
Reg. No: B/2050/08/3647/KKD/4/20

CLASSIC DESIGNERS
8/572, K M COMPLEX,
OPP: RAJENDRA THEATRE,
KILLEKULANGIRI, PALAKKAD.
MOBILE: 9447381434

**Site Location of
M/S. ROYAL SAND AND
GRAVELS PRIVATE LIMITED
DHONI.**

ENVIRONMENTAL ENGINEER



ലെസൻസ് നമ്പർ : A6-1696/2020-21-55

തീയതി : 27/04/2020

അക്കദത്തത്തര ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ക് (1994 ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതെ തുടർന്നുള്ള പട്ടങ്ങളും അനുസരിച്ച്
ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സ്ഥാപനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലെസൻസ്

ലെസൻസിയുടെ പേരും മേൽവിലഭാസവും	മുഹമ്മദ് ഫാസീൽ.കീ.എ, മാനേജിംഗ് ഡയറക്ടർ, റോയൽ സാൻഡ്‌സ് & ഗ്രാവർസ് ലിമിറ്റഡ്
സ്ഥാപനത്തിലെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ്‌സ് & ഗ്രാവർസ്, ഡോണി
ലെസൻസ് നൽകിയിട്ടുള്ള (പ്രവർത്തനങ്ങൾ)	100 ഏച്ച്.പി ഉപയോഗിച്ച് കത്തികൾ വന്നും നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വേ നമ്പറും വാർഡ് നമ്പറും	സർവ്വേ നമ്പർ 2,14,15,16(1) വാർഡ്-1
ലെസൻസ് കാലാവധി	01/04/2020 മുതൽ 31/03/2025 വരെ
ഇരട്ടാക്കിയ ലെസൻസ് ഫൈസ്	50,000/- രൂപ + 10,000/- രൂപ. രശിതി നമ്പർ: 119040107733 dt. 03/03/2020 & 120040100113 dt. 27/04/2020
ഇരട്ടാക്കിയ തൊഴിൽക്കരം	2500/രൂപ. രശിതി നമ്പർ: 119040107734 dt. 03/03/2020
ലെസൻസ് അനുവദിക്കുന്നതിനായി പാജരാക്കിയ നിരാക്ഷപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലാവധി, നൽകിയ അധികാര സ്ഥാനം)	<p>1) സാന്ദൂരി സർട്ടിഫിക്കറ്റ് നമ്പർ 21/20 dt. 18.02.20. Valid upto 31/03/2021.</p> <p>2) മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/IC/CO-2561/2014 dt. 03.05.2019. Valid upto 01/12/2023.</p> <p>3) ചിഹ്ന കണ്ടെക്ടാളർ ഓഫ് എക്സ്പ്രസ്സ് എൻ അനുമതി നമ്പർ E/SC/KL/22/1222(E61052) dt. 21.06.18. Valid upto 31/03/2021.</p> <p>4) മെന്റിംഗ് & ബിയോളജി വകുപ്പിൽ നിന്നുമുമ അനുമതി നമ്പർ 2486/2014 dt. 26.09.14. Valid upto 21/08/2026.</p> <p>5) ഐസോ 9001:2008 മെഡിക്കൽ ഇംപാക്ട് അസൈൻമെന്റ് അതോറിറ്റിയുടെ അനുമതി നമ്പർ 160/SEIAA/KL/3490/2013 dt. 16.02.19. Valid upto 15/02/2024.</p> <p>6) പാറ പോട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020.</p> <p>ഒരു പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്ഷപ സാക്ഷ്യപത്രങ്ങൾ കാലാവധി അവസ്ഥാനിക്കുന്ന തീയതിക്കു മുമ്പ് യാമാവിധി പൂര്ണമാക്കുന്ന ഒരു അഭ്യർത്ഥിയുടെ അനുയുമുലമുണ്ടാക്കുന്ന സാമ്പത്തിക ബാധക ഉൾപ്പെടയുള്ള എല്ലാ കമ്പനികൾ അംഗീകാരം ലെസൻസി മാത്രമായിരിക്കേം ഉത്തരവാദി.</p>

(കാമ്പിസ് മുദ്ര)



M. R. N.
ANAND. M.
സെക്രട്ടറി
ജില്ലാ പഞ്ചായത്ത്
അക്കൗൺട്ട് ബോർഡ്
ജില്ലാ പഞ്ചായത്ത്
അക്കൗൺട്ട് ബോർഡ്, പാലക്കാട്
Akathilara P.O., Palakkad - 676 009
Ph: 9496047271, 0491-2355477
Email: ddpaakathilara@palakad.gov.in

ഭേദസമ്പർക്കങ്ങൾ വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു

1. കേരള പദ്ധതിയൽ, റാഷ് ആക്ട്, അനേതയോടർന്നുള്ള ചട്ടങ്ങളും ദിവസം ദിവസം അനുസരിച്ച് പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. തൊഴിൽസ്ഥലവും അന്തിലുള്ള സാധനസാമഗ്രികളും പദ്ധതിയൽ അധികാരികൾക്കു / മന്ത്രിയും അധികാരപ്പെട്ടതുന്ന മറ്റ് ഉദ്യാധമൾക്കു പരിശോധിക്കുന്നതിന് ഭേദസമ്പർക്കം വേണ്ട ബോർഡ് അവലോക്കേണ്ടതുമാകുന്നു.
3. എത്ര സ്ഥലത്തിന്റെ കാര്യത്തിൽ ഭേദസമ്പർക്കം നൽകിയിരിക്കുന്നുണ്ടോ എന്ന സ്ഥലത്ത് എല്ലാവരും കാണ്ടതക്കേണ്ടിയാണെങ്കിലുള്ള ഒരു ഭാഗത്ത് ഭേദസമ്പർക്കി തന്റെ പേരും ഭേദസമ്പർക്കി നമ്പറും ഉദ്ദേശ്യവും കാണിക്കുന്ന ഒരു അടയാളപ്പെടുത്തുന്നതാണ്.
4. പദ്ധതിയിൽ അനുവാദം നിശ്ചിച്ച ശേഷമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പദ്ധതിയാണിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
5. തൊഴിൽസ്ഥലവും സ്റ്ററിസറഞ്ചും വ്യാഖ്യായായും, സാങ്കുമികടാജാണുകൾ ഉണ്ടാകാത്തവിധിയും, പൊതുജനോപദേശമാക്കാതെ വിധത്തിലും വ്യാപാരത്തിനു വൈഫൈഉള്ള ക്രമപാരമ്പര്യങ്ങൾ തുച്ഛം, അണുകൾ, പൊതി മുതലായവയുടെ ശല്യം ഉണ്ടാകാതെ വിധത്തിലും സൃഷ്ടിക്കേണ്ടതാണ്.
6. എത്രകാരു പ്രസ്താവിപ്പിവസ്ഥയിൽനിന്നും ഒരുവിൽ സ്ഥലം വ്യാഖ്യാക്കേണ്ടതാണ്.
7. ഒരു സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ എത്രകുലും ഭാഗത്ത് വിശുകയോ നിക്ഷേപിക്കപ്പെട്ടുകയോ ചെയ്യും ചുപ്പച്ചവരോ മുഖംളും അവൾക്കുണ്ടായോ മറ്റ് പദാർത്ഥങ്ങോ ശേഖരിച്ച് സെക്രട്ടറിയിൽ തുപ്പികരാതെ തിരിയിൽ നിന്നും ചെയ്യിക്കേണ്ടതാണ്.
8. ഭേദസമ്പർക്കിയും ചുമരുകളുടെ അകവശത്തിന്റെ എത്രകാരു ഭാഗവും മെൻസ്പ്രൈസ് പരിസരത്തിലുള്ള തന്നെയും നടപ്പായയും അവിടെ തന്നെപ്പറ്റിപ്പിച്ചാറിയുള്ള എത്രകുലും ഭ്രാവകമോ, മാലിന്യമോ ചുപ്പച്ചവരോ അസഹായം ഉപശ്രൂക്കരവുമായ എത്രകുലും പദാർത്ഥങ്ങോ അവിടെ ലയിക്കുന്നത് തന്നെയെന്നും എപ്പോഴും നന്നായി കേടുപാടു തിരിച്ചു നിലനിർത്തേണ്ടതാണ്.
9. ഭേദസമ്പർക്കി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അനോട്ടേച്ചർന്റുള്ള എത്രകാരു ഭാവുചാലും അശുക്രചാലും കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാടുത്തിരിക്കും വെള്ളിക്കേണ്ടതാണ്.
10. രാധിത്തം ആചാരിക്കുന്ന കടകളുടെ ഭേദസമ്പർക്കി ഒരു ചെയ്യുന്നതാണ്.
11. എത്രകുലും തന്നെയിലുള്ള തകർ രോഗമോ കുർക്കംരോഗമോ, ഫ്രണമോ പകർച്ചവ്യാധികളോ ഉള്ള യാത്രാരാളും കച്ചുവിട്ടു നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
12. 50 ഒരുക്കാണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റ് റിരോധിക്കുന്ന പ്ലാസ്റ്റിക്കുകയോ ശേഖരിക്കുകയോ വിക്രീകരിക്കുകയോ കൈക്കാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
13. സ്ഥാപനങ്ങളിൽ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
14. 20 റിറ്റിൽ കുടുമ്പവുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റിസ്റ്റാറ്റുകൾക്കും ടോയിലബ്രീം സൗകര്യം എൽപ്പെട്ടേണ്ടതാണ്.
15. റിരോധിക്കുന്ന ഉല്പന്നങ്ങളായ പാസ്റ്റംസാല, ഗുഡ്ക തുടങ്ങിയവ സംരക്ഷിച്ചു പെക്കുവാനോ പാടില്ല.
16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.
17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം തുച്ഛം ഭേദസമ്പർക്കി നിന്നും കാണാനുബന്ധനയാണ്.
18. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പ്രവർത്തികൾ, ഭേദസമ്പർക്കി, മറ്റ് കൂടിയണിസ്യൂകൾ എന്നിവ ഒരു സമയഞ്ചളിൽ പൂരുച്ചേണ്ടതാകുന്നു. അല്ലാതെ പക്ഷം പദ്ധതിയാണുവദിച്ചിട്ടുള്ള ഭേദസമ്പർക്കി സ്ഥലങ്ങയാണോകുന്നതാണ്.

മന്ത്രി

N.B. ഭേദസമ്പർക്കി അവസ്ഥാനുകൂല തിരികെ മുപ്പുതു വിവസം മുമ്പ് ഭേദസമ്പർക്കി അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.



ലൈസൻസ് നമ്പർ : A6-1697/2020-21-56

തിയ്യതി : 27/04/2020

അക്കദേശത്തോട് ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള പട്ടണങ്ങളും അനുസരിച്ച് ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	മോഹനൻ.ജി, ഡയറക്ടർ, റോയൽ സാൻഡ് & ശാവൽസ് പ്രൈവറ്റ് ലിമിറ്റഡ്
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ് & ശാവൽസ് ക്രഷ്ണൻ യുണിറ്റ്, ഡോണി
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	216 എച്ച്.പി ഉപയോഗിച്ച് മെറ്റൽ ക്രഷ്ണൻ യുണിറ്റ് നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വീസ് നമ്പറും വാർഷിക നമ്പറും	കെട്ടിട നമ്പർ : 1/23
ലൈസൻസ് കാലാവധി	01/04/2020 മുതൽ 31/03/2025 വരെ
ഇരുക്കാക്കിയ ലൈസൻസ് ഫീസ്	50,000/- രൂപ + 10,800/- രൂപ. രശിതി നമ്പർ: 119040107739 dt. 03/03/2020 & 120040100114 dt. 27/04/2020
ഇരുക്കാക്കിയ തൊഴിൽക്കരം	2500/രൂപ. രശിതി നമ്പർ: 119040107740 dt. 03/03/2020
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്കേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തിയ്യതി, കാലാവധി, നൽകിയ അധികാര സ്ഥാനം)	<p>1) സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 20/20 dt. 18.02.20. Valid upto 31/03/2021.</p> <p>2) മലിനീകരണ തിയറ്റെന ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/IC/CQ/76/2007 dt. 03.07.2018. Valid upto 30/06/2023.</p> <p>3) അഡി സുരക്ഷ വകുപ്പിൽ നിന്നുമുള്ള പരിശോധന റപ്പോർട്ട് നമ്പർ B773/2017 dt. 09.02.2017.</p> <p>4) ഫാക്ടറിസ് & ബോർഡേഴ്സ് വകുപ്പിൽ നിന്നുമുള്ള സാക്ഷ്യപത്രം നമ്പർ D13/PGT/09/701/2018 dt. 12.12.2018. Valid upto 31/12/2020.</p> <p>5)) മെമനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുമുള്ള അനുമതി നമ്പർ 2276/M3/2019 dt. 07.03.19. Valid upto 31/03/2020.</p> <p>6) പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈദർഘ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020.</p> <p>മേൽ പറാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്കേപ സാക്ഷ്യപത്രങ്ങൾ കാലാവധി അവസ്ഥാനിക്കുന്ന തിയ്യതിക്കു മുമ്പ് യഥാവിധി പുതുക്കേണ്ടതാണ്. അല്ലാതെപക്ഷം ആയതുമുലമുണ്ടാകുന്ന സാമ്പത്തിക ഖാലുകൾ ഉൾപ്പെടെയുള്ള എല്ലാ കഷ്ടങ്ങൾ അഭിക്കും ലൈസൻസി മാത്രമായിരിക്കും ഉത്തരവാദി.</p>

(ഒന്നിൽ മുണ്ട്)



M. Anand
മാനുഷൻ
ANAND M.
സെക്രട്ടേറി
അക്കദേശത്തോട് ഗ്രാമ പഞ്ചായത്ത്
Akkothethara Grama Panchayat
Akkothethara P.O., Palakkad - 676 175
Mobile: 9444721104/9444721121
Email: secreteriat@akkothethara.com

ബലസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു

1. കേരള പദ്ധതിയിൽ റാജ് ആർട്ടം അനേന്ത്രയംഗുള്ള ചട്ടങ്ങളും ബലവോകളും അനുശമിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. താഴീക്കിയവർച്ചും സൗഖ്യവും സാധനസാമഗ്രികളും പദ്ധതിയിൽ ഒരിക്കാരികൾക്കോ / ബന്ധക്കൂടി ഒരിക്കാരിപ്പട്ടംതുന്ന മറ്റ് ഉദ്യമസ്ഥിക്കുന്നതിന് ബലസൻസി വേണ്ട സെഴുക്ക്യാഡർ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ മുഴുളും ബലസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.
3. എത്ര സ്ഥലത്തിന്റെ കാര്യത്തിൽ ബലസൻസ് നൽകിയിരിക്കുന്നുവോ അതു സ്ഥലത്ത് എല്ലാവരും കാണാത്തകൾപ്പിയത്തിലുള്ള ഒരു ഭാഗത്ത് ബലസൻസി തണ്ട് പോരും ബലസൻസിന്റെ നമ്പരും ഉദ്ദേശ്യവും കാണിക്കുന്ന ഒരു അടയാളപ്പെടുത്തുന്നതാണ്.
4. പദ്ധതിയിൽനിന്നും അനുവാദം സിഡിച്ചു ശൈലീലക്ഷ്യം മാറ്റാൻ പാടില്ലാത്തതും താഴീക്കിയിൽനിന്നും പക്ഷം വിവരം മുൻകൂട്ടി പദ്ധതിയിൽ അറിയിക്കേണ്ടതുമാകുന്നു.
5. താഴീക്കിയവർച്ചും സ്ഥാപനരംഭങ്ങളും വ്യത്യായയും . സാംക്രമികടാഗാണ്യകൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനാപദ്ധതിക്കാരിൽ വിധത്തിലും വ്യാപാരത്തിനു വെച്ചിട്ടുള്ള ക്ഷണിപാർത്ഥങ്ങൾ മുഴുവൻ അണുകൾ, പൊതു മുതലായവയുടെ ശവ്യം ഉണ്ടാകാത്ത വിധത്തിലും സൃഷ്ടിക്കേണ്ടതാണ്.
6. എത്രതാരു പ്രവർത്തിപ്പിവസ്തീഭ്രംഥം ടുറിന്റ് സ്ഥലം വ്യത്യാക്കേണ്ടതാണ്.
7. ഒരു സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ എത്രക്കിലും ഭാഗത്ത് പിഴുകയോ റിക്ഷപിക്കരപ്പട്ടകയോ ചെയ്യുന്ന ചപ്പുചുവരോ മുതൽക്കൂടുത് അവൾ ചുണ്ടുമുള്ളോ മറ്റു പാർത്ഥമോ ശവ്യം സെട്ടട്ടറിക്കരുത്തുപെട്ടിക്കേണ്ടതാണ്.
8. ബലസൻസി എത്രതാരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ എത്രതാരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള തരയും നടപ്പുതയും അവിടെ തെരിച്ചുവിഴാനിടയുള്ള എത്രക്കിലും ഭാവക്കമോ, മാവിന്നുമോ ചപ്പുചുവരോ അസഹ്യവും ഉപദേശകരവുമായ എത്രക്കിലും പാർത്ഥമോ അവിടെ വയിക്കുന്നത് തയ്യാറാക്കുവാൻ എന്നും നന്നായി കേടുപാടു തിരുത്തു നിലനിർത്തേണ്ടതാണ്.
9. ബലസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ, പരിസരത്തോ അനോട്ടേച്ചർമ്മങ്ങളുള്ള എത്രതാരു ഓഫീസും അഭ്യക്ഷേഖം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴുംനന്നായി കേടുപാടുത്തിരുത്തും വെള്ളിക്കേണ്ടതാണ്.
10. അധികാരിക്കുന്ന കടകളുടെ ബലസൻസ് റേഡ് ചെയ്യുന്നതാണ്.
11. എത്രക്കിലും തന്ത്രികളുള്ള തുക്ക് റോഗമോ കുഞ്ചിംറോഗമോ, പ്രണാശം പകർച്ചവ്യാധികളോ ഉള്ള യാതാരാളും കൂടുവെന്നും നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരത്തും പ്രവർണ്ണിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
12. 50 ബലഭക്കാണിൽ കുറവുള്ള പൂർണ്ണിക്കുകളും മറ്റു നിരോധിത പൂർണ്ണിക്കളും ഇനങ്ങളും ഉമ്പിപ്പാടിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
14. 20 സീറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റാറ്റുകൾക്കും ടോയിൽവർ സൗകര്യം എർപ്പെട്ടുന്നതുണ്ടതാണ്.
15. നിരോധിത ഉമ്പിനങ്ങളായ പാസ്റ്റമസാല, ഗുഡ്ക രൂട്ടഡിയവ സംബന്ധിച്ചു വെക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.
17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം മുഴുളും ബലസൻസ് റേഡ് ചെയ്യുന്നതിന് കാരണമാകാവുന്നതാണ്.
18. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പെൻഡിഷൻ, ബലസൻസ്, മറ്റ് സ്ഥിരവന്നസ്യകൾ എന്നിവ അക്കം സമരങ്ങളിൽ പുതുക്കേണ്ടതാകുന്നു. അല്ലാതെ പക്ഷം പദ്ധതിയിൽ അനുവദിച്ചിട്ടുള്ള ബലസൻസ് സ്വന്ധയാ നിന്നുകുന്നതാണ്.

ബന്ധക്കറി

N.B. ഈ ബലസൻസ് അവസ്ഥാനിക്കുന്ന തീയതിക്ക് മുപ്പുതു വിവസം മുമ്പ് ബലസൻസ് പിന്തുംതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.



ലെസൻസ് നമ്പർ : A6-1698/2020-21-57

തീയതി : 27/04/2020

അക്കദേശത്തോട് ശ്രാം പദ്ധതിയിൽ നിന്നും 1994 ലെ കേരള പദ്ധതിയിൽ രാജ് ആക്ക് (1994
ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചടങ്ങളും അനുസരിച്ച്
ഹാക്കറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലെസൻസ്

ലെസൻസിയുടെ പേരും മേൽവിലംസവും	മോഹനൻ.ജി, ഡയറക്ടർ, റോയൽ സാൻഡ് സ് & ശ്രാവൺസ് പ്രൈവറ്റ് ലിമിറ്റഡ്
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ് സ് & ശ്രാവൺസ് ക്രഷ്ണ യൂണിറ്റ്, ഡോണി
ലെസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	1240 എച്ച്.പി ഉപയോഗിച്ച് മെറ്റൽ ക്രഷ്ണ യൂണിറ്റ് നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വീസ് നമ്പറും വാർഡ് നമ്പറും	കെട്ടിട നമ്പർ : 1/22
ലെസൻസ് കാലാളവ്	01/04/2020 മുതൽ 31/03/2025 വരെ
ഇരുക്കാക്കിയ ലെസൻസ് ഫീസ്	50,000/- രൂപ + 62,000/- രൂപ. രഖിതി നമ്പർ: 119040107736 dt. 03/03/2020 & 120040100115 dt. 27/04/2020
ഇരുക്കാക്കിയ തൊഴിൽക്കരം	2500/രൂപ. രഖിതി നമ്പർ: 119040107737 dt. 03/03/2020
ലെസൻസ് അനുവദിക്കുന്നതിനായി പാജരാക്കിയ നിരാക്ഷപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലാളവ്, നൽകിയ അധികാര സ്ഥാനം)	<ol style="list-style-type: none"> 1) സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 19/20 dt. 18.02.20. Valid upto 31/03/2021. 2) മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/ICO/R15PAL2242826/2019 dt. 29.11.2019. Valid upto 30/11/2024. 3) അബ്ദി സുരക്ഷ വകുപ്പിൽ നിന്നുമുള്ള പരിശോധന റിപ്പോർട്ട് നമ്പർ B773/2017 dt. 09.02.2017. 4) ഹാക്കറിന് & ബോയലോഴ്സ് വകുപ്പിൽ നിന്നുമുള്ള സാക്ഷ്യപത്രം നമ്പർ D13/PGT/09/701/2018 dt. 12.12.2018. Valid upto 31/12/2020. 5)) മെമനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുമുമ അനുമതി നമ്പർ 2276/M3/2019 dt. 07.03.19. Valid upto 31/03/2020. 6) ഹാറ പോട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. <p>മേൽ പറഞ്ഞിരിച്ചിട്ടുള്ള വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്ഷപ സാക്ഷ്യപത്രങ്ങൾ കാലാഭ്യാസികൾക്കു അവസ്ഥാനിക്കുന്ന തിരുത്തിക്കു മുമ്പ് യഥാവിധി പൂര്ത്തിയാണെ ണ്ടതാണ്. അല്ലാതെപക്ഷം ആയതുമുലമുണ്ടാകുന്ന സാന്നിദ്ധ്യ ബാധയും ഉൾപ്പെടെയുള്ള എല്ലാ ക്ഷുഢനങ്ങൾ ങ്ങൾക്കും ലെസൻസി മാത്രമായിരിക്കും ഉത്തരവാദി.</p>

(ബാഹ്യിക മുദ്ര)



സ്റ്റേമ്പൽ നി. M.
അക്കന്താര ഗ്രാമ പഞ്ചായത്ത്
Akkinathara Grama Panchayat
P.O. No. 448047271, 0494-2356171
Email: dppakka@rediffmail.com

ബലസൺസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു

1. കേരള പഞ്ചായത്ത് റാജ് ആട്കെടുപ്പ് അനേതൃത്വദർശനാളി ചട്ടങ്ങളും ബൈബാകളും അനുസരിച്ച് പ്രവർത്തിക്കേണ്ടതാകുന്നു.
2. മനാഴിൽസ്ഥാപിക്കുന്ന സാധനസാമഗ്രികളും പഞ്ചായത്ത് അധികാരികൾക്കു / ബാക്കുറി അധികാരിപ്പുത്തുന്ന മറ്റ് ഉദ്യാഗസ്ഥരക്കു പറിശോധിക്കുന്നതിന് ബൈബാൻസി വേണ്ട ബൈബാകർക്കും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ബലസൺസി കാണിക്കേണ്ടതുമാകുന്നു.
3. എത്ര സ്ഥലത്തിന്റെ കാര്യത്തിൽ ബലസൺസി നൽകിയിരിക്കുന്നുണ്ടോ എന്ന സ്ഥലത്ത് എല്ലാവരും കാണാതെക്കപ്പെടാതിരിക്കുന്നതുമാകുന്നു. അവശ്യമായി ഒരു അടയാളപ്പെടുത്തുന്നതുമാകുന്നു.
4. പഞ്ചായത്തിൽനിന്നും അനുവാദം സിഡിച്ച ദേശമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ നിന്നിരിക്കേണ്ടതുമാകുന്നു.
5. തൊഴിൽസ്ഥലം സ്ഥാപിക്കുന്നതും വ്യാപിക്കുന്നതും സാംകുമിക്കരാഗാണുകൾ ഉണ്ടാകാത്തവിധികളും പൊതുജനാപദ്ധതിക്കാത്ത വിധികളിലും വ്യാപാരത്തിനു വെച്ചിട്ടുള്ള കെഷണപാർത്തവരും പ്രശ്നം, അനുകൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധികളിലും സൃഷ്ടിക്കേണ്ടതാണ്.
6. എത്രതാരു പ്രവൃത്തിഭിവസ്തവിശ്ശേഷം ടെടുവിൽ സ്ഥലം വുത്തിയാക്കേണ്ടതാണ്.
7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ എത്രക്കിലും ഭാഗത്ത് വിശുക്കയോ നിക്ഷേപിക്കേണ്ടുകയേണ്ട ചെയ്യുന്ന ചപ്പുചവറോ മുതലായും അവൾക്കുണ്ടായോ മറ്റു പാർത്തവരും ശേഖരിച്ച് ബാക്കുറിക്കണ്ട ത്രപ്പതികരമായ രിതിയിൽ നിന്നും ചെയ്യിക്കേണ്ടതാണ്.
8. ബൈബാൻസി എത്രതാരു കെട്ടിത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ എത്രതാരു ഭാഗവും മെൽപ്പുറഞ്ഞ പരിസരത്തിലുള്ള തരയും നടപ്പായും അവിടെ തെറിച്ചുവിഴാനിടയുള്ള എത്രക്കിലും മുപക്കമോ, മാവിന്നുമോ ചപ്പുചവറോ അസഹായവും ഉപകരണവുമായ എത്രക്കിലും പാരാദ്ധവരും അവിടെ ലഭിക്കുന്നത് ദയയുണ്ടാക്കാനുള്ള ഏപ്പോഴും നന്നായി കേടുപാടു തിന്നുന്ന നിലനിർത്തേണ്ടതാണ്.
9. ബലസൺസി മെൽപ്പുറഞ്ഞ സ്ഥലങ്ങതോ, പരിസരങ്ങോ അനോട്ടേച്ചർന്റാളി എത്രതാരു ഭാവുചാലും അശുക്കും കളയുന്നതിനുള്ള ഉപകരണവും ഏപ്പോഴും നന്നായി കേടുപാടുത്തിയും വെച്ചിക്കേണ്ടതാണ്.
10. അധിനിന്തം ആചരിക്കുന്ന കടകളുടെ ബലസൺസി ഒഴ്ചേയുണ്ടായോ.
11. എത്രക്കിലും തന്ത്രത്തിലുള്ള തക്ക് രോഗമോ കൂഷംരോഗമോ, ബ്രാഹ്മം പകർച്ചവ്യാധികളും ഉള്ള യാതാരാളിം കൂച്ചപട്ടം നടത്തുന്നവരിൽ ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസരങ്ങളും പ്രവർത്തിക്കുവാൻ പാടില്ലാത്തതാകുന്നു.
12. 20 മെഡക്കാണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കളും മറ്റു നിരോധിത പ്ലാസ്റ്റിക് ലൂണങ്ങളും ഉണ്ടാവിപ്പിക്കുകയോ ചെവാക്കുകയോ ഫെക്കാരും ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.
13. സ്ഥലപന്നതിന്റെ ബൈബാൻസി സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.
14. 20 സിറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്ററാനുകൾക്കും ടോഴിലെ സാകര്യം എൽപ്പുടുത്തേണ്ടതാണ്.
15. നിരോധിത ഉണ്ടാവണംായ പാസ്മസാവ, ഗുഡ്ക തൃടങ്ങിയവ സംഭരിച്ചു വെക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.
16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.
17. മുകളിൽ കാണിപ്പിരിക്കുന്ന വ്യവസ്ഥകളുടെ വാലംനം ഈ ബലസൺസി ഒഴ്ചേയുണ്ടായിരിക്കുന്നതാണ്.
18. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പെൻഡിഷൻ, ബലസൺസി, മറ്റ് കൂത്തിനംസ്യകൾ എന്നിവ അതു സമയങ്ങളിൽ പൂരുക്കേണ്ടതാകുന്നു. അല്ലാത്ത പക്ഷം പഞ്ചായത്ത് അനുവദിച്ചിട്ടുള്ള ബലസൺസി സ്വന്മയയാ രൂപകുന്നതാണ്.

രഹ്യക്കട്ട്

N.B. ഈ ബലസൺസി അവസാനിക്കുന്ന തിയതിക്ക് മുമ്പു വിവസം മുമ്പ് ബലസൺസി ഏതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.



भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

केन्द्रीय भैवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ पी.ओ.कक्कानाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037

फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SC/KL/22/1222(E61052)

दिनांक (Date): 15/04/2021

सेवा में | To,

✓ Shri MOHANAN .Director,

Ms. Royal Sands and Gravels Pvt.Ltd., Theparambil House, Thrithalloor West Post, Thrissur,

Town/Village - Thrithalloor, West Po

District-THRISSUR, State-Kerala, Pincode - 680619

विषय : Survey No.ReSurvey No.13/1 Block.25, ग्राम Akathethara,Palakkad taluk, जिला PALAKKAD, राज्य Kerala में मेरसर्स Shri MOHANAN .Director द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुशासि सं E/SC/KL/22/1222(E61052) के संशोधन संदर्भ में।
(विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन)

Subject: Possession for Use of of Explosives from magazine situated at Survey No.:ReSurvey No.13/1 Block.25, Akathethara,Palakkad taluk, Dist. PALAKKAD, Kerala -Licence No.: E/SC/KL/22/1222(E61052) granted in Form LE-3 of Explosives Rules, 2008 - (Amendment of Quantity of Explosives/Monthly Purchase Limit).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 08/04/2021 का संदर्भ ग्रहण करें।

Please refer to your letter no. Nil dated 08/04/2021.

अनुशासि संख्या E/SC/KL/22/1222(E61052) EXPLOSIVES SHALL BE USED ONLY AFTER HAVING A VALID QUARRYING LEASE FROM THE DIRECTOR OF MINING & GEOLOGY . PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALIFEROUS MINES REGULATIONS 1961. के संदर्भ में यथा संशोधित कर भेजी जा रही है।

The Licence No.: E/SC/KL/22/1222(E61052) is forwarded herewith duly amended in respect of followings ;
EXPLOSIVES SHALL BE USED ONLY AFTER HAVING A VALID QUARRYING LEASE FROM THE DIRECTOR OF MINING & GEOLOGY . PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALIFEROUS MINES REGULATIONS 1961..

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।

The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

संख्या विस्फोटक No	Explosive(s)	वर्ग Class	प्रभाग उप-प्रभाग		क्षमता Capacity	इकाई Unit
			Div	Sub Div		
1	Nitrate Mixture	2	0	0	150	Kg.
2	Safety Fuse	6	1	0	1650	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	3000	Nos.

किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3(ख) और (ग) के अधीन अनुशासि के लिए लाग) :

26 गुना

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 26

A65

times as above.

यह अनुज्ञाप्ते दिनांक 31 मार्च 2025 तक प्रवृत्त रहेगी।

This Licence shall remain valid till 31st day of March 2025.

अनुज्ञाप्ति के आगामी नवीकरण हेतु कृपया विस्फोटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।

For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008.
Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(आर.वेणुगोपाल | Dr. R.Venugopal)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्ची | Ernakulam

उप मुख्य विस्फोटक नियंत्रक

Deputy Chief Controller of Explosives

एरनाकुलम Ernakulam

प्रातोलोपि प्रीषेत | Copy Forwarded to:

1. District Magistrate, PALAKKAD, Kerala with reference to his Noc No: D3.2012/43706/9/D.Dis Dated: 12/08/2012
2. Superintendent of Police, PALAKKAD, Kerala.

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।)

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**Note :- This is system generated document does not require physical signature.
Applicant may take printout for their records.**

अनुज्ञाप्ते प्ररूप एल. इ.-३ | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग । के अनुच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञाप्ति

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञाप्ति सं. (Licence No.) : E/SC/KL/22/1222(E61052)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-



1. Licence is hereby granted to

Shri MOHANAN, Director (आधिकारी / Occupier : Shri Mohanan), M/s Royal Sands and Gravels Pvt.Ltd., Theparambil House, Thrithalloor West Post, Thrissur, Town/Village - Thrithalloor, West P.O., District-THRISSUR, State-Kerala, Pincode - 680619

को अनुज्ञाप्ति अनुदत्त की जाती है।

2. अनुज्ञाप्तिधारी की प्राप्तिः | Status of licensee : Company

3. अनुज्ञाप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है।
Licence is valid only for the following purpose.

possess for use of Nitrate Mixture, Safety Fuse
Electric and/or Ordinary Detonators - अनुज्ञाप्ति के
लिए

4. अनुज्ञाप्ति विस्फोटकों के निम्नलिखित किसी, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. No.	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा कि सी एक समय में
	Name and Description	Class & Division	Sub-division	Quantity at any one time
1.	Nitrate Mixture	2,0	0	150 Kg.
2.	Safety Fuse	6,1	0	1650 Mtrs
3.	Electric and/or Ordinary Detonators	6,3	0	3000 NOS.

(ख) किसी एक कलौंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा [अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञाप्ति के लिए]

26 times

(ब) Quantity of explosives to be purchased in a calendar month [applicable for licence under article 3(b) and (c)] :

as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञाप्त परिसर की पुष्टि होती है।

रेखाचित्र क्र. (Drawing No.) E/SC/KL/22/1222

: (E61052)

दिनांक (Dated) 15/04/2021

The licensed premises shall conform to the following drawing(s) :

6. अनुज्ञाप्ति परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:

Survey No. ReSurvey No.13/I Block.25, ग्राम (Town/Village) : मुकुलस्तान (Police Station) Hemambika Nagar
ज़िला (District) : PALAKKAD राज्य (State) : Kerala पिनकोड (Pincode) : 678686
दूरभाष (Phone) : 8086600900 ई. मेल (E-Mail) : palakkad@theikkans.com फैक्स (Fax)

7. अनुज्ञाप्ति परिसर में निम्नलिखित सुविधाएं अंतर्विष्ट हैं। A set of one E type (299) (1060) and one D type (210)

: portable magazines fabricated by M/s Thekkans Engg & Fab. Unit Ernakulam, Kerala.

The licensed premises consist of following facilities.

8. अनुज्ञाप्ति समय - समय पर यथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधो, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबधों के अधीन रहते हुए अनुदत्त की जाती है।

The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

1. उपर्युक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निमाण संबंधी और अन्य विवरण दर्शित करते हुए)।

Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

2. अनुज्ञाप्ति प्राधिकारी व्यारारा हस्ता. क्षरित इस अनुज्ञाप्ति की शर्तें और अतिरिक्त शर्तें।

Conditions and Additional Conditions of this licence signed by the licensing authority.

3. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञाप्ति तारीख 31 मार्च 2016 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2016.

यह अनुज्ञाप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा

उपवर्णित इस अनुशासि की शर्तों का अधिक्रमण करने या यदि अनुशासि परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 06/05/2011

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives
South Circle, Chennai

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 22/01/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 21/06/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 07/01/2021
- Amendment in Drawings/Facilities/Premises dated : 07/01/2021
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 15/04/2021

Transfers :

- Change in Licensee Name/Address/Status dated : 03/11/2011
- Change in Licensee Name/Address/Status dated : 13/09/2012

नवोनीकरण के पृष्ठांकन के लिए स्थान
Space for Endorsement of Renewal

चयन मुख्य विस्फोटक नियंत्रक
Deputy Chief Controller of Explosives
एर्नाकुलम, Ernakulam

नवोनीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry	अनुशासन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature of licensing authority and stamp
14/12/2020	31/03/2025	Sd/- Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुर्घटयोग विधि के अधीन गंभीर दांड़िक अपराध होगा।

Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

**Note :- This is system generated document does not require physical signature.
Applicant may take printout for their records.**

(सेट VIII | Set VIII)

मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एत.ई. 3 (अनुच्छेद 3 (ख) से (ग)) में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुशासि सं. E/SC/KL/22/1222(E61052) की शर्त निम्नलिखित हैं।

The following are the conditions of licence number E/SC/KL/22/1222(E61052) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or Controller of Explosives.

1. परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
2. विस्फोटकों के भंडारण के लिए प्रयुक्तर होने वाली मैगजीन अनुसूची III और अनुशासि के उपाबंध में विनिर्दिष्ट सुरक्षा द्वारी बनाए रखना होगा।
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
3. मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुशासि में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबंध आधान या ओजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
4. पैकेजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
5. दो पा दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु—
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक पलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।
(च) वर्ग 1 के अंतर्गत आने वाले बास्टर को अलग रखा जाएगा।
Two or more description of explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.
(f) Gun powder belonging to Class 1 shall be kept separately.
6. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
7. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक नियंत्रक पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर दिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुशासिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुरत करेगा।
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्ली असरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भाँड़ारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुशासिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.
8. मैगजीन के भीतरी भाग या उसमें लगी बैचों, शैलकों और उसकी फिटिंग का इस प्रकार सञ्चार्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बैचे, शैलके और फिटिंग यांसाध्य प्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत साध्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विस्तृद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाधेकर नहीं होगा जिसमें वर्ग 6 (गोला बास्टर) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

9. यदि तांडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञाप्रिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञाप्रिधारी द्वारा पश्चात्वत प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तांडित चालक को समाधानप्रद घोषित नहीं कर देता :

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा :

परंतु यह और कि यदि दो या अधिक तांडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तांडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है ।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएँ या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :

परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है ।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञाप्रिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टाक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्म में पृष्ठ संख्याक्रित होगी ।

The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

12. परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन दिना नहीं की जाएगी और अनुज्ञाप्रिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस नियमित अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे ।

No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.

13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी) । यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञाप्रिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा ।

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

मैगजीन का अनुज्ञाप्रिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.

14. यदि सुरक्षा दूरी का कोई अधिकमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी ।

Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.

15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी ।

The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

16. विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढ़ने के लिए उनके बीच से होकर आ जा सके ।

The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.

तांडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा ।


The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुल्क घास या झांझी या ज्वलनशील सामग्री नहीं रहने दी जाएगी ।

- A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी। Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
 19. किसी मैगजीन / भैंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा। Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
 20. विस्फोटकों के खाली पैकेजों को शीघ्रतिशीघ्र वहाँ से हटा दिया जाएगा और नष्ट कर दिया जाएगा। Empty packages of the explosives shall be removed at the earliest and destroyed.
 21. अनुज्ञाप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए। The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
 22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समर्थों पर अनुज्ञात परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्प्रकाशित किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी। Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
 23. परिवर्तन या अनुशासन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञाप्तिधारक को अनुज्ञात परिसरों या मशीनरी, दूल या उपकरण में ऐसी कोई मरम्मत या परिवर्तन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा। If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.
 24. अनुज्ञाप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञात फैक्ट्री या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा पलीते खरीदेगा। The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
 25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए –
 - (क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए!) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;
 - (ख) श्रृंखला (जुड़े हुए पटाखे) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) पी.के.प्रतिबंधित होंगे;
 The possession and sale of fire-crackers generating noise level exceeding;
 - a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;
 - b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by $5 \log_{10}(N)$ dB, where N = number of crackers joined together.
 26. आप या विस्फोट व्यारा दुर्घटना या नुकसान पटाखों की कर्मी या चोरी, तुरंत पास के पुलिस थाने और अनुशासन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कायलिय को रिपोर्ट की जाएगी। Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त शर्तें / Additional Conditions :

1. अनुज्ञाप्तिधारी विदेशी मूल के आतिशबाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.


कर्ते संयुक्त मुख्य विस्फोटक नियंत्रक
For Joint Chief Controller of Explosives

दक्षिणांचल चैन्सी, South Circle, Chennai

Note :- This is system generated document does not require physical signature.
Applicant may take printout for their records. Ernakulam

Form DE-2
(See rule 113 of the Explosives Rules, 2008)
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1222(E61052) in form LE-3 granted to Shri MOHANAN .Director, M/s.Royal Sands and Gravels Pvt.Ltd, Theparambil House, Thrithalloor West Post, Thrissur, Kerala-678686 .

Type of Structure(s)		Safety distances meters	
Inside Safety Distances(USD)			
1	Room or Workshop used in Connection with the Magazine	M	13
2	Any other Explosives Magazine or store House or Factory of the Applicant	UM	19
3	Magazine Office		
Middle Safety Distances(MSD)			
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		
9	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		40
10	River Embankment or Sea Embankment or Public Well		
11	Reservoir or Bounded tank/rope way		
12	Windmill or Solar panel for Power Generation		
Outside Safety Distances(OSD)			
13	Dwelling House		
14	Govt. and Public Building		
15	Temple, Mosque, Church or Gurudwara or other Places of Worships		
16	Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17	Factory		
18	Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19	Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		45
20	Aerodrome.		
21	Furnace, Kiln or Chimney		
22	Quarry or mine pit head		
23	Power House or Electric Substation		
24	Wireless Station		
25	Warehouse or other Storage Building		
26	Any other Protected works		
Overhead Electric lines			
27	Electric Power over head Transmission Lines above 440V	45	
28	Electric Power over head Transmission Lines upto 440V	15	

The Date : 06/05/2011

Amendments :

- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 22/01/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 21/06/2018
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 07/01/2021
- Amendment in Drawings/Facilities/Premises dated : 07/01/2021
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 15/04/2021

Transfers :

- Change in Licensee Name/Address/Status dated : 03/11/2011
- Change in Licensee Name/Address/Status dated : 13/09/2012

**Note :- This is system generated document does not require physical signature.
Applicant may take printout for their records.**


For Joint Chief Controller of Explosives
एन्ऱी चॉफर ऑफिस चेन्ऩई
Deputy Chief Controller of Explosives
एडिपायल कंट्रोलर एर्नाकुलम

A6B



കേരളം കേരല KERALA

AM 259574

FORM - 'H'

(See Rule 32)

QUARRYING LEASE

This indenture made this the Twenty second day of August..... 2014 between the Governor of Kerala (hereinafter referred to as the "State Government" which expression shall, where the context so admits be deemed to include his successors and assigns) of the one part and M/s Royal Sand & Gravels (P)Ltd., Plaza Junction, Dhoni(P.O), Palakkad – 678009 represented by Sri. Mohammed Fazeel, Managing Director aged 35 years son of Sri. Abdul Salam resident of Theparambil House, Thrithalloor West (P.O), Trissur Dist. - 680619, in the village of Akathethara, taluk of the Palakkad, Palakkad District (hereinafter called the "lessee" which expression shall where the context so admits, include his executors, administrators, representatives and permitted assigns) of the other part.

For Royal Sand and Gravels pvt. Ltd.

Mohammed Fazeel

and Gravels pvt. Ltd
Umeshoreel
Managing Director 22/8/2014

~~M.C. KISONOR~~
Geologist

District Office of the Department
of Mining and Geology, Palakkad

No: 2868 Rk 400ft Sold to
Muhammad Faizi T.A.
Mg Director of Royal
Sand & Gravels (P) Ltd
Dhopri J. B. 2014

N.S. GANESAN
SUB COURT VENDOR
[TEMPORARY]
PALAKKAD



For Royal Sand and Gravels pvt Ltd

For Royal Sand And Gravels (P) Ltd.
Managing Director

M. C. KISHOR
Geologist
District Office of the Department of
Mining and Geology, Palakkad. 12

A69

published in the office of the S.P. Registrar at St. Louis
the 1st day of April, A.D. 1861, by the Bureau of Statistics.

64976 2-15 pm
in Dr. Sept 2014

Stansbury

Mohammed Fazeel · Mohammed Fazeel

Execution administered by [redacted] 26th Sep 2014


S. D. U. N.
Sivasadas Vasantnath
Sub Registrar



- 1) Mohammed Farzeel. (My Seal)
S/o Abdal Salam Mq. Director
for m/s Royal Saudi + Jewels & Hd) Deccan
and - The Poona bld House Library

2) I have sacrificed my self as to the excess
of this no & money can be given to Mr. M. S. Kishor Geologist
in - of Dept of Mining and Geology. This is
certified from Roosevelt Appearance 2(1) of 2
Identified

NISRAT. T. NRI 5/1. T. K. YOUSUF. THOTTI THODY HOUSE
THAGANPARA (PO) PALAKKAD. 678593 (Business)



1000
Block - - - - -
SAY - - - - -
Bob Register
Chairman

A30

Witnesseth that in consideration of the rents and royalties and lessee covenants, hereinafter reserved and contained the State Government both hereby demise upto the lessee the land measuring 7.0655 hectares described in the schedule hereunder the delineated on the plan here to annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of 12 (twelve) years commencing from the Twenty Second day of August 2014 and ending on the Twenty first day of August 2026 for the purposes of extracting minor minerals and subject to the terms and conditions contained in the Kerala Minor – Mineral Concession rules, 1967 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

1. The lessee shall have the right in and upon the said lands to extracts Granite Building Stone (hereinafter called the said mineral), and to do all acts necessary for the extraction of the said mineral including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose off the said minerals extracted as aforesaid.
2. The lessee shall during the subsistence of this lease have the liberty to work the said mineral and remove the same from the quarry hold on permits issued by the State Government /Competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.
3. The lessee shall pay to the State Government an yearly surface rent equal to the land revenue if any, assessable under the rules for the time being the force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any per hectare of the land the surface whereof shall be occupied or used by the lessee for any of the purposes of this demise and so in proportion for any area less than a hectare. The said surface rent shall be paid by yearly payments, the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.
4. The lessee shall at all time during the currency of this demise keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also, maintain a register of employees showing therein separately men, women and children employed daily and shall at all reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority") or the officer authorised by him/her/them to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee shall submit reports in Forms 'F' and 'G' on the specified dates.

For Royal Sand and Gravels pvt. Ltd

Mohammed Farzeel

For Royal Sand And Gravels (P) Ltd.
Managing Director
M. G. KISHOR
Geologist
District Office of the Department of
Mining and Geology, Palakkad.

A71

~~Document registered~~ ~~dated~~ ~~of~~ ~~year~~ ~~at~~ ~~place~~
~~P.O. of place~~ ~~date~~ ~~and~~ ~~year~~

ABDULMAJEEED: ~~of~~ ~~place~~: 8/ MUSAMEED. KAYAMKULAM HOUSE.
P.O. ENKAICAD: WOODKAN CHERRY - THRISSUR. PENSIONER.

26th Aug 2014

Sivadas Viswanath
Sub Registrar

Registered as No - - - - -
1980 Book 1 volume - - - - -
as Pages - - - - - to - - - - -
Sheet - - - - - Sheet

Sub Registrar

Sivadas Viswanath
Sub Registrar

26th Aug 2014



A72

5. All sums found due under or by virtue of this deed from the lessee may be recovered from him jointly and severally from them and his/her/their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
6. The lessee shall at the lessee's own expense erect and at all time maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan hereto annexed.
7. No quarrying operations or working shall be carried on or permitted to be carried on by the lessee in or under the said lands at any point within a distance of 75 meters from any railway line except with the previous permission in writing of the railway administration concerned; and from any bridge on the National Highway or 50 meters from any reservoir, canal or other public works such as public roads and buildings or inhabited site, burial ground etc. shown on the plan thereto annexed except with the previous permission in writing of the State Government / competent authority or otherwise than in accordance with such instructions, restrictions and condition either general or special which may be attached to such permission. The said distance of 50 meters shall be measured in the case of a railway, reservoir, or canal horizontally from the outer edge of the bank or outer edge of the cutting, as the case may be and in the case of a building horizontally from the plinth thereof. In the case of village roads no workings shall be carried on within a distance of 10 meters of the outer edge of the cutting except with the previous permission in writing of the State Government / competent authority. For the purposes of this clause the expression "railway and railway administration" shall have the same meaning as defined in sub section (4) and (6) of section 3 of Indian Railway Act, 1890 (IX of 1890).
8. The sides of open workings shall be sloped, stepped or secured by the lessee in such a manner as to prevent danger from falls of material, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
10. The lessee shall at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.

Ref ID : ~~21/01/1966~~
E.C. - ~~Shri~~ ~~Shri~~
~~Sub-Registration
Divisional~~



A74

- 10A The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time to the quarry.
11. The lessee shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government / Competent authority
- 11A Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 34 read with condition 11, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from the time to time, to the quarry.
12. The lease may be surrendered by the lessee at any time after 3 months notice in writing to the State Government / Competent authority. Provided that the lessee has paid all sums due on account of the lease. Provided further that if the lessee elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the terms of the lease deed.
13. On the expiration of the term of this lease or on its earlier determination under clause 12 the lessee shall pay to the State Government for all land which has been rendered useless for agriculture through the exercise of the powers demised by this lease such sum as the District Collector may fix as equivalent to the capitalized value or the land revenue of such land rendered useless. The lease shall continue if the sums are not cleared before the date of determination of notice.
14. If the lessee shall be desirous of taking a further lease of the said lands for a further term of years he/they shall give three months previous notice in writing of such desire to the State Government / Competent authority and if the lessee has duly observed all the conditions of this lease, the State Government / competent authority may agree to renew the lease for such further term and on such terms and conditions as the State Government / competent authority may determine which shall be in accordance with the provisions of these rules.
15. If the lessee shall at any time during the said term use the said lands or any part thereof in any manner other than as authorised by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government / competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government / competent authority to cancel this lease and take possession of the said lands or in the alternative to receive from the lessee such penalty for the breach not exceeding five times the amount of the said yearly dead rent as the State Government / competent authority may fix.

For Royal Sand and Gravels, pvt. Ltd

Mohammed Fazael
Managing Director
22/8/2014

22/8/2014
M.C. KISHOR 175
Geologist
District Office of the Department of
Mining and Geology, Palakkad.

Box 2 - 1E 01908
B&G Show - 1960
Pub Requirements
Glossy



A76

16. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or upon the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences the said minerals or other property which the lessee is entitled to remove from the said lands, the same shall, if not removed by the lessee within one calendar month after notice in writing requiring their removal be given to the lessee by the State Government / competent authority be deemed to become the property of the State Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee in respect thereof.
17. This lease is subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting the safety, health and convenience of the lessee's employees or of the public, whether under the Indian Mines Act or other wise.
18. The lessee shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.
19. The lessee shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
20. The lessee shall make and pay such reasonable satisfaction and compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
21. Any condition prescribed in the Kerala Minor Mineral Concession Rules, 1967, but left out in this lease which may be found applicable to the lessee shall be treated as binding on the lessee. In this case anticipated royalty for the mineral at the rate of Rs.16/- (Rupees Sixteen only) per tonne for a period of one year is Rs.16,00,000/- (Rupees Sixteen Lakhs only).
22. Dead rent realizable at the rate of Rs. 1st year Nil, 2nd year Rs.200/- and 3rd year onwards Rs.800/- per hectare subject to revision from time to time. Surface rent at the rate of Rs.200/- (Rupees Two hundred only) per hectare for 7.0655 hectare per year is Rs.1413/- (Rupees One thousand four hundred and thirteen only) security deposit is Rs.1,000/- (Rupees One thousand only).

For Royal Sand and Gravels pvt. Ltd

Managing Director

22/8/2014


M.C.KASHOR
Geologist

District Office of the Department of
Mineral Resources, Dibrugarh

Duplicate One :- There are no differences between the --
Original document and this Duplicate There are no Interfierations
Compared by Reader Thoufeeqe Rahman R.K
by Examined Sureshbabu P.D. Sureshbabu

26th day of September 2014 Sivadas Viswanath Sub Registrar

J. D. M.



A78

The schedule above referred to Description of Land

District Taluk	Village	Re-Survey No. of the area	Area in Hectares
Palakkad Palakkad	Akathethara	2/P 14/P 15/P 16/1P Block No.25	7.0655 Hectares

Bounded by

Sy. Nos.

On the North by : 2P, 15P, 16/1

On the East by : 16/1, 14P, 15P

On the South by : 14P, 15P, 2P

On the West by : 2, 3

In witness whereof the parties hereto have set their hands hereunto on the day and year first above written

Signed by

for and on behalf of the Governor of Kerala

22/08/2014
M.C. KISHOR
Geologist
District Office of the Department of
Mining and Geology, Palakkad.

In the presence of

1. Vinod M. R., Assistant Geologist.

District office of the Department of mining and Geology,
Palakkad.

22-08-2014

2. Srinil Kumar R, Assistant Geologist

District office of the department of mining and geology

22-08-14

Signed by For Royal Sand and Gravels pvt. Ltd

for and on behalf of the lessee

Mohammed Farzel *Creef*
Managing Director *22/8/2014*

1. NISAR T

S/o: T. K. YOUSUF

T H U R R I T H O B Y House

Tiruchirappalli

2. MOHAMMED SHEBEER. m.k

S/o: EUNJU MONI

MAMMAS RUDHILATH

m.k. DA DMR


A79

CERTIFICATE

B- 479714

24/9/2014

Certified that an amount of Rs. 2,25,044/- (Rupees Two hundred Twenty Five Thousand One And Forty Four Only) has been remitted by The Managing Director, M/s. Royal Sand and Gravels (P) Ltd, Dhoni (P) Palakkad Vide chalan No. 189 dtd. 23/9/14 at Sub Treasury, Palakkad towards adjudication fees of Quarrying Lease deed. Now the document is stamped Tax as per law. No responsibility about the contents of the deed is accepted by this Office.




Revenue Divisional Officer
Palakkad 24/9/14


A80

DISTRICT PALAKKAD
ALUR-PALAKKAD.

FIELD No: 2, 14, 15, 16/1

VILLAGE: AKATHETHARA
BLOCK No: 25







കേരളം കേരള KERALA

M 843631



ADDITIONAL QUARRYING LEASE

(Additional Quarrying lease as per Judgment dt. 22.01.2020 of the Hon'ble High Court of Kerala in WP (C) No. 1459/2020)

THIS INDENTURE made on this the 12th day of Feb. 2020 between the Governor of Kerala (hereinafter referred to as the "State Government" which expression shall, where the context so admits be deemed to include his successors and assigns) of

For ROYAL SAND & GRANITE LTD.

Mohamed Fazal

12/02/2020

LESSOR

Mohammed Fazal-T.O.

LESSEE

Dr Soorya S
GEOLOGIST
District Office of the Department
Mining and Geology, Palakkad
PIN : 678 014

VALUE Rs
SOLD TO
DATED ON

26592

100/-

Mohamed Fazal-T.O.

Managing Director
M/s: Royal Sand and Gravel Co.
Phoni. Palakkad. 678009/11-2-2020

R. SARASWATHI
Collectorate Vendor
PALAKKAD



A83

Duplicate 2

433/1/2020

Presented in the office of the Sub Registrar of Ottakkadu
with the Photographs and Finger Prints of the Buyers /
Sellers and Fingerprint under section 32 A and
Reg of Registration 234675/ 3rd 3rd
March 2020 by

MOHAMMED FAZEEL T.A. *My Acct*
Residing at The parambil, Vadavappally, Thrissur district
Execution Admitted By *My Acct* *vasudevan cherumukkli*
3rd March 2020 *Sub Registrar*

(1) MOHAMMED FAZEEL T.A. *My Acct*
S/o Abdulla Almagri Director M/s Royal Sand and Grav-
els Pvt Ltd, residing at The parambil, Vadavappally
Thrissur, Thrissur District

(2) I have satisfied myself as to the execution of this instrument by
Dr. Sooraj's geologist district office of Department of Mining and Geology
for and on behalf of Government of Kerala who is exempted from personal
identification by appearance under section 88(1) of Indian Registration Act

NISAR T (Business) S/o: T.E. YOUSUF. Thalibody House. Thachampara PO
Palakkad. 678593

MOHAMMED SHEEBER M.K. *My Acct* S/o: KUNJIMON
DRIVER MAMMASRAYILASH HOUSE POST PADDOR THRISSUR 680524

3rd. March 2020



Registered as Doc. No. 433/1/2020
On Date 3rd March 2020
Page From 241 To 246
G. Sheets 1 Printed

vasudevan cherumukkli
Vasudevan Cherumukkli
Sub Registrar

3rd March 2020

vasudevan cherumukkli
Vasudevan Cherumukkli
Sub Registrar

A84


• 2 •

the one part and M/s. Royal Sand and Gravels Pvt. Ltd., Plaza Junction, Dhoni P. O, Palakkad District – 678 009 (Represented by its Managing Director, Shri. Mohammed Fazeel, Aged 40 years, S/o. Abdul Salam, Residing at Theparambil, Vadanappally, Trithalur West P. O, Thrissur District – 680 619 (Aadhaar No. 6925 2715 6240) (hereinafter called the “lessee/lessees” which expression shall where the context so admits, include his/their heirs, executors, administrators, representatives and permitted assigns) of the other part.


1. Whereas by order No. 281/2014-15/8473/M3/2014 dated. 02/08/2014 of the Director of Mining & Geology, a quarrying lease was granted to M/s. Royal Sand and Gravels Pvt. Ltd., Plaza Junction, Dhoni P. O, Palakkad District – 678 009 to quarry granite (building stones) over an area of 7.0655 Hectares of Private land comprised in Sy. Nos. 2/P, 14/P, 15/P, 16/1P, Block No. 25 of Akathethara Village of Palakkad Taluk, Palakkad District for 12 years as per Kerala Minor Mineral Concession Rules 1967.

2. Whereas a quarrying lease deed was registered on 26.09.2014 as No. 2486/2014 in Book No. I Volume No. 850, Pages 343 to 350 of Sub. Registrar Office, Olavakkodu.

3. Whereas the quarrying lease deed was executed for an average annual production of 1,00,000 metric tonnes of granite (building stone) as per the then grant order.


12/2/2020
LESSOR
Mr. Soorya S.
GEOLOGIST
District Office of the Department
Mining and Geology, Palakkad
PIN: 678 014

For ROYAL SAND AND GRAVELS PVT.LTD.


Managing Director
2/2/2020

LESSEE
Mohammed Fazeel T B

A85

4. Whereas when the Kerala Minor Mineral Concession Rules 2015 came into force, mining plan and prior environmental clearance was made mandatory for grant of quarrying lease and the existing lessees were required to submit approved mining plan and permitted to mine the quantity specified in the approved mining plan.

5. Whereas the Hon'ble High Court of Kerala in Binoy Kumar Vs. State of Kerala case (2019 (2) KLT 227) has inexorably postulated that the person holding a valid quarrying lease from the Government can only extract the quantity permitted in the order granting the lease


6. Whereas the Mining and Geology Department restricted the annual production in the quarry as per the quantity allowed in the order granting the lease, in obedience to the above said judgment.


7. Whereas the Hon'ble High Court in WP (C) No. 1459/2020 permitted to issue additional quarrying lease to the lessee if the lessee possesses environmental clearance and approved mining plan.

8. Whereas the lessee is in possession of valid environmental clearance (No. 160/SEIAA/KL/3490/2013 dated. 24.05.2014 and 160/SEIAA/KL/3490/2013 dated 16.02.2019) granted and renewed by the State Environment Impact Assessment Authority, Kerala and is in possession of approved mining plan.

9. Whereas in the approved mining plan average annual production estimated is 3,00,000 tonnes which is 2,00,000 tonnes higher than the existing lease deed.

10. Whereas the lessee has submitted application dated 04.02.2020 to permit him to execute additional lease deed as per the judgement dated 22.01.2020 in W P (C) No. 1459/2020


12/2/2020
LESSOR
Dr. Sooryaj. S
GEOLOGIST
District Office of the Department
Mining and Geology, Palakkad
PIN : 678 014


For ROYAL SANDS & GRAVELS PVT LTD.

Managing Director
12/02/2020
LESSEE
Mohammed Farukh. T.M

• 4 •

11. Whereas as per Pro. Order No. 642/2019-20/11126/M3/2019/DMG dated. 06.02.2020 permission was granted to enhance the average annual quantity of extraction from 1,00,000 tonnes to 3,00,000 tonnes and to execute additional lease deed

Witnesseth that in consideration of the rents and royalties and lessee's covenants, hereinafter reserved and contained the State Government hereby enhance the quantity of annual extraction of granite (building stones) from 1,00,000 tonnes to 3,00,000 tonnes from the land measuring 7.0655 hectares (described in the schedule and on the plan annexed to the original lease deed) for a period commencing from the date of registration of additional lease deed and ending on 21.08.2026 subject to additional terms and conditions in the Proceedings order No. 642/2019-20/11126/M3/2019 /DMG dt. 06.02.2020 mentioned above

In this case, for the purpose of stamp duty, the enhanced average yearly production of granite (building stones) is **2,00,000** tonnes and the royalty per annum for the enhanced quantity is **Rs. 48,00,000** (**Rupees forty eight lakhs only**), at the present rate of royalty of **Rs. 24/-** per tonne.



12/2/2020

LESSOR

Dr. Sooryaj S
GEOLOGIST
District Office of the Department
Mining and Geology, Palakkad
PIN : 678 014

For ROYAL SAND AND GRAVELS PVT.LTD.

M. A. Gireesh
Managing Director

12/02/2020

LESSEE

Mohammed Faraz T B

A87

In witness whereof the parties hereto have set their hands hereunto on the day and year first above written.

Signed by LESSOR.....12/2/2020
for and on behalf of the Governor of Kerala.

Dr. Sooraj S
GEOLOGIST

In the presence of District Office of the Department
Mining and Geology, Palakkad
PIN : 678 014

(1) K. SIRAJ, MINERAL REVENUE INSPECTOR,
DISTRICT OFFICE, DEPT. OF MINING AND GEOLOGY.
PALAKKAD

K.S.J
12/2/2020

(2) E.T. Sobha, Senior clerk (Higher Grade 15 years)
Dist. office, Dept. of mining and Geology,
Palakkad

Sobha
12/2/2020

Mohammed Fazeel 12/02/2020

Signed by Mohammed Fazeel
for and on behalf of the LESSEE

In the presence of

(1) SAIDIQUE T.A.
MOHAMMED SADIQUE T.A.
12/02/2020 AL MIRWAD, M.M. ROAD,
KOCCHI - 682 018

For ROYALAND IND. PAVELS PVT.LTD.

Mohammed Fazeel
Managing Director
12/02/2020

NISAR T
THOTTIYODI HOUSE
THOONAM PARA POI
PALAKKAD. 678593

LESSEE

LESSOR
Dr. Sooraj S
GEOLOGIST
District Office of the Department
Mining and Geology, Palakkad
PIN : 678 014

Mohammed Fazeel T.A.

AB8



Standard^S

Environmental Monitoring

TEST REPORT

ULR No:TC540222000001706F

LRI No.:SEAAL22030354A Date: 11-03-2022 Page 1 of 1

CUSTOMER DETAILS

Customer Name & Address	Mr. Mohammed Fazeel T.A M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District.
Customer Reference	Test Request dt : 05-03-2022

SAMPLE DETAILS

Product Category	Atmospheric Pollution	Sample Code	EN22030092
Sample Name	Ambient Air	Sample Received on	07-03-2022
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	07-03-2022
Sampled by	Lab Authorized Sampler	Test Completed on	11-03-2022

DETAILS OF SAMPLING

Sampling Location	South- West Direction	Date of Sampling	05-03-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/02	Humidity	70%

SAMPLING SITE DETAILS

Survey No.	2/P, 14/P, 15/P, 16/P		
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

TEST RESULTS— CHEMICAL PARAMETERS

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT	NAAQ Standards
1	Particulate Matter, PM ₁₀	IS 5182 (Part 23):2006	µg/m ³	84.2	Max 100
2	Particulate Matter, PM _{2.5}	IS 5182 (Part 24):2019	µg/m ³	43.7	Max 60
3	Sulphur Dioxide as SO ₂	IS 5182 (Part 2): 2001	µg/m ³	4.35	Max 80
4	Oxides of Nitrogen as NO ₂	IS 5182 (Part 6): 2006	µg/m ³	6.80	Max 80

Remarks:

[Signature]
Shency Joy
Dy. TM Chemical
Checked by:

End of Report




Laiju P. N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written consent of the laboratory.

Standard^s Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory as per MCGM.

Vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.
K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in E-mail: sealabs@rediffmail.com

TEST REPORT

ULR No: TC540222000001709F

LRI No.: SEAAL22030357A

Date: 11-03-2022

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Mohammed Fazeel T.A M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District.
Customer Reference	Test Request dt : 05-03-2022

SAMPLE DETAILS

Product Category	Water	Sample Code	WT22030037
Sample Name	Ground Water	Sample Received on	07-03-2022
Sample Conditions at Receipt	Fit for Analysis	Temperature @ Receipt	4 °C
Sample Quantity& Packing	2L & 100ml Plastic Bottle	Test Commenced on	07-03-2022
Sampled by	Lab Authorized Sampler	Test Completed on	10-03-2022

DETAILS OF SAMPLING

Sample Source	Bore Well	Date of Sampling	05-03-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/01& SEAAL/MBL/SOP/06	Sample Temperature	31 °C

SAMPLING SITE DETAILS

Survey No.	2/P, 14/P, 15/P, 16/P		
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

TEST RESULTS- CHEMICAL PARAMETERS

Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
1	Colour	IS 3025 (Part 4):1983	Hazen	1.00	Max 5
2	Odour	IS 3025 (Part 5):2018	---	Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10):1984	NTU	0.10	Max 1

Shency Joy
Dy. TM Chemical
Checked by:



Salini T. S.
Microbiologist
Authorized Signatory

Laiju P. N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

A90

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: sealab@gmail.com

TEST REPORT

ULR No:TC540222000001709F

LRI No.:SEAAL22030357A

Date: 11-03-2022

Page 2 of 2

TEST RESULTS- CHEMICAL PARAMETERS


Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
4	pH	IS 3025 (Part 11):1983	---	7.23	6.50 – 8.50
5	Conductivity	IS 3025 (Part 14):1984	µS/cm	484	---
6	Total Dissolved Solids	IS 3025 (Part 16):1984	mg/L	314	Max 500
7	Total Hardness as CaCO ₃	IS 3025 (Part 21):2009	mg/L	166	Max 200
8	Calcium as Ca	IS 3025 (Part 40):1991	mg/L	54.4	Max 75
9	Magnesium as Mg	IS 3025 (Part 46):1994	mg/L	7.30	Max 30
10	Chloride as Cl	IS 3025 (Part 32):1988	mg/L	13.9	Max 250
11	Total Alkalinity as CaCO ₃	IS 3025 (Part 23):1986	mg/L	185	Max 200
12	Iron as Fe	IS 3025 (Part 53):2003	mg/L	0.19	Max 1
13	Sulphate as SO ₄	IS 3025 (Part 24):1986	mg/L	6.73	Max 200

TEST RESULTS- BIOLOGICAL PARAMETERS

Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
1	Total Coliform Bacteria	IS 15185 : 2016	----	Absent/100 ml	Absent/100 ml
2	E coli	IS 15185 : 2016	----	Absent/100 ml	Absent/100 ml


Remarks:

End of Report


Shency Joy
Dy. TM Chemical
Checked by:




Salini T. S.
Microbiologist
Authorized Signatory


Laiju P. N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

A91

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: seaalab@gmail.com



TEST REPORT

ULR No:TC540222000001710F

LRI No.:SEAAL22030358A	Date: 11-03-2022	Page 1 of 2
------------------------	------------------	-------------


CUSTOMER DETAILS	
Customer Name & Address	Mr. Mohammed Fazeel T.A M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District.
Customer Reference	Test Request dt : 05-03-2022

SAMPLE DETAILS			
Product Category	Water	Sample Code	WT22030038
Sample Name	Surface Water	Sample Received on	07-03-2022
Sample Conditions at Receipt	Fit for Analysis	Temperature @ Receipt	4 °C
Sample Quantity& Packing	2L & 100ml Plastic Bottle	Test Commenced on	07-03-2022
Sampled by	Lab Authorized Sampler	Test Completed on	10-03-2022

DETAILS OF SAMPLING			
Sample Source	Quarry Pit-Out Side-South Side	Date of Sampling	05-03-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/01& SEAAL/MBL/SOP/06	Sample Temperature	31 °C


SAMPLING SITE DETAILS			
Survey No.	2/P, 14/P, 15/P, 16/P		
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

TEST RESULTS- CHEMICAL PARAMETERS					
Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT	Requirement as per Acceptable Limit of IS 10500 : 2012
1	Colour	IS 3025 (Part 4):1983	Hazen	1.00	Max 5
2	Odour	IS 3025 (Part 5):2018	---	Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10):1984	NTU	0.20	Max 1


Shency Joy
Dy. TM Chemical
Checked by:




Salini T. S.
Microbiologist
Authorized Signatory


Laiju P. N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

A92

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: sealab@gmail.com



TEST REPORT

ULR No:TC540222000001708F

LRI No.:SEAAL22030356A

Date: 11-03-2022

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	Mr. Mohammed Fazeel T.A M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District.
Customer Reference	Test Request dt : 05-03-2022

SAMPLE DETAILS

Product Category	Pollution & Environment	Sample Code	EN22030094
Sample Name	Soil	Sample Received on	07-03-2022
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	08-03-2022
Sample Quantity& Packing	500g in Plastic Bag	Test Completed on	11-03-2022
Sampled by	Lab Authorized Sampler	Information Provided by Customer	---

DETAILS OF SAMPLING

Sample Source	Project Site	Date of Sampling	05-03-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/08	Sample Temperature	31 °C

SAMPLING SITE DETAILS

Re Survey No.	2/P, 14/P, 15/P, 16/P		
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

TEST RESULTS- CHEMICAL PARAMETERS

Sl. No.	PARAMETERS	TEST METHOD	UNIT	RESULT
1	pH	IS 10158: 1982 RA 2014	---	6.18
2	Conductivity	IS 14767: 2000 RA 2016	µS/cm	132
3	Water Holding Capacity	SEAL/EN/SLS/SOP/01	%	66.0
4	Particle Size Distribution	Clay	%	42.2
		Sand	%	22.9

Shency Joy
Dy. TM Chemical
Checked by:



Laiju P.N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

A93

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No: TC540222000001708F

LRI No.: SEAAL22030356A

Date: 11-03-2022


Page 2 of 2

TEST RESULTS- CHEMICAL PARAMETERS


SL. No.	PARAMETERS	TEST METHOD	UNIT	RESULT
	Silt	SEAL/EN/SLS/SOP/14	%	34.9
5	Organic Matter	IS 2720 Part 22:1992	%	2.94
6	Sodium as Na	USEPA 7000B:2009	mg/Kg	196
7	Chlorides	SEAL/EN/SLS/SOP/08	mg/Kg	146
8	Sulphur as SO ₄	IS 2720 Part 27: 1977	%	0.09
9	Total Kjeldahl Nitrogen (as N)	IS 14684 :1999 RA 2014	%	0.12
10	Available Potassium	SEAL/EN/SLS/SOP/03	mg/Kg	50.9
11	Total Phosphorous (as P)	IS 10158: 1982 RA 2014	%	0.08

Remarks:

End of Report



Shency Joy
Dy. TM Chemical
Checked by:

Laiju P. N.
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

A94

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 45
Web: www.sealabs.in E-mail: seaalab@gmail.com



TEST REPORT

ULR No: TC540222000001707F

LRI No.: SEAAL22030355A

Date: 11-03-2022

Page 1 of 1

CUSTOMER DETAILS

Customer Name & Address	Mr. Mohammed Fazeel T.A M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District.
Customer Reference	Test Request dt : 05-03-2022

DETAILS OF MONITORING

Product Category	Atmospheric Pollution	Sample Code	EN22030093
Sample Name	Ambient Noise	Monitoring Commenced on	05-03-2022 / 06:00
Monitoring Location	South- West Direction	Monitoring Completed on	06-03-2022 / 06:00
Test Method	IS 9989:1981	Monitored by	Lab Authorized Sampler

MONITORING SITE DETAILS

Survey No.	2/P, 14/P, 15/P, 16/P		
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

MONITORING RESULTS - Leq

TIME	RESULTS dB(A)	TIME	RESULTS dB(A)	TIME	RESULTS dB(A)
06:00	37.0	14:00	49.5	22:00	35.8
07:00	39.6	15:00	49.9	23:00	33.7
08:00	43.8	16:00	51.1	24:00	36.1
09:00	47.2	17:00	51.4	01:00	36.8
10:00	49.5	18:00	46.1	02:00	36.4
11:00	52.6	19:00	42.7	03:00	37.1
12:00	49.9	20:00	38.9	04:00	36.1
13:00	49.1	21:00	38.4	05:00	37.8

TEST RESULTS


SL. No.	PARAMETERS	UNIT	RESULT
1	Ambient Sound Level (Leq) Day Time (06:00 to 22:00)	dB(A)	48.0
2	Ambient Sound Level (Leq) Night Time (22:00 to 06:00)	dB(A)	36.4

Remarks: *[Signature]*

End of Report

Shency Joy
Dy. TM Chemical
Checked by:

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.



Laiju P. N.
Laboratory Head

Authorized Signatory

Standard^S Environmental & Analytical Laboratories
Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

A95

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43
Web: www.sealabs.in, E-mail: seaalab@gmail.com