Quarry project of

M/s Royal Sand and Gravels (P) Ltd.

Akathethara Village athethara Panchayath Palakkad Taluk Palakkad District Kerala State

The Complete Complete

for the period from Appril to September 2022

Page **2** of **46**

Quarry project of

M/s Royal Sand & Gravels (P) Ltd.

Akathethara Village Akathethara Panchayath Palakkad Taluk Palakkad District Kerala State

17th Compliance Report

(Ref: E.C. No. 160/SEIAA/KL/3490/2013 dt. 24.05.2014 OF SEIAA KERALA)

for the period from April to September 2022

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **3** of **46**

Page **4** of **46**

TABLE OF CONTENTS

Item No.	Description	Page No.
	Monitoring Report – Proforma - Part I	7
I.	About the proponent	9
	About the project	
	Project category	9
II.	Project location	10
	Project extent and activity	10
	Project description	10
	Report of Compliance	
III.	Compliance of Specific Conditions	11
	Compliance of General Conditions	12-21
	Plates	
	Plate G.4 – Solar lamp with solar panel	25
	Plate G.5 – Sprinklers along the tarred road	27
	Plate G.9 – Barbed metal wire fencing	29
	Plate G.11 - Green belt	31
IV.	Plate G.21 – Acoustic enclosure	33
	Plate G.22 – Workers with protective equipments	35
	Plate G.23 – Garland drain	37
	Plate G.25 – Trees in the site	39
	Plate G.26 – Spent oil storage	41
	Plate G.38 – EC display board	43
	Annexure	
	Annexure 1 - Erratum regarding the validity of EC	A1-A2
	Annexure G.2 – Copies of minutes of meeting of Environment Monitoring Cell	A3-A10
	Annexure G.8 – Details and copies of receipts of the amount spent towards CSR for the period from April to September 2022	A11-A29
	Annexure G.30(1) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for quarry	A30-A39
V.	Annexure G.30(2) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit	A40-A46
	Annexure G.30(3) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit	A47-A54
	Annexure G.30(4) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit	A55-A61
	Annexure G.31(1) – Copies of licenses for the quarry and crusher units (valid upto 31.03.2025) issued by Akathethara Grama Panchayath	A62-A67
	Annexure G.31(2) – Copy of license issued by the Petroleum and Explosives Safety Organization for possession for use of explosives from magazine	A68-A75

Annexure G.31(3)(1) – Copy of quarrying lease deed valid for a period of 12 years from 22.08.14 to 21.08.26	A76-A89
Annexure G.31(3)(2) – Copy of additional quarrying lease deed granting permission to enhance the average annual quantity of extraction from 1,00,000 tonnes to 3,00,000 tonnes valid up to 21.08.2026	A90-A95
Annexure G.31(3)(3) – Copy of registration of metal crusher unit valid up to 31.03.2023	A96-A102
Annexure G.31(4) – Copy of license issued by the Department of Factories and Boilers for the metal crushing process	A103-A104
Annexure G.37 – Copy of air, water, soil and noise quality reports of the project site	A105-A112

MONITORING REPORT - PROFORMA - PART I

E.C. No. 160/SEIAA/KL/3490/2013 dated 24-05-2014 r.w. proceedings of even no. dt. 16.02.19 of SEIAA Kerala

1.	Name of the project	Quarry project of M/s Royal Sand and Gravels Pvt. Ltd.
2.	Clearance letter no. & date	Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24-05-2014 r.w. proceedings of even no. dt. 16.02.19 of SEIAA Kerala
3.	Location: District & State/UT	Palakkad District, Kerala State
4.	Address for correspondence:	Mr. Mohammed Fazeel T.A. Managing Director M/s Royal Sand & Gravels (P) Ltd. Plaza Junction, Dhoni P.O. Palakkad Kerala state Pincode: 678009.
5.	Contact No. of office with name of responsible official	Nisar T.
6.	Mobile No. of concerned officials associated with monitoring	9447129278/9544982222/ 8606544222/
7.	Date of commencement (Actual and/or planned)	24.05.2014
8.	Validity of CFO (Consent for Operation obtained from Kerala State PCB)	01.10.2023
9.	Present status of the project	Continuing
10.	Email id of the contact person to whom communications to be sent	royal_grs@yahoo.com fazeeroyal@gmail.com
11.	FAX Number	

(CERTIFY STORE)

Date: 01 - 10 - 2022

Signature of authorized signatory

Name : MOHANMED FAZEELIT A Designation: MANAUMIN DIRECTOR

I. <u>ABOUT THE PROPONENT</u>

M/s Royal Sand and Gravels Private Limited possess a quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala state.

State level Environment Impact Assessment Authority Kerala (SEIAA Kerala) accorded Environmental Clearance No. 160/SEIAA/KL/3490/2013 dated 24.05.2014 to the quarry project in Akathethara Village, Akathethara Panchayath, Palakkad Taluk, Palakkad District, Kerala managed by M/s Royal Sand and Gravels Private Limited. An erratum regarding the validity of EC has been issued vide Proceedings no. 160/SEIAA/KL/3490/2013 dated 16.02.2019 of SEIAA Kerala and the validity of EC was clarified as 15 years from 24.05.2014 subject to review in every 5 years. Copy of the order is attached as *Annexure 1* (Pages A1 to A2).

M/s Royal Sand and Gravels Private Limited is controlled and managed by Mr. Mohammed Fazeel T.A., Managing Director, M/s Royal Sand & Gravels (P) Ltd., Plaza Junction, Dhoni P.O., Palakkad - 678009; Mob. No. 09447129278; E-mail: royal_grs@yahoo.com.

Among the conditions specified in the said Environmental Clearance (EC), it is mandatory to file six-monthly compliance report(s). This report is in compliance of it; and the seventeenth report in its series.

Original Application No. 124 of 2021 (SZ) filed by Sri. Sibi Joseph arrayed as R8 against the project is pending before the Honourable National Green Tribunal, Southern Zone, Chennai.

II. <u>ABOUT THE PROJECT</u>

a. Project category:

The project comes under the Category B, Activity 1(a) of Schedule of EIA Notification 2006 and subsequent amendments.

b. Project location:

Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District, Kerala. The proposed project site falls within 10^0 51' 24.53" N to 10^0 51' 38.56" N and 76^0 37' 50.95" E to 76^0 38' 5.63" E.

c. Project extent and activity:

The project is for quarrying of 3,50,000 MTA of building stone from an area of 9.3928 hectares of land located as specified above. The expected life of mine is 28 years.

d. Project description:

The proposed project activity involves about 100 % of the pit area for exploring building stone. At the end of life of mine, excavated pit will be backfilled and reclaimed and rehabilitated by plantation leaving no void. The proposed project does not involve any underground mining activities. The mining will be done by open cast semi mechanized method. The sewage of 0.8 KLD generated from the mine office will be diverted to the septic tank followed by soak pit.

III. <u>REPORT OF COMPLIANCE</u>

A. SPECIFIC CONDITIONS

ltem No.	Stipulations in EC	Status of Compliance	Remarks
S1	Limit quarry to the stream on the eastern side to permit unhindered flow of the stream.	Special care is taken to ensure that quarrying is limited to the stream on the eastern side.	
S2	Leave statutory distance from the forest land on the north.	Statutory safe distance is being maintained without fail.	
S3	The stream may be provided with low level check dams to trap silt.	Check dam to trap silt is provided.	
S4	Rain water harvesting facility is required in the absence of dependable source of water.	•	

B. GENERAL CONDITIONS

ltem No.	Stipulations in EC	Status of Compliance	Remarks
G1	Rain Water Harvesting capacity should be installed as per the prevailing provisions of KMBR/KPBR, unless otherwise specified elsewhere.	Provision is made to store rain water in ponds.	
G2	Environment Monitoring Cell as agreed under the affidavit filed by the proponent should be formed and made functional.	Environment Monitoring Cell constituted is fully functional. Copies of minutes of meetings of Environment Monitoring Cell held from April to September 2022 to are attached as Annexure G.2 .	Annexure G.2 – Copies of minutes of meeting of Environment Monitoring Cell (Pages A3-A10)
G3	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, inclusive of approach road and internal roads.	Avenue trees by way of natural vegetation are present on either side of the tarred road and open parking areas. Besides this, saplings of bamboo are also planted along either side of the tarred road and open parking areas inclusive of approach road and internal roads.	
G4	The project shall incorporate devices for solar energy generation and utilization wherever possible.	Solar panels are installed within the project area and street lights connected with them lit up the area.	Plate G.4 – Solar lamp with solar panel (Page 25)
G5	Sprinklers shall be installed and used in the project site to contain dust emissions.	In order to contain dust emissions, sprinklers are installed inside the project site.	Plate G.5 – Sprinklers along the tarred road (Page 27)
G6	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	The condition shall be followed scrupulously.	

G7	At least 10 percent out of the total excavated pit area should be retained as water storage areas and the remaining area should be reclaimed with stacked dumpings and overburden and planted with indigenous plant species that are eco-friendly.	The directions contained shall be scrupulously followed at the time of mine closure.	
G8	Corporate Social Responsibility (CSR) agreed upon by the proponent should be implemented in tune with the conditions specified in the Companies Act, 2013.	CSR component is implemented in tune with the proposed ones. An amount of Rs. 2,26,460/- has been spent towards CSR for the period from April to September 2022 for various activities, the details of which and copies of receipts are attached as Annexure G.8 .	Annexure G.8 – Details and copies of receipts of the amount spent towards CSR for the period from April to September 2022 (Pages A11-A29)
G9	Barbed metal wire fencing around the mining area shall be provided with a height of not less than 5 ft so that falling of animals/human beings/dumping of garbages, etc. does not happen.	Barbed metal wire fencing around the mining area with a height of not less than 5 feet is provided.	Plate G.9 – Barbed metal wire fencing (Page 29)
G10	Warning alarms indicating the time of blasting (to be done at specific timings) has to be arranged as per stipulations of Explosive Department.	Warning alarms indicating the time of blasting is arranged.	
G11	Control measures on noise and vibration prescribed by KSPCB should be implemented.	The directions contained are being scrupulously followed. In order to control noise, proper maintenance of machinery and maintenance of wide green belt are being done. Controlled blasting technique is used to reduce blast vibrations.	Plate G.11 - Green belt (Page 31)

G12	Quarrying activities should be limited to day time as per KSPCB guidelines.	Quarrying activities are done only during day time and is in tune with the KSPCB guidelines. Blasting is done at 10 am, 1 pm and 5 pm.	
G13	Blasting should be done in a controlled manner as specified by the regulations of Explosives Department or any other concerned agency.	Blasting is done using electric delayed detonator as stipulated by the Explosives Department.	
G14	A licensed person should supervise/control the blasting operations.	Sri. A. Avudaiyappan (who is holding Manager's second class Certificate of Competency to manage a metalliferous mine) and Sri. S. Gurusamy (who is holding Mining Mate's Certificate of Competency) are supervising/controlling the blasting operations at present.	
G15	Access roads to the quarry shall be tarred to contain dust emissions that may arise during transportation of materials.	Access roads to the quarry site are tarred.	
G16	Overburden materials should be managed within the site and the old quarries, if any, should be reclaimed and restored.	Overburden is stacked in pre-determined site specified for the purpose.	
G17	Height of benches should not exceed 5 m and width should not be less than 5 m.	Height and width of benches is maintained as 5 m x 5 m.	
G18	Mats to reduce fly rock blast to a maximum of 10 PPV should be provided.	Mats are used during vibration studies.	

G19	Mining depth should not exceed beyond 40 m, unless otherwise specified or not below the level of nearest stream bed, whichever is less.	Mining depth is above the ground level at present.	
G20	No mining operations should be carried out at places having a slope greater than 45°.	It is ensured that no mining is carried out at places having a slope greater than 45°, if any.	
G21	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB.	Acoustic enclosures are provided for the crusher unit to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by KSPCB.	Plate G.21 – Acoustic enclosure (Page 33)
G22	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	The workers on the site are provided with the required protective equipments such as ear muffs and helmets.	Plate G.22 – Workers with protective equipments (Page 35)
G23	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains are provided to channelize storm water.	Plate G.23 – Garland drain (Page 37)
G24	The transportation of minerals should be done in covered trucks to contain dust emissions.	The transportation of minerals is done in covered trucks to contain dust emissions.	
G25	The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the	Badam trees and mahogany are already grown in the site while clearing the land for the project. Further, saplings of indigenous plant species like	Plate G.25 – Trees in the site (Page 39)

	project.	tapioca, banana, jackfruit, mango, guava, cashew,	
		etc. are also grown in the site and a well-planned	
		green belt area is also maintained within the	
		project area.	
	Disposal of spent oil from diesel engines		Plate G.26 – Spent oil
G26	should be as specified under relevant	Spent oil is re-used in compressor.	storage (Page 41)
	Rules/Regulations.		
	Explosives should be stored in		
G27	magazines in isolated place specified	Explosives are stored in magazines in isolated place	
	and approved by the Explosives	as stipulated by the Explosives Department.	
	Department.		
	Norms of Kerala State Pollution Control		
G28	board should be adhered to regarding	Scrupulously follows the directions contained.	
	distance criteria of residences, roads,		
	rivers and worship places.		
G29	200 m buffer distance should be	Statutory safe distance shall be maintained without	
629	maintained from forest boundaries.	fail.	
		• Integrated Consent to Operate - Renewal	Annexure G.30(1) – Copy
		(Consent No. PCB / PLKD / IC/ ICO / R2/ 965 /	of Consent to Operate
	Consent from Kerala State Pollution	2019 dt. 03.05.19 valid up to 01.12.2023), is	issued by Kerala State
	Control Board under Water and Air	obtained from Kerala State Pollution Control	Pollution Control Board
G30	(Acts) should have been obtained before	Board for quarrying. [Annexure G.30(1)]	for quarry (Pages A30-A39)
	initiating activity.	• Integrated Consent to Operate - Renewal	<u>Annexure G.30(2)</u> – Copy
		(Consent No. PCB / PLKD / ICO / R1/ 99 / 2018	of Consent to Operate
		dt. 02.03.18 valid up to 31.01.2023), is obtained	issued by Kerala State
		from Kerala State Pollution Control Board for the	Pollution Control Board

		 crusher unit. [Annexure G.30(2)] Integrated Consent to Operate - Renewal (Consent No. PCB / PLKD / ICO / R1/ 11239836 / 2019 dt. 29.11.19 valid up to 30.11.2024), is obtained from Kerala State Pollution Control Board for the crusher unit. [Annexure G.30(3)] Integrated Consent to Operate - Renewal (Consent No. PCB / PLKD / ICO / R4/ 423 / 2018 dt. 03.07.18 valid up to 30.04.2023), is obtained from Kerala State Pollution Control Board for the crusher unit. [Annexure G.30(4)] 	for the crusher unit (Pages A40-A46) Annexure G.30(3) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit (Pages A47-A54) Annexure G.30(4) – Copy of Consent to Operate issued by Kerala State Pollution Control Board for the crusher unit (Pages A55-A61)
G31	All other statutory clearances should have been obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	 Clearances are obtained from : Akathethara Grama Panchayath [Annexure G.31(1)] Petroleum and Explosives Safety Organization (former Explosives Department) [Annexure G.31(2)] Department of Mining and Geology [Annexure G.31(3)(1), Annexure G.31(3)(2) and Annexure G.31(3)(3)] Department of Factories and Boilers [Annexure G.31(4)] 	Annexure G.31(1) – Copies of licenses for the quarry and crusher units (valid upto 31.03.2025) issued by Akathethara Grama Panchayath (Pages A62-A67). Annexure G.31(2) – Copy of license (No. E/SC/KL/22/1222 (E61052) dt. 15.04.2021 valid up to 31.03.2025) issued by the Petroleum and Explosives Safety Organization for possession for use of

explosives from magazine.
(Pages A68-A75)
<u>Annexure G.31(3)(1)</u> –
Copy of quarrying lease
deed valid for a period of
12 years from 22.08.14 to
21.08.26 (Pages A76-A89).
<u>Annexure G.31(3)(2)</u> –
Copy of additional
quarrying lease deed
granting permission to
enhance the average
annual quantity of
extraction from 1,00,000
tonnes to 3,00,000 tonnes
valid up to 21.08.2026
(Pages A90-A95).
Annexure G.31(3)(3) –
Copy of registration of
metal crusher unit valid up
to 31.03.2023 (Pages A96-
A102).
<u>Annexure G.31(4)</u> – Copy
of license (Reg. No.
D13/PGT/09/701/2018 dt.
09.05.2018 valid up to
31.12.2025) issued by the
Department of Factories
and Boilers for the metal
crushing process. (Pages
A103-A104).

G32	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	
G33	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	The company shall abide by the directions of SEIAA Kerala in such a context, if arises.	
G34	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Strict compliance shall be adhered to the conditions specified herein.	
G35	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular	 Advertisements regarding the obtaining of Environmental Clearance were given in two newspapers: Kerala Kaumudi (Malayalam daily) dt. 04.06.2014 	

	language informing that the project has been accorded Environmental Clearance	2. The New Indian Express (English daily) dt. 05.06.2014	
	and copies of clearance letters are		
	available with the Department of	• The copies of newspaper advertisements had	
	Environment and Climate Change, Govt.	been forwarded to the Directorate of	
	of Kerala and may also be seen on the	Environment and Climate Change.	
	website of the Authority at		
	www.seiaakerala.org. The advertisement		
	should be made within 10 days from the		
	date of receipt of the Clearance letter		
	and a copy of the same signed in all		
	pages should be forwarded to the office		
	of this Authority as confirmation.		
	A copy of the clearance letter shall be		
	sent by the proponent to concerned		
	Grama Panchayat/ District Panchayat/	• Copy of EC has been forwarded to the Secretary,	
	Municipality/Corporation/Urban Local	Akathethara Grama Panchayath.	
	Body and also to the Local NGO, if any,		
G36	from whom suggestions /	• Copy of EC is displayed in the notice board of	
	representations, if any, were received	the company.	
	while processing the proposal. The		
	Environmental clearance shall also be		
	put on the website of the company by		
	the proponent.		
	The proponent shall submit half yearly	5 1	Annexure G.37 – Copy of
G37	reports on the status of compliance of		
	the stipulated EC conditions including	submission of six- monthly compliance reports;	quality reports of the

	results of monitored data (both in hard copies as well as by e-mail) and upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the respective Regional Office of MoEF, Govt. of India and also to the Directorate of Environment and Climate Change, Govt. of Kerala.	 and is for the period April to September 2022. Former reports are already submitted to the concerned as stipulated herein the condition. Copy of air, water, soil and noise quality reports of the project site is attached as Annexure G.37. 	
G38	The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40.	EC display board is erected at the entrance of the project site.	Plate G.38 – EC display board (Page 43)
G39	The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.	Affidavit was submitted to SEIAA.	

Page **22** of **46**

IV. PLATES

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **23** of **46**

Page **24** of **46**

Solar lamp with solar panel

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **25** of **46**

Page **26** of **46**

Plate G.5 Sprinklers along the tarred road

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **27** of **46**

Page **28** of **46**



Page **29** of **46**

Page **30** of **46**



Page **31** of **46**

Page **32** of **46**

Plate G.21 Acoustic enclosure

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **33** of **46**

Page **34** of **46**

Plate 622 Workers with protective equipments

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **35** of **46**

Page **36** of **46**


Plate G.23 Garland drain

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **37** of **46**

Page **38** of **46**



Page **39** of **46**

Page **40** of **46**

Plate G.26 Spent oil storage

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

ENKLO HVLP 68

M1-22-E-967

Page **41** of **46**

© MIKE (Mookambika Institute Keeping Environment). Ph: +91 9446520502. Email- mikeinkerala@gmail.com

Contraction in

Page **42** of **46**

Plate G.38 EC display board

Licence No	Validity Period of the Permit	h o Pe n't/	Quantity Permitted to be extracted
281/2014-15/	21.8.2026	M/S :	300000 mt
8473/ M3/2014		Royal Sand and	(Three lakh mt only)
It. : 2.8.2014		Gravels (p) Itd	per year
ലൈന്നൽസ് തമ്പർ	പെർല്ല്റ്റിന്റെ	പെട്ടിറ്റിന്റെ പേദ്	ഖനനത്തിനുള്ള
	കാലാവധി	ലൈസൽസി	അനുഞി
281/2014-15/ 3473/ M3/2014 It. : 2.8.2014	21.8.2026	റോയൽ സാന്റ് 6 ഗ്രവേൽസ്	300000 mt (3 ലക്ഷം Mt) ഒരു വർഷം

NOTICE

This is to inform to the General Public that the proposed quarry project in Survey Nos. 2, 14, 15 and 161 at Akathethera Village and Panchayath. Palakkad Taluk, Palakkad District, Kerala being developed by Mis Royal Sand & Gravels Pvt. Ltd., is accorded with ENVIRONMENTAL CLEARANCE by state Environment Impact Assessment Authority, Kerala vide Order No.160/SEIAA/ KL/3490/2013 dt. 24.05.2014 and the copy of the Environmental Clearance is available with the office of Department of Environment and Climate Change, Govt. of Kerala and may also be seen on the website of the Authority at www.selaaskerala.org

Please WASH YOUR HANDS BEFORE ENTERING

Royal Sand And Gravels (P) Ltd

ദയവായി കൈ കഴുകിയതിനു ശേഷം മാത്രം അകത്തേക്ക് പ്രവേശിക്കുക

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **44** of **46**

V. ANNEXURE

17th EC Compliance report of M/s Royal Sand & Gravels (P) Ltd.

Page **45** of **46**

Page **46** of **46**



Proceedings of the State Environment Impact Assessment Authority Kerala

Present: Dr.H.Nagesh Prabhu IFS (Retd.), Dr. Jayachandran.K, Member and Dr.Usha Titus I.A.S., Member Secretary.

Sub: SEIAA- Quarry Project in Survey Nos. 2, 14, 15 and 16/1 at Akathethara Village and Pachayath, Palakkad Taluk, Palakkad District, Kerala by M/s Royal Sand & Gravels Pvt. Ltd. - Environment Clearance - Accorded - Erratum - Orders issued

State Environment Impact Assessment Authority, Kerala

No. 160/SEIAA/KL/3490/2013

dated, Thiruvananthapuram 16.02.2019

Ref:- 1. E.C. issued vide Proceedings No.160/SEIAA/KL/3490/2013 dt.24.05.2014
2. Representation received on 14.01.2019 from Sri.Mohammed Fazeel T.A.
3. Minutes of the 88th meeting of SEIAA held on 25.01.2019

ERRATUM

Environmental Clearance was issued to Sri.Mohammed Fazeel T.A, Managing Director, M/s Royal Sand & Gravels Pvt. Ltd, Plaza Junction, Dhoni P.O, Palakkad, Kerala – 678 009 for the quarry project in Sy. Nos. 2, 14, 15 and 16/1 at Akathethara Village and Panchayath, Palakkad Taluk, Palakkad District for an area of 9.3928 hectares based on the decision of 30th meeting of SEIAA held on 09.05, 2014, vide reference 1st above.

The proponent, vide reference 2nd cited above has submitted an application for renewal of EC. The matter has been examined and found that at the front page of the Order granting EC, it is mentioned that validity expires on 23.05.2019. In the Order granting EC to the proponent it is stated that the EC is for a period of 15 years from 24.05.2015 subject to renewal in every five years.

The matter was placed in the 88th meeting of SEIAA held on 25.01.2019. Authority observed that the term 'renewal' in EC No.160/SEIAA/KL/3490/2013 dated. 24.05.2014

Page 1 of 2

AI

creates ambiguity, hence decided to replace the word 'renewal' with 'review'. The validity of the EC will be 15 years from 24.05.2014 subject to review in every 5 years.

As decided by SEIAA the word 'renewal' referred in the 8th paragraph of the Order read as 1st paper above is modified and corrected to read as 'review'. The validity of the EC will be 15 years from 24.05.2014 subject to review in every 5 years.

The Environmental Clearance issued as per the paper read as 1st paper above stands modified to the above extent only.

Sd/-Dr.Usha Titus I.A.S Member Secretary, SEIAA

To,

Sri.Mohammed Fazeel T.A Managing Director M/s Royal Sand & Gravels Pvt. Ltd Plaza Junction, Dhoni P.O Palakkad, Kerala – 678 009

Forwarded/By Order

Administrator, SELAA

Copy to,

- 1. MoEF Regional Office, Southern Zone, Kendriya Sadan, 4th Floor, E&F Wing, II Block, Koramangala, Bangalore-560034.
- 2. The Additional Chief Secretary to Government, Environment Department, Government of Kerala.
- 3. Director, Mining & Geology, Thiruvananthapuram -4.
- 4. District Collector, Palakkad
- 5. The Secretary, Akathethara Panchayat, Palakkad
- 6. Chairman, SEIAA.
- 7. S/f
- 8. O/c



Scanned by CamScanner

Page 2 of 2

ANNEXURE G.2 0200 2022 He Mohammed Tezect. T'D 1) To NISART 21 Z_1 Muhammed Shuherb. 1:13 Denent 51 Deepele 4. Annleumer. 13 Haricht Harresh. 5. gas/ Selem C. Sal 7. Beijernin 8. Separ tos Johnes 9. Rethoop conducted the meeting rarith ralelcome. chairmen Speech. These the progress of providers meilty Agenters charmon and the boors members united the all these charmen instructed Housh and Rapis . to date immedia action for Anything the over bunder Any bethe this charmin instructed shubib to build a minvalator Hormat of the conf Dido and the mining them. abo instructed to increase the deep of the covering (assigned) channing and board members rusted the cantor: one. and instructed & though to innow the number at Sjonn leles installed in the plant and also mension the The purper a net porig it the mead for to Supros' the dust immulsion channing instanted Salam to plant more. bamboo due in the day days of the one bade Storg. Mr. Shubib done the subor Speech meleded the meets of the malk. April 2024 onl. A3

5/05/2022 All's the Mohammed - lazeel .7.n Muhemed Shuhib Byin vie 2 3. Deepels 19251 .4. Hereoly Seger 18.5 6. 7 Rethersh Rudney Daria leriman. hore 94 Myradaman & M. Tan minin conducted the meeting south melecones. Speech. Nears the importation of provision meeting Agaden. charmen and board member unted the whole are chamin dealer and brand members wild the mining one. Frended the relater story itside the Burgippit charmon instructed Mr. Honorish to make a garley drange some detty before have rein . Chemin draw a pulli it the droney and explain the perclass of the gented day. chamin instructed an: Rage to constructe the mode. cohumin and broad members resided then frances Chennis undried Mrs. Mohemmed Shuhib to start a hobel gonden on som on particle. Aunment to army the plats yould Cornelinded the newly mith The Anto Spech dose by Mr. Hypeyeleumon . E.M. index and A4

11 Mohrmmed Assertion Holle 10 06 2022 Mohanan . Cn. HIA 2. Mohemonid Shuhib Assentanne A 37 * Byn, M.R. 5' Hanshf Hancoh. 6. Vyryelamo: h Solom: 71 the 21 aliz Secon-Mehemmed Lazel . the 10 + pat Retherd, 11. changing conducted and done the millione Jeech. chains and board member usuald the Ana. and Acoo Ane perfectos at dainge gentends Same leologie in the Side barrel. Chennin Sergestal the. Same Verlage also instanded Hand and They is to Completed the most in one much. chairing, and board members wated the couster plat deal some dust immultion lin the end train of the plant . charge instructed Mrs: Bathand to cover the the any the Cram not uppersuilly. Amongin and board membrane since the Royal gorder and excelled The disclipsort of Hor bel gordes acril. pogres inder Muhaned Shuhello's Charmin gave Dane more edies to Mr: Mahanad Shapped to develp the height goods. chamin instructed the Mahamed Shahe's to cardial! the word pepper in side the other should ge ender ques pretecal. Armore had an idea do reduce the bill mi and muse Ford more bill in one Sight proper church Acupted the iden and Approved Bar: pretioned Shuhaib A5

Charmen instructed Mr. Mohemed Shuhits to Costal The ux if pepper related idens Buch as register mushall and labora any shal. Shuhib Seyyded the bealth and Accurry & Bia. metric Justim: cherrano. Appared for implantitio Mr: Bayis had no idea do control the grain terden He explained this metter and charal throught and charming also allones permis do do lilée his plan Mr: Vyryckuman. EM. and Syron had drawnod an idea with charming do conduct the dust immosis in the. Yourd . charmin Agreed to do the promotion Mar Schon concluded the maty mith thanks 1 A6

Mater 10 01 2022 Mahammed Jarmes 1.2:1 Mohanan co Record Vijeyskumaz S.N Shuhib 1200 Aruntumar . A Alisan. T 7. Horrosoh. 8. Rethrob. charrman conducted and done the valleome speech. charaman and board membru acco the Imptomolation of the Previous meeting Mende charmen and board members visited the whole area Querry are susted report Accounty to the direction of chammen and From Com increase the leggle of the garland drings. Mon Harroh and Mr: Beiju expleit the beaufite of gooded day. charming convey his regards to the members of the board too the completion of Genland enjoy the much speel before Manzoon and Henry Tala chairmen instructed Hansh to plent babas and maked trees its the Slopey are -hannie instructed Bryi to menere the depth of this is the boarder at the musing to Arrived land There channing also instructed to all accord menter about the along and lange outly instruction with mining . charmin instructed Hereity to stap the Consing rathele bleavy sain charman Brand members visited the plant and gone instruction to Rolling Should arean at electrical Louids, ralery Jepty many mine in duty time . Showed leave all mailere and californi allia malifal : charmin in sheet and sheeting A7

to conduct Sally multiple on any monthly.

٠.

chairman also instructed Moi Billish to chase the. connection and pennel room laston and atte the mark. chairing answer the importance of Salaty

Mai uppayeleumor theres to all presented Members and conclusive the multip

10 01 2 022 Meeter Mohemmed Jaza 1:7:5 F1 Mohanan (7 In 1 Yyay chuman E.M Salle 3 Shupeib. 7.M 4. Alison T ulus S. Almais 6 Hannah. 6. Re theah 3 Bupine 8 .7 Aninterman A charmen conducted the marky with meeting Speechchannes are the prograd previous muly grad implication charmon and boatted members surched the mining and mechany. chairmen instructed to build a Separate. How soon for olland lubes chamis instanted board members Sharp the all oil needs madely and thinked loop at teller in Lith Hage one or Bin Chammins instructed Baylie to build Additional Tolletand Labora courslas, immediatly chamic conducted tok It meety and amone the important Saley and hygemin in Factory Compand channin in the let House to plant more two in Herber Janda My Vyayshumer concluded the make with dide to all membros A9

Mohemmed forcel . 7:0 putter 10 09 202 2 Mohanan . Co. Bayle . v. R Shuhaib Rathersh Vijey ekumon. E .M ALISAR.T Anni leuman n Seper. sharman conducted the meeting sauth Abouter chairmin and Board members Acan the progres int provining mesting Agendas. chaimin and board members susted the while charmon noticed Sume 12240 - Sality related. charming instinuted to shubilit to get in charge as affin about of cheels all takely message desigily chairman ases the salvale progress of labours toiled and the land = harmen instructed Honorh to Separation the state part in the Query and well phoneing proportion charmen and board members visited the planting one, and instructed to Arun do plant more trues in gorden N-1 2.2015 charcomon instructed to Rethink to com the mechanony. within dust is generated and Add the fique to f meter Spontale 10 Au plant Ane. propor cover all ouside meterial corrying rehich that de and and Spraying reader on the Surter to be avoid oflying vod. dual interfact materies from the markers Be you canalided me the Marine AIO

ROYAL SAND AND GRAVELS (P) LTD DHONI PLAZA JN

Ledger of CSR EXPENSES from 01/04/2022 to 30/09/2022

Date	Reference	Ledger of CSR EXPENSES from 01/04/2 Particulars	2022 to 30/09/2022 Debit	Credit	Balance
Date	Reletence	Opening Balance	0.00	0.00	
20/04/2022	CP 1443	DONATION PAID FOR RAMADAN RELEIF (150 KG X 32)	4800.00		4800.00 Dr
21/04/2022	CP 1557	RAMADAN DONATION PAID TO SHAREEF	500.00		5300.00 Dr
21/04/2022	CP 1558	RAMADAN DONATION PAID TO JAYANTA ROY	300.00		5600.00 Dr
21/04/2022	CP 1559	RAMADAN DONATION PAID TO EDWIN JAYAPOL SINGH	300.00		5900.00 Dr
21/04/2022	CP 1560	RAMADAN DONATION PAID TO JAGANATH	300.00		6200.00 Dr
21/04/2022	CP 1561	RAMADAN DONATION PAID TO KUBERA	300.00		6500.00 Dr
21/04/2022	CP 1562	RAMADAN DONATION PAID TO BINUD URANG	300.00		6800.00 Dr
21/04/2022	CP 1563	RAMADAN DONATION PAID TO MUNNA	300.00		7100.00 Dr
21/04/2022	CP 1564	PRADHAN RAMADAN DONATION PAID TO JARASINGH	300.00		7400.00 Dr
21/04/2022	CP 1565	RAMADAN DONATION PAID TO JAKHIR KHAN	300.00		7700.00 Dr
21/04/2022	CP 1566	RAMADAN DONATION PAID TO TASIM KHAN	300.00		8000.00 Dr
21/04/2022	CP 1567	RAMADAN DONATION PAID TO NARESH SUNA	300.00		8300.00 Dr
21/04/2022	CP 1568	RAMADAN DONATION PAID TO MARIYAPPAN	300.00		8600.00 Dr
21/04/2022	CP 1569	RAMADAN DONATION PAID TO BHAKATHA DURGA	300.00		8900.00 Dr
21/04/2022	CP 1570	RAMADAN DONATION PAID TO NASIBUL MULLA	300.00		9200.00 Dr
21/04/2022	CP 1571	RAMADAN DONATION PAID TO SIBIR RAM	300.00		9500.00 Dr
21/04/2022	CP 1572	RAMADAN DONATION PAID TO DALIM	300.00		9800.00 Dr
21/04/2022	CP 1573	RAMADAN DONATION PAID TO KABEER	2000.00		11800.00 Dr
21/04/2022	CP 1574	RAMADAN DONATION PAID TO ATOM SHEIK	300.00		12100.00 Dr
21/04/2022	CP 1575	RAMADAN DONATION PAID TO SATHURDHAN	300.00		12400.00 Dr
21/04/2022	CP 1577	RAMADAN DONATION PAID TO MAHAN HILAL	300.00		12700.00 Dr
21/04/2022	CP 1581	RAMADAN DONATION PAID TO ROHITH DURGA	300.00		13000.00 Dr
21/04/2022	CP 1595	RAMADAN DONATION PAID TO HEMNATA	300.00		13300.00 Dr
21/04/2022	CP 1596	PRADANI CSR AMOUNT PAID TO CPI WORKING FUND2021	10000,00		23300,00 Dr
21/04/2022	CP 1597	RAMADAN DONATION PAID TO BALJITH RAM	300.00		23600.00 Dr
21/04/2022	CP 1598	CSR AMOUNT PAID TO CPI WORKING FUND2021	5000.00		28600.00 Dr
21/04/2022	CP 1605	RAMADAN DONATION PAID TO JITHENDRA HARLIAN	300.00		28900.00 Dr
21/04/2022	CP 1606	RAMADAN DONATION PAID TO BARUN BAGHA	300.00		29200.00 Dr
21/04/2022	CP 1607	RAMADAN DONATION PAID TO PRAKASH RAM	300.00		29500.00 Dr
21/04/2022	CP 1610	RAMADAN DONATION PAID TO ANADHAN	300.00		29800.00 Dr
21/04/2022	CP 1611	RAMADAN DONATION PAID TO RAJKUMAR	300.00		30100.00 Dr
21/04/2022	CP 1613	RAMADAN DONATION PAID TO HARIBANDHU	300.00		30400.00 Dr
21/04/2022	CP 1614	RAMADAN DONATION PAID TO BABULAL	300.00		30700.00 Dr
21/04/2022	CP 1615	RAMADAN DONATION PAID TO SUNASIR	300.00		31000.00 Dr
21/04/2022	CP 1616	RAMADAN DONATION PAID TO RABI RAM	300.00		31300.00 Dr
21/04/2022	CP 1617	RAMADAN DONATION PAID TO SANTOSH GORH	300.00		31600.00 Dr
21/04/2022	CP 1618	RAMADAN DONATION PAID TO RAJU RAM NAAG	300.00		31900.00 Dr
21/04/2022	CP 1619	RAMADAN DONATION PAID TO MADAN KURMI	300.00		32200.00 Dr
21/04/2022	CP 1620	RAMADAN DONATION PAID TO DONU GORH	300.00		32500.00 Dr
21/04/2022	CP 1621	RAMADAN DONATION PAID TO AJOY GORH	300.00		32600.00 Dr
21/04/2022	CP 1622	RAMADAN DONATION PAID TO SANJAY GORH	300,00		33100.00 Dr
21/04/2022	CP 1623	RAMADAN DONATION PAID TO PAWAN URANG	300.00		33400.00 Dr
21/04/2022	CP 1624	RAMADAN DONATION PAID TO KARAM SINGH	300.00		33700.00 Dr
21/04/2022	CP 1625	RAMADAN DONATION PAID TO SURESH HALOI	300.00		34000.00 Dr
21/04/2022	CP 1626	RAMADAN DONATION PAID TO PUMNA BAG	300.00		34300.00 Dr
21/04/2022	CP 1627	RAMADAN DONATION PAID TO NIRANJAN KUSHULIA	300.00		34600.00 Dr
21/04/2022	CP 1628	RAMADAN DONATION PAID TO ASHARUL	300.00		34900.00 Dr
21/04/2022	CP 1629	RAMADAN DONATION PAID TO FARJUE	300.00		35200.00 Dr

Printed on 30/09/2022

		Ledger of CSR EXPENSES from 01/04		The second
Date	Reference	Particulars	Debit Credit	Balance
21/04/2022	CP 1630	RAMADAN DONATION PAID TO NISAR	500.00	35700.00 Dr
21/04/2022	CP 1631	RAMADAN DONATION PAID TO MUHAMMED	500.00	36200.00 Dr
21/04/2022	CP 1632	SHUHAIB RAMADAN DONATION PAID TO BAIJU	500.00	36700.00 Dr
21/04/2022	CP 1633	RAMADAN DONATION PAID TO ARUN KUMAR	500.00	37200.00 Dr
21/04/2022	CP 1634	RAMADAN DONATION PAID TO RATHEESH	500.00	37700.00 Dr
21/04/2022	CP 1635	RAMADAN DONATION PAID TO HARISH	500.00	38200.00 Dr
21/04/2022	CP 1636	RAMADAN DONATION PAID TO MUHAMMED ALI	500.00	38700.00 Dr
21/04/2022	CP 1637	JAWAHAR RAMADAN DONATION PAID TO MUHAMMED	500.00	39200.00 Dr
21/04/2022	CP 1638	FASIL RAMADAN DONATION PAID TO VIJAYAKUMAR	500.00	39700.00 Dr
21/04/2022	CP 1639	RAMADAN DONATION PAID TO DEEPAK	500.00	40200.00 Dr
21/04/2022	CP 1640	RAMADAN DONATION PAID TO HRISHIKESH	500.00	40700.00 Dr
21/04/2022	CP 1641	RAMADAN DONATION PAID TO SREERAG	500.00	41200.00 Dr
21/04/2022	CP 1642	RAMADAN DONATION PAID TO ABDUL SALAM	500.00	41700.00 Dr
21/04/2022	CP 1643	RAMADAN DONATION PAID TO PRADEEP	1000.00	42700.00 Dr
21/04/2022	CP 1644	RAMADAN DONATION PAID TO	500.00	43200.00 Dr
21/04/2022	CP 1645	KRISHNAKUMAR RAMADAN DONATION PAID TO VYSHAK	500.00	43700.00 Dr
21/04/2022	CP 1646	RAMADAN DONATION PAID TO ARUN	500.00	44200.00 Dr
21/04/2022	CP 1647	RAMADAN DONATION PAID TO RANJITH	500.00	44700.00 Dr
21/04/2022	CP 1649	RAMADAN DONATION PAID TO SAKEER	500.00	45200.00 Dr
21/04/2022	CP 1650	RAMADAN DONATION PAID TO SHABEER	500.00	45700.00 Dr
21/04/2022	CP 1651	RAMADAN DONATION PAID TO RAHUL	500.00	46200.00 Dr
a standard and a standard	CP 1652	RAMADAN DONATION PAID TO SECURITY	300.00	46500.00 Dr
21/04/2022	CP 1653	RAMADAN DONATION PAID TO SECURITY 2	300.00	46800.00 Dr
21/04/2022	CP 1746	CSR PAID TO IFTHAR MEET (ACPM)	10000.00	56800.00 Dr
23/04/2022	CP 1747	CSR PAID TO IFTHAR MEET (ACPM)	10000.00	66800.00 Dr
23/04/2022	CP 1748	CSR PAID TO IFTHAR MEET (ACPM)	10000.00	76800.00 Dr
23/04/2022	CP 1749	CSR PAID TO IFTHAR MEET (ACPM)	10000.00	86800.00 Dr
23/04/2022	CP 1750	CSR PAID TO IFTHAR MEET (ACPM)	10000.00	96800.00 Dr
23/04/2022	CP 2521	CSR EXP PAID TO UDF MALAMPUZHA	10000.00	106800.00 Dr
05/05/2022	CP 2522	COMMITTE CSR EXP PAID TO GURUPRASADAM	500,00	107300.00 Dr
05/05/2022	CP 2644	CHARITTABLE TRUST CSR PAID TO MOHAN LIVER PATIENT	300.00	107600.00 Dr
07/05/2022	CP 2815	CASH PAID TO PARUKUTTY (HOUSE ROOF	500.00	108100.00 Dr
13/05/2022	CP 3107	LEAKAGE TAP ON SHEET) CSR DONATION PAID TO KSKTU STATE	10000.00	118100.00 Dr
13/05/2022	CP 3108	CONFERNCE CSR DONATION PAID TO KSKTU STATE	10000.00	128100.00 Dr
	CP 3109	CONFERNCE CSR DONATION PAID TO KSKTU STATE	5000.00	133100.00 Dr
13/05/2022		CONFERNCE CASH PAID TO ASHIYANA VRIDASADANAM	200.00	133300.00 Dr
14/05/2022	CP 3119	EDATHARA PALAKKAD	200.00	10000000
17/05/2022	CP 3225	CASH PAID TO GURUPRASADAM CHARITABLE TRUST PALAKKAD	250.00	133550.00 Dr
20/03/2022	CP 3436	CASH PAID FOR BEERAN OULIVA BOYS ORPHANAGE KANJIRAM	500,00	134050.00 Dr
30/05/2022	CP 3749	CSR EXPENSES PAID TO AKATHETHARA PALLIATIVE CARE	3000.00	137050.00 Dr
30/05/2022	CP 3762	CSR PAID TO MR.RAMACHANDRAN N ALATHOOR FOR KIDNEY TRANSPERANT	300.00	137350.00 Dr
30/05/2022	CP 3764	CASH PAID FOR NEIGHBOUR	100.00	137450.00 Dr
01/06/2022	CP 3942	CASH PAID TO DHONI AGANVADI	2000.00	139450.00 Dr
09/06/2022	CP 4657	PRAVESHANOTSAVAM CSR EXPENSE PAID TO MOTHER CHARTIBLE	200.00	139650.00 Dr
13/06/2022	CP 4934	TRUST ALATHOOR CSR EXP PAID TO CHANDRASEKHARAN	400.00	140050,00 Dr
15/06/2022	CP 5050	MEDICAL EXP CSR EXP PAID TO SADIK S/O MUTHU	500.00	140550.00 Dr
24/06/2022	CP 5797	MOHAMMED (HEART PATIENT) CSR EXP PAID TO MOHANAN PYTTAMKUNNU	10000.00	150550.00 Dr
29/06/2022	CP 6054	CASH PAID TO PRABHATH GENERAL LABOUR	500.00	151050.00 Dr
12/07/2022	CP 6799	DONATION PAID TO RAJAMANI-ANDIMADAM (HEART PATIENT)	400.00	151450.00 Dr
12/07/2022	JV 247	PURCHASE OF TV 32" BLNO.EB0028 DATED12/04/2022	6694.92	158144.92 Dr

30/09/2022

Page A12

	Deferrer	Ledger of CSR EXPENSES from 01/04	Debit	Credit	Balance
Date	Reference	Particulars		CICUR	158244.92 Dr
\$3/07/2022	CP 6833	CASH PAID TO JAYAN NEIGHBOUR	100.00		
13/07/2022	CP 6836	CSR EXPENSE PAID TO MOHANAN -LIVER PATIENT	200.00		158444.92 Dr
22/07/2022	CP 7292	CASH PAID FOR AKHILENDIA JANTHIPATHYA MAHILA ASSOCIATION PALAKKAD DIST	8000.00		1 66444 .92 Dr
22/07/2022	CP 7293	CASH PAID FOR AKHILENDIA JANTHIPATHYA MAHILA ASSOCIATION PALAKKAD DIST	8000.00		174444.92 Dr
22/07/2022	CP 7294	CASH PAID FOR AKHILENDIA JANTHIPATHYA MAHILA ASSOCIATION PALAKKAD DIST	9000.00		183444.92 Dr
08/08/2022	CP 8109	CASH PAID FOR CSR EXPP-SANDHYA PALKKAD	300.00		183744.92 Dr
12/08/2022	CP 8454	CSR EXPENSE PAID TO DYFI-FREEDOM STREET, PALAKKAD	10000.00		193744.92 Dr
20/08/2022	CP 9006	CASH PAID FOR KOZHIKKAL PARAMBU TEMPLE PARALI	200.00		193944.92 Dr
20/08/2022	JV 1279	MATERIAL DONATION TO UMMINI GHS PALAKKAD KL02BM-5291 (ROYAL PLAST-0.2@4200)	840.00		194784.92 Dr
27/08/2022	CP 9337	CSR EXPENSE PAID TO WINBORNE PUBLIC TRUST-PALAKKAD	500.00		195284.92 Dr
30/08/2022	CP 9471	CSR EXPENSE PAID TO DHONI SPORTS TEAM	6475.00		201759.92 Dr
06/09/2022	CP 9914	CSR EXP PAID TO MOTHER CHARITABLE TRUST	200.00		201959.92 Dr
12/09/2022	CP 10015	CSR EXPENSE PAID TO MOHANAN-LIVER PATIENT	200.00		202159.92 Dr
16/09/2022	CP 10251	CSR EXP PAID TO MOTHER CHARITABLE TRUST	100.00		202259.92 Dr
16/09/2022	CP 10260	CSR EXP PAID FOR SREERAMAJYAM FOUNDATION PALLIKKAD	200.00		202459.92 Dr
22/09/2022	CP 10575	CSR EXP PAID TO ARUN G	10000.00		212459.92 Dr
22/09/2022	CP 10576	CSR EXP PAID TO ARUN G	10000.00		222459.92 Dr
22/09/2022	CP 10577	CSR EXP PAID TO ARUN G	300.00		222759.92 Dr
23/09/2022	CP 10638	CSR EXPENSE PAID TO PKS	3000.00		225759.92 Dr
28/09/2022	CP 10855	CSR EXPS PAID TO ASHIYANA VRIDHA SADHANAM EDATHARA (SANTHOSH)	200.00		225959.92 Dr
30/09/2022	CP 10999	CSR EXPENSE PAID TO DEVU NEIGHBOUR	500.00		226459.92 Dr
		Total	226459.92	0.00	

Closing

226459.92 Dr

ad solution, a cleaners, carpe - 678 555. carpente 949513 alger ravidemi Royal Sand & Grand	(1) 1388 5/5/22 P/d/14/
	Rog. NO: Rog. NO: BIIV 2012, OCB-22
<u>200</u> ***********************************	Stand Boot 7 Billia St.
	Scanned with CamScanner

നുഴ് അസംബ്ലി നിയോജക മണ്ഡലം UDF കമ്മിറ്റി മലമ്പുഴ, പാലക്കാട് mostima marson migral: 55 ៣៣ឆេះ val/valami...... nleco EWIERO mmo 100 600 കുട്ടിതോഡിച്ചു. 1. 10,000, Scanned with CamScanner

Amount In Words : Rup Remarks : CASH PAID T Paid By	ees Five Hundred Only D PARUKUTTY (HOUSE ROOF LEAKAGE TA	P ON SAFETS
	Total	
CSR EXPENSES [Cur. E	Ral. 15 939970.60 Dr] 00	
Account Head	Туре	De
Voucher No : 2815		Date : 10/05/202
	SAND AND GRAVELS DHONI PLAZA JN CASH PAYMENT VOUCHER	

KSKTU 3 0520 സ്ഥാന 111 Billio -സംഭാവന രശീതി 2022 6600 18 - /2, 40010605 101/1031/10312001 Royal Sand and Grander, 114 പക്കൽ നിന്ന് and Trajenty five thound only Del Corol: Prime കൈപറ്റിയിരിക്കുന്നു. 25000-101.00. 0000000 ആർ. ചിന്നക്കുട്ടൽ No. 13151 പെയർമാസ് കൺവിനർ സംഘാടക സമിതി

•		
the fight of the south first		
ROYAL SA	NIZAL CARANZAMONTARIANAS-ARIALERA (P) LTD
ROYAL SA	NIZH CASH PAYMENT VOUCHER	P) LTD
	DHONI PLAZA JN	P) LTD Date : 30/05/2022
ROYAL SA Voucher No : 3762	DHONI PLAZA JN	
Voucher No : 3762	DHONI PLAZA JN	
Voucher No : 3762 Account Head	DHONI PLAZA JN CASH PAYMENT VOUCHER	Date : 30/05/2022
Voucher No : 3762	DHONI PLAZA JN CASH PAYMENT VOUCHER	Date : 30/05/2022 Debit
Voucher No : 3762 Account Head CSR EXPENSES	DHONI PLAZA JN CASH PAYMENT VOUCHER Type Total	Date : 30/05/2022 Debit 300.00 300.00
Voucher No : 3762 Account Head ESR EXPENSES Amount In Words : Rupees Remarks : CSR PAID TO PR.1	DHONI PLAZA JN CASH PAYMENT VOUCHER Type Total	Date : 30/05/2022 Debit 300.00 300.00
Voucher No : 3762 Account Head CSR EXPENSES	DHONI PLAZA JN CASH PAYMENT VOUCHER Type Total	Date : 30/05/2022 Debit 300.00 300.00



ROYAL SAND AND GRAVELS (P) LTD DHOMI PLAZA JN CASH PAYMENT VOUCHER

Vencher No : 3942

Bate : 01/06/2022

Debit Type Account Head CSR EXPENSES [Cur. Bal. is 969820.60 Dr] 2000 Total 2000 Amount In Words : Rupees Two Thousand Only Remarks : CASH PAID TO DHONI AGANVADI FRAVESHANGTSAVAM Paid By Sideature

BEERAN OULIYA BOYS ORPHANAGE	Date. 20 - 5. 22
(Run by : AL-AMEEN CHARITABLE TRUST, AMBAMKUNNU) Reg.No. 2248/2014) Ambamkunnu, P.O.Pottassery,	No. 9219
Mannarkkad, Palakkad Dt., Keraala, India. 678 598 Mob : 9847578664,9072383786,9447570608,9778106958	
Mannarkkad, Palakkad Dt., Keraala, India. 678 598 Mob : 9847578664,9072383786,9447570608,9778106958 Enhort soellar annu annal andia. amm. Agm. Received with thanks from Royal Sand CH	FCanl
Received with thanks from Koral Sand etc	NADA-AWA COU
Place Thom P.o	Pin and and and and and and and and and an
The sum of Rupees Five hundred Ouly being	Pin AMBAMAKUMMU
AIC NO : 0847201000748 AL AMEEN CHARITABLE TRUST	
Canara Bank, Mannarkkad Branch, Palakkad (Dt.,) IFC Code : CNRB 0000847	0.0.////
	and a general the state of the second s

	and the second	
ROYAL	SAND AND GRAVELS (P) LTD
ROYAL	SAND AND GRAVELS (P DHONI PLAZA JN CASH PAYMENT VOUCHER	
ROYAL Voucher No : 3225	DHONI PLAZA JN) LTD Rate : 17/05/2022
	DHONI PLAZA JN	
Voucher No : 3225 Account Head	Type Ral. is 965670.60 Dr]	Date : 17/05/2022
Voucher No : 3225 Account Head	DHONI PLAZA JN CASH PAYMENT VOUCHER Type	Date : 17/05/2022
Voucher No : 3225 Account Head	Type Ral. is 965670.60 Dr]	Date : 17/05/2022 Debit
Voucher No : 3225 Account Head CSR EXPENSES [Cur.	Type Ral. is 965670.60 Dr J 250 Total	Date : 17/05/2022 Debit G 254
Voucher No : 3225 Account Head CSR EXPENSES [Cur. Amount In Words : R Semarks : CASH PAID	Total UPPORT FLAZA JN CASH PAYMENT VOUCHER Type Ral. is 965670.60 Dr J 250 Total uppes Two Hundred Fifty Only To GURUPRASADAM CHARITABLE TRUST PALAKK	Date : 17/05/2022 Debit G 250
Voucher No : 3225 Account Head CSR EXPENSES [Cur.	Total UPPORT FLAZA JN CASH PAYMENT VOUCHER Type Ral. is 965670.60 Dr J 250 Total uppes Two Hundred Fifty Only To GURUPRASADAM CHARITABLE TRUST PALAKK	Date : 17/05/2022 Debit G 254
Voucher No : 3225 Account Head CSR EXPENSES [Cur. Amount In Words : R Semarks : CASH PAID	Total UPPORT FLAZA JN CASH PAYMENT VOUCHER Type Ral. is 965670.60 Dr J 250 Total uppes Two Hundred Fifty Only To GURUPRASADAM CHARITABLE TRUST PALAKK	Date : 17/05/2022 Debit G 250

1		
1		
		(P) LTD
ROYAL	SAND AND GRAVELS	(P) LTD
	DHONI PLAZA JN	(P) LTD Date : 18/06/2022
ROYAL Voucher No : 5030	DHONI PLAZA JN	and the second second
	DHONI PLAZA JN	and the second second
Goucher No : 5050 Account Head CSR EXPEMSES E Cor.)	DHONI PLAZA JN DAGH PAYMENT VOUCHER Type Ral. 15 972920-60 Dr 1	Bate : 18706/2022
Goucher No : 5050 Account Head CSR EXPEMSES E Cor.)	DHONI PLAZA JN CASH PAYMENT VOUCHER Type	Bate : 18706/2022
Goucher No : 5050 Account Head CSR EXPEMSES E Cor.)	DHONI PLAZA JN DAGH PAYMENT VOUCHER Type Ral. 15 972920-60 Dr 1	Bate : 13706/2022 Debia
Goucher No : 5050 Account Head CSR EXPENSES [Cor.]	DHONI FLAZA JN DASH PAYMENT VOUCHER Type Bal. is 972920.60 Dr 1 500	Bate : 18706/2022 Debit
Account Head CSR EXPENSES [Cor.) Amount In Words : Ru Remerks : CSR EXP PA	EASH PAYMENT VOUCHER Type Bal. is 972420.60 Dr 1 500 Fotal	Bate : 13706/2022 Debin

82F1ZD 6789 18/08/2022	17:36AM		DHONI PLAZA PHONE	JN, DHON : 8606544	D GRAVELS II POST, PALAKK 222 /0491 296222 9 Number of an Im	AD,KER	ALA Vehici	e : KLO2E of Supply	M-5291 : UMMINI		
	of Receiv	er (Billed	to)			Deta	ills of cons	ignee (St	ipped to)		States 2
1 Address GHS U	MMINI			Maria	Name and Address	UM	S UMMINI MINI, PALI KALA				
Description Good	Qty	Rate	Total Amount	Discount	Taxable Value	and the second second	GST	In the second second	IST		ST
and HSN Code		1				Rate	Amt	Rate	Amt	Rate	Amt
ROYAL PLAST 25171010	0.2	4200.0	840.00	40.00	800.00	2.50	20.00	2.50	20.00	0.00	.0.00
LORRY RENT			0.00		0.00					A-	
Total	<u></u>				800.00	20	00				
/alue (In words) /alue (In Figure	Rupees 840.00	Eight Hund	tred Forty Only	1. I.							
VE								1		Com atory	

	CONGRESS COMMITTEE
	DALAVIAD
/	DONATION RECEIPT Date : 8 8 202.
th thanks f	Tom M/ ROYALSOND DND 1 Ltd DIDONI POLOKKOD
DVELS (P	1 L'+ d DIDONI PRAMKKOD
	7 GO ANDY PIVE
/ manufacture and a second	busper only
hy Cash / Cheque /	I may C
\$ 25000/-	President
la fini della segli della della segli della d	

RNE PUBLIC TRUST Reg. No.:256/IV/2018 Old No. 18/747(18), New No. 41/1180 SURYA CORNER BUILDING, ENGLISH CHURCH ROAD, PALAKKAD - 678014, 0491 2930445, 85 47 99 74 45 Web : www.winborne-publictrust.com E-mail : winbornepublictrust1104@gmail.com RECEIPT Date: 07108 0000 No. 2402 not & Conarts Por 100 Received with thanks from Rupeesfor Donation tor WINBORNE PUBLIC TR Scanned with CarnScanner
1		
ROYAL S	SAND AND GRAVELS DHONI FLAZA JN CASH PAYMENT VOUCHER	(P) LTD
Vouction No : 10015		Date : 12/09/2022
Account Head	Туре	De bi t
SR EXPENSES I Cur. Bal. 200	. 19 201959.92 Dr]	
	Total	200
ncunt In Words : Rupees charks : CSR EXPENSE PA aid Dy	Two Hundred Gmly ID TO MOHANAM-LIVER PATIENT	Signature
a state of the second secon		Scanned with CamScanner

· /

.......

1

DTHER C Bank Account RUST Mother charitable Trust മദർ ചാരിറ്റബി IST (D) Central Bank of India Reg No : 86/IV/2014 Branch : Alathur P.M Complex, Opp.CPM Party Office, Alc: 3434466284 Main Road Alathur FSC : CBIN0285013 65 for the matter for the formation the second alva തനഹണ്ടിലേക്ക് ഇ: OV പക്കൽനിന്നും. സംഭാവനയായി നന്ദിപുർവ്വം കിട്ടിബോധിച്ചു 00 າດເຫ Office Time : 10.00am to 5.00

Scanned with CamScanner



Scanned with CamScanner

ANNEXURE G.30(1)



.

KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2561/2014 Date of issue :03/05/2019

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/IC/CO/R2/965/2019

Ref : 1. Application no:10184919

2. Previous consent no: PCB/PLKD/ICO/R1/490/2017 Dated: 30/11/2017, valid up to 23/05/2019

The 'Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST, THRISSUR DIST,

Pin Code : 680619 is hereby renewed up to 01/12/2023 and issued to M/s ROYAL SAND AND GRAVELS PVT. LTD QUARRY

THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST

Pin Code : ti80619 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	ANNUAL FEE	Rs. 9600/-
2	SURVEY NUMBER	2/P, 14/P, 15/P, 16/1P
3	CATEGORY	RED
4	VILLAGE	AKATHETHARA
5	CAPITAL INVESTMENT	Rs. 46/- lakhs
6	FEE REMITTED	Rs. 67,520/-(out of this Rs. 8707/- is excess and is carry over to next renewal)
7	VALIDITY	01/12/2023
8	LAST DATE FOR RENEWAL APPLICATION	01/10/2023
9	RAW MATERIALS AND PRODUCTS	QUARRYING IN 7.0655 HECTARES

IL Stack Details

- Stack No.	Source of	Emission	Stack Hoy	da skore	Control
	Emission	Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment
un. condition	s				
All other conditions	of the Integrated (Consent to Operate i	ssued as per reference	e above remain unch	anged
			KRISHNAN	MN Digitally sign Date: 2019.0	ned by KRISHNAN M M 15.04 06:53:03 +05'30'
DATE :03/05/201	9		SIGNATURE & S		G AUTHORITY
		LISA LISA	C C C C C C C C C C C C C C C C C C C		
THEPARAMBIL ROYAL SAND A	HOUSE, THRIT ND GRAVELS HOUSE, THRIT	HALLOOR WES	'OR ROYAL SANI I POST THRISSUI RY I POST THRISSUI	R DIST PIN + 6800	
. This digitally sig	ned document is	legally valid as per	the Information Tec	hnology Act 2000	
	mber in "Consent	Granted Application	a and search using dat s" link in the home p		
		-			
		ñ	uge2		
		P	uga?		



.

KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2561/2014 Date of issue :30/11/2017

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/490/2017

Ref : CONSENT NO: PCB/PLKD/IC/CO/F/3242/2014 DATED 27.12.2014 VALID UPTO 01.12.2017

The 'Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619 is hereby renewed up to 23/05/2019 and issued to M/s ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR DIST PIN - 680619 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Fee Paid	Rs.34,440/- (Adequate up to 01.12.2022)
2	Renewal Date	ON Before 22.02.2019
3	Validity	23.05.2019

II. Stack Details

Stack No.	Source of	Emission	Stack Heig	ght above	Control
	Emission	Rate(Nm3/Hr)	Ground Levei(In Meters)	Roof Level(In Meters)	Equipment

III. CONDITIONS

1. This consent is granted on the basis of the affidavit furnished by the applicant. If the statement furnished in the affidavit is found false, the consent issued will be withdrawn/cancelled.

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :30/11/2017

SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIRONMENTAL ENGINEER



#

To MOHAMMED FAZEEL T.A MANAGING DIRECTOR ROYAL SAND AND GRAVELS PVT. LTD THEPARAMBIL HOUSE, THRITHALLOOR WEST POST THRISSUR - 680619

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

FILE NO. - PCB/PLKD/IC/CO-2561/2014 Date of issue: 27-12-2014



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO OPERATE

UNDER

Air (Prevention & Control of Pollution) Act, 1981

то

M/s. Royal Sand and Gravels Pvt. Ltd Theparambil House, Thrithalioor West.P.O., Thrissur – 680 619

(For Quarrying in Sy. No. 2/P, 14/P, 15/P, 16/1P Dhoni, Akathethara Village, Palakkad)

Consent No. PCB/PLKD/IC/CO/3242/2014 Valid upto : 01-12-2017



A34

1. GENERAL

Consent No. PCB/PLKD/IC/CO/3242/2014

1	VALIDITY	01-12-2017
2	Name and address of establishment	M/s. Royal Sand and Gravels Pvt. Ltd., Quarry (in Survey No. 2/P, 14/P, 15/P, 16/1P), Dhoni, Palakkad Taluk, Akathethara Village. Theparambil House, Thrithaliur West.P.O., Thrissur - 680 619.
3	Communication	Telephone : Fax : e-mail : unnikodu@gmail.com
4	Occupier details	Sri. Muhammed Fazcel.T.A., Managing Director, Royal Sand and Gravels Pvt. Ltd., Theparambil House, Thrithallur West P.O., Thrissur 680 619.
5	Survey Number	2/P, 14/P, 15/P, 16/1P
6	Village	Akathethara
7	Taluk	Palakkad
8	District	Palakkad
9	Panchayath	Akathethara Grama Panchayath
10	Category	Red
11	Scale	Small
12	Capital Investment	Rs. 46.0 Lakh
13	Annual Fcc	Rs. 6,560/-
14	Fee remitted	Rs. 42,640/-
15	Date of commissioning	December-2014
16	PRODUCTS	Quarry of granite building stone (boulders) - 800 MT/day from survey No. 2/P, 14/P, 15/P, 16/1P in 9.39 hecters of land in Akathethara Village

2

2. GENERAL CONDITIONS

- 2.1 This consent is granted subject to the power of the Board to review and make variation on all or any of the conditions as per relevant sections of the Acts/Rules.
- 2.2 This consent unless withdrawn earlier and subject to condition No. 2.1 shall be valid up to 01/12/2017.
- 2.3 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.

2 20 2

A35

2.4 In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.

3

- .3. CONDITIONS AS PER Air (Prevention & Control of Pollution) Act
- 3.1 Sound level at 1m outside the boundary of the premises shall not exceed the Ambient Air Quality Standards in respect of Noise applicable to that area.
- 3.2 The suspended particulate matter (SPM) and respirable suspended particulate matter (RSPM) at boundary of the premises of the quarry shall not exceed the limit applicable to that area as per the National Ambient Air Quality Standards.
- 3.3 After excavation at the site is completed, the land may be used for rain water harvesting with protective barriers/any other suitable approved purpose or may be reclaimed.
- 3.4 The consent issued is subject to the conditions specified in the clearances issued by the Mining and Geology Department and Explosive Department as per the provisions of the relevant statutes.
- 3.5 The quarry should not be operated between 6.00 p.m. and 6.00 a.m.
- 3.6 All the control measures provided should be maintained properly to ensure that the system is adequate to control the pollution caused.
- 3.7 The minimum distance from boundary of quarry operation area to existing residential buildings, places of worship, public buildings, public road having vehicular traffic, river or lake, railway line and bridges shall be 100 m.
- 3.8 Boundary of quarrying area shall be fenced.
- 3.9. Fugitive emission from the premises shall be suppressed.
- 3.10. A signboard showing the name of the quarry and its crushing and production details should be displayed at the entrance of the site.
- 4. OTHER CONDITIONS:
- 4.1 Quarrying operations shall be started only after obtaining the D & Q license under the Kerala Panchayath Raj Act from the concerned Local Self Government Institution and submitting a copy of the same to the District Office of the Board.
- 4.2 Products shall be transported with proper cover and/or after wetting to prevent spreading of dust.
- 4.3 Quarrying shall be done only in the area shown in the drawing attached.
- 4.4 This consent is issued on the basis of the Environmental Clearance submitted by the unit dated 23/05/2014.
- 4.5 The validity of this consent is subjected to the final order of Hon'ble High Court / National Green Tribunal in relevant cases.

DATE OF ISSUE : 27/12/2014

OFFICE SEAL

SIGNATURE & SEAL OF ISSUING AUTHORITY C.V. Jayasree Senior Environmental Engineer





à

KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2640/2015 Date of issue :02/03/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/99/2018

Ref: 1. Your application No: 6228958

2. Consent No:PCB/PLKD/IC/CO/F/3367/2015 Dated 03.03.2015 Valid Upto 31.01.2018

The 'Integrated Consent to Operate' issued as per reference above to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State is hereby renewed up to 31/01/2023 and issued to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State The consent(s)/ variation order(s) eited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I, GENERAL

S.No.	Ĭtems	Description
1	Validity	31.01.2023
2	Renewal date	On or before 30.11.2023
3	Fee Remitted	35,500/-

II. Stack Details

Stack No.	Source of	Emission	Stack Heij	ght above	Control
	Emission	Rate(Nm3/Hr)	Ground Levei(In Meters)	Roof Level(In Meters)	Equipment

III. CONDITIONS

1. Roads inside the crusher shall be tarred on or before 31.05.2018. Otherwise the bank guarantee submitted will be forfeited

2. This consent is granted on the basis of the affidavit and other documents furnished by the applicant. If the statement furnished in the affidavit/document is found false or in the case of non compliance of integrated consent to operate conditions the consent issued will be withdrawal/cancelled

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

.

JAURTHER XAVIER Digitally signed by JAURTHER XAVIER Date: 2018.03.12 22:19:51 +05'30'

DATE :08/03/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIORNMENTAL ENGINEER



To

MOHANAN KUNNATH HOUSE VALUPARAMBU KANNAMBRA POST PALAKKAD DIST KERALA STATE PIN - 678686

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to knowns.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

Page2

A39

ANNEXURE G.30(2)

A40



ė

KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-2640/2015 Date of issue :02/03/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/99/2018

Ref: 1. Your application No: 6228958

2, Consent No:PCB/PLKD/IC/CO/F/3367/2015 Dates 13.03.2015 Valid Upto 31.01.2018

The 'Integrated Consent to Operate' issued as per reference above to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State is hereby renewed up to 31/01/2023 and issued to M/s Royal Sand And Gravels Pvt. Ltd. Thepparambil House Thrithalloor West Post Thrissur District Kerala State The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following medifications/ additions.

I. GENERAL

S.No.	Items	Description
1	Validity	31.01.2023
2	Renewal date	On ar before 30.11.2023
3	Fee Remitted	35,500/-

II. Stack Details

Stack No.	Source of	Emission	Stack Hei	ght above	Control
	Emission	Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment

III. CONDITIONS

1. Roads inside the crusher shall be tarred on or before 31.05.2018. Otherwise the bank guarantee submitted will be forfeited

2. This consent is granted on the basis of the affidavit and other documents furnished by the applicant. If the statement furnished in the affidavit/document is found false or in the case of non compliance of integrated consent to operate conditions the consent issued will be withdrawal/cancelled

All wher conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

.

JAURTHER XAVIER Digitally signed by JAURTHER XAVER Date: 2018.03.12 22:19:51 +05'30'

DATE :08/03/2018

SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIORNMENTAL ENGINEER



To

h

MOHANAN KUNNATH HOUSE VALUPARAMBU KANNAMBRA POST PALAKKAD DIST KERALA STATE PIN - 678686

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

Page2

FILE NO.- PCB/PLKD/IC/ CO-2640 /2015 Date of issue: 03/03/2015



.

KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO OPERATE (EXPANSION)

UNDER

The Air (Prevention & Control of Pollution) Act, 1981

TO

Sri. Mohanan, Director of M/s. Royal Sand & Gravals Pvt. Ltd., Kunnath House, H. No. 93, Valuparambu, Kannambra.P.O., Palakkad.

Consent No. PCB/PLKD/IC/CO/F/3367/2015

Valid upto : 31/01/2018



A42

1. GENERAL

31/01/2018 1 VALIDITY 2 Name and address of establishment M/s. Royal Sand & Gravais Pvt. Ltd., Dhoni, Palakkad- 678 009. Telephone: 9544332222, 9447129278 3 Communication Fax:-Email:-Occupier details 4 Sri. Mohanan, Director 13, 14 Survey Number 5 Akathethara 6 Village Palakkad 7 Taluk Palakkad District 8 Panchayath & Ward Akathethara Grama Panchayath, Ward - I 9 10 Category Red Small 11 Scale Rs. 35.50 Lakh 12 **Capital Investment** Rs.5.440/-13 Annual Fee Fee remitted Rs.16,320/- (Excess fee paid Rs. 4,240/-) 14 Water consumption 18,000 l/day 15 6" size Soling - 300 MT/Day 16 Activity/Products M-Sand - 300 MT/Day Primary crusher (1 No.) - 50 HP VSI (1 No.) - 50 HP Accessories ID fan for bag filter - 10 HP Belt conveyors (3 Nos. - 5x3) -15 HP Clarifier - 20 HP 17 Machinery details -2 HP Air compressor -1 HP Water sprinkler

.

2

DG Set - 250 KVA

Total

Antiga

Patakkad

2. GENERAL CONDITIONS

2.1 This consent is granted subject to the power of the Board to review and make variation on all or any of the conditions

alla

- 148 HP

- 2.2 This consent unless withdrawn earlier and subject to condition No. 2.1 shall be valid up to 31/01/2018. In case the operation of the industrial plant is to be continued thereafter application for renewal of the consent is to be made in the prescribed form between 3 and 4 months in advance of the date of expiry of the consent period.
- 2.3 The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention & control of air, water, land & sound pollution.
- 2.4 For renewal of the integrated consent, application in the prescribed form shall be submitted to the Board between 3 and 4 months in advance of the date of expiry of consent.
- 2.5 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.
- 2.6 Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
- 2.7 If operations are done with backup power, the source shall have adequate capacity to run all associated pollution control devices.
- 2.8 In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
- 2.9 Septic tank as per the design IS 2470 (Part 1) 1985 shall be provided for sewage.
- 2.10 The soak pit shall have concreted bottom, honey comb brick or perforated ring side wall and 75 cm thick 2 mm sand envelope around.

3. CONDITIONS AS PER

Air (Prevention & Control of Poliution) Act

- 3.1 The following pollution control facilities shall be provided.
 - a) Crushers, Classifiers/screens, conveyors and related accessories, other noise/dust producing units shall be housed in buildings with wall of minimum 40 cm thickness and with suitable roofing. One door opening in any side is allowable.
 - b) Long belt conveyors leading to feed hoppers or product siles may be separately enclosed with metal sheets on all four sides if it is difficult to enclose the same with 40 cm thick brick wall.
 - c) Screens/classifiers may be enclosed with wooden planks of minimum 2.5 cm thickness or metal sheets if enclosing with 40 cm thick brick wall as mentioned in (a) above is found not practical
 - d) Dust suppression system with water spray and sprinkling shall be provided and operated satisfactorily.
 - e) Water storage facility of at least 2 days capacity shall be provided.
 - f) The roads inside the crusher premises shall be tarred or concreted.
 - g) Facility for regular cleaning and wetting of the ground shall be provided
 - h) Trees of suitable species shall be planted and maintained to develop a green belt within and along the boundary of the premises.

- History



A44

4

i) The crusher shall not be operated between 6.00 pm and 6.00 am.

- 3.2 The occupier shall at his own cost get the ambient air monitored for suspended particulate matter at lease once in three months.
- 3.3 Records of such monitoring shall be maintained and shall be made available to the inspecting officers of the Board whenever called for.
- 3.4 Suspended particulate matter measured between 3.0m and 10.0m from the unit shall not exceed 600 micro grams per cubic metre.
- 3.5 The PM 10 in ambient air at the boundary shall not exceed 100µ g/m3
- 3.6 Sound level measured 1 m outside the boundary of the site shall not exceed the ambient noise standards applicable to the adjoining areas.
- 3.7 All operations likely to produce dust or noise shall be carried out with sufficiently closed & insulated premises.
- 3.8 There shall not be any fugitive emission from the plant and the premises.
- 3.9 Raw materials and products shall be transported with proper cover and/or after wetting to prevent spreading of dust.
- 3.10 Water used for sand washing shall be completely recycled after settling.
- 3.11 Water meter shall be fixed to record consumption of water.
- 3.12 Water consumption return under the Water (Prevention & Control of Pollution) Cess Act shall be furnished on or before 5th of every calendar month in Form I showing the quantity of water consumed in the previous month if the consumption is more than 10 KL/day or if there is generation of hazardous waste.

4. OTHER CONDITIONS:

- 4.1 The applicant shall put up two signboards of size 6x4 fl. near the main entrance of the plant. One board shall display the name of the industry and important consent conditions. The other shall display the latest air and noise monitoring data against the standards specified.
- 4.2 Adequate safety measures shall be provided in the unit in accordance with fire and safety regulations.
- 4.3 Used oil/waste oil shall be stored in property covered containers and disposed through authorized recyclers.
- 4.4 The location of the unit shall be shown in the drawing attached and no change or alteration shall be made.
- 4.5 All the internal roads shall be tarred / concreted within six month.



DATE OF ISSUE : 03/03/2015

SIGNATURE & SEAL OF ISSUING AUTHORITY C.V. Jayasree Senior Environmental Engine





KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/ICO/R15PAL2242826/2019 Date of issue :29/11/2019

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R1/11239836/2019

Ref : 1. Consent no: PCB/PLKD/IC/CO/F/4528/2016 Dated: 19/12/2016, valid up to: 30/11/2019 in file no: PCB/RO/PLKD/IC/116/2012

The 'Integrated Consent to Operate' issued as per reference above to M/s ROYAL SAND AND GRAVELS PRIVATE LIMITED DHONI PLAZA JUNCTION, 1/22, 1/23, DHONI POST, PALAKKAD Pin Code : 678009 is hereby renewed up to 30/11/2024 and issued to M/s ROYAL SAND AND GRAVELS PRIVATE LIMITED DHONI PLAZA JUNCTION, 1/22, 1/23, DHONI POST, PALAKKAD Pin Code : 678009 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

I. GENERAL

÷ .

S.No.	Items	Description
1	CAPITAL INVESTMENT	Rs. 420/-lakhs
2	TOTAL POWER REQUIRED	PRIMARY JAW CRUSHER-1no:-150 HP, CONE CRUSHER-1no:-300 HP, VSI/HSI- 1no:-250 HP, AIR CLASSIFIER-1no:-150 HP, ACCESSORIES-390 HP, TOTAL-1240 HP
3	LAST DATE FOR RENEWAL APPLICATION	30.09.2024
4	FEE REMITTED	Rs. 375416/- (out of this Rs. 127499/- is excess and is carry over to net renewal)
5	ANNUAL FEE	Rs. 40,000/-
6	CATEGORY	ORANGE
7	PRODUCT	STONE AGGREGGATE, SAND AND QUARRY DUST - 1000TPD
8	VALIDITY	30.11.2024

Stack No.	Source of Emission	Emission	Stack Hei	ght above	Control
	E 12 155301	Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment
HI. CONDITION	IS				
All other conditions	of the Integrated (Consent to Operate is	sued as per reference	e above remain unch	anged.
			KRISHNAN	MN Digitally sign Date: 2019.1	ed by KRISHNAN M N 1.30 07:53:00 +05'30'
DATE :29/11/201	9		SIGNATURE & S ENVIRONMENT	SEAL OF ISSUIN	G AUTHORITY
		(33)	OBIC		
		Constant of the second se	CUNC		
MOHANAN, THE	PARAMBIL HO	DUSE, THRITHAL	LOOR WEST P. C), VADANAPALI	Y, THRISSUR,
MOHANAN, THE - 680619 ROYAL SAND AI DHONI PLAZA JI	ND GRAVELS I	DUSE, THRITHAL PRIVATE LIMITE , 1/23, DHONI POX	D), VADANAPALI	Y, THRISSUR,
- 680619 ROYAL SAND Al DHONI PLAZA Л Pin Code : 678009	ND GRAVELS I UNCTION, 1/22,	PRIVATE LIMITE , 1/23, DHONI PO	D		Y, THRISSUR,
MOHANAN, THE - 680619 ROYAL SAND AI DHONI PLAZA JI Pin Code : 678009 I. This digitally sign 2. For verifying this mit/Application Nur	ND GRAVELS I UNCTION, 1/22, ned document is I document please g nber in "Consent of	PRIVATE LIMITE , 1/23, DHONI PO egally valid as per t to to krocmms.nic.in	D ST, PALAKKAD	hnology Act 2000 e of issue/name of th	16
MOHANAN, THE - 680619 ROYAL SAND AI DHONI PLAZA JI Pin Code : 678009 I. This digitally sign 2. For verifying this mit/Application Nur	ND GRAVELS I UNCTION, 1/22, ned document is I document please g nber in "Consent of	PRIVATE LIMITE , 1/23, DHONI PO egally valid as per t to to krocmms.nic.in	D ST, PALAKKAD he Information Tec and search using dat	hnology Act 2000 e of issue/name of th	16
MOHANAN, THE - 680619 ROYAL SAND AI DHONI PLAZA JI Pin Code : 678009 1. This digitally sign 2. For verifying this	ND GRAVELS I UNCTION, 1/22, ned document is I document please g nber in "Consent of	PRIVATE LIMITE , 1/23, DHONI PO egally valid as per t to to krocmms.nic.in	D ST, PALAKKAD he Information Tec and search using dat	hnology Act 2000 e of issue/name of th	16
MOHANAN, THE - 680619 ROYAL SAND AI DHONI PLAZA JI Pin Code : 678009 1. This digitally sign 2. For verifying this unit/Application Nur	ND GRAVELS I UNCTION, 1/22, ned document is I document please g nber in "Consent of	PRIVATE LIMITE , 1/23, DHONI PO egally valid as per t to to krocmms.nic.in	D ST, PALAKKAD he Information Tec and search using dat	hnology Act 2000 e of issue/name of th	16

FILE NO : PCB/RO/PLKD/IC/116/2012 Date of issue : 19/12/2016



1

KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO

OPERATE/AUTHORISATION/REGISTRATION

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974 The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. :4301790 Dated:14-11-2016

TO

M/s ROYAL SAND AND GRAVELS PRIVATE LIMITED Sri Mohanan Theparambil House, Thrithalloor West P.O., Vadanapally, Thrissur

Consent No. :PCB/PLKD/IC/CO/F/4528/2016 Valid Upto :30/11/2019



A49



1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	30/11/2019	
2	Name and Address of the establishment	ROYAL SAND AND GRAVELS PRIVATE LIMITED 1/22, 1/23, DHONI POST, PALAKKAD - 678009 678009	
3	Communication	Telephone :0-9544982222 Fax :0-0 E-mail:royal_grs@yahoo.com	
4	Occupier Details	MOHANAN, THEPARAMBIL HOUSE, THRITHALLOOR WEST P. O, VADANAPALLY, THRISSUR, - 680619	
5	Local Body	AKATHETHARA GRAMAPANCHAYATH	
6	Survey Number	13,14	
7	Village	AKATHETHARA	
8	Taluk	PALAKKAD	
9	District	PALAKKAD	
10	Capital Investment(Rs in Lakhs)	Rs 420 lakhs	
11	Scale	Smail	
12	Category	ORANGE	
13	Annual fee(Rs)	Rs. 17000/-	
	Total Fee remitted(Rs)	Rs. 17000/-	
14	RAW MATERIAL	PRODUCTS	
	GRANITE BUILDING STONE @1000 Metric Tonnes	STONE AGGREGATES QUARRY DUST & SAND @1000 Metric Tonnes	
15	Total Power Required (HP)	primary jaw crusher - Ino- 150HP, cone crusher - Ino- 300 HP, VSI/HSI - INo- 250 HP, air classifie - Ino- 150 HP, accessories - 390 HP, Total - 1240 HP	

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the Integrated Consent to Establish issued shall be operational at all times during which the industry is functional. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water consumption: 35000 l/day
- 2.3 Effluent generation: nil
- 2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

SLNO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent



2.5

Mode of disposal of treated effluent: na

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be operational at all times during the functioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Emission Rate(Nm3/Hr)	Stack Heig	ht above	Control Equipment
		Ground	Roof Level	

3.2 Emission characteristics shall not exceed the following:

presentation and the second second second	the second se	and the second process of the second s
SLNo.	Parameter	Limiting Standards (mg/Nm3)

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

4.1 The operation of the industry shall be strictly in compliance with the provisions of the Noise Pollution (Regulation and Control) Rules 2000.

4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001

4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

4.3.1 Activities for which Authorisation is granted

Collection	transport
Reception	Storage
Treatment	Reprocessing/Disposal

4.3.2 Type, quantity and mode of storage/collection/disposal of hazardous wastes shall be as follows:

SI.No.	Hazardons Waste	Schedule Category Quantity Tours	e/year
		Mode of	
	Storage	Disposal	

4.4 E-waste shall be disposed off safely as per the E-Waste (Management)Rules, 2016.

5. SPECIFIC CONDITIONS

5.1. The location of the unit shall be as shown in the application

5.2 The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention & control of air, water, land & sound pollution.

5.3 For renewal of the integrated consent, application in the prescribed form shall be submitted to the Board



in 3 months in advance of the date of expiry of consent.

5.4 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.

5.5 Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.

5.6. If operations are done with backup power, the source shall have adequate capacity to run all associated pollution control devices.

5.7. In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.

5.8. Septic tank as per the design IS 2470 (Part 1) - 1985 shall be provided for sewage.

5.9. The soak pit shall have concreted bottom, honey comb brick or perforated ring side wall and 75 cm thick 2 mm sand envelope around.

5.10. The following pollution control facilities shall be provided.

a) Crushers, Classifiers/screens, conveyors and related accessories, other noise/dust producing units shall be housed in buildings with wall of minimum 23 cm thickness and with suitable roofing.

b) Dust suppression system with water spray and sprinkling shall be provided and operated satisfactorily.

c) Water storage facility of at least 2 days capacity shall be provided.

d) The roads inside the crusher premises shall be tarred or concreted.

e) Facility for regular cleaning and wetting of the ground shall be provided

f) Trees of suitable species shall be planted and maintained to develop a green belt within and along the boundary of the premises.

g) The crusher shall not be operated between 6.00 pm and 6.00 am.

5.11. The occupier shall at his own cost get the ambient air monitored for suspended particulate matter at least once in three months.

5.12. Records of such monitoring shall be maintained and shall be made available to the inspecting officers of the Board whenever called for.

5.13. Suspended particulate matter measured between 3.0m and 10.0m from the unit shall not exceed 600 micro grams per cubic metre.

5.14. The PM 10 in ambient air at the boundary shall not exceed 100µ g/m3

5.15. The PM 2.5 in ambient air at the boundary shall not exceed 60µ g/m3

5.16. Sound level measured 1 m outside the boundary of the site shall not exceed the ambient noise standards applicable to the adjoining areas.

5.17. All operations likely to produce dust or noise shall be carried out with sufficiently closed & insulated premises.

5.18. There shall not be any fugitive emission from the plant and the premises.

5.19. Raw materials and products shall be transported with proper cover and/or after wetting to prevent spreading of dust.

5.20. If water is used for sand washing, the same shall be completely recycled after settling.

5.21. Water meter shall be fixed to record consumption of water.

5.22. Water consumption return under the Water (Prevention & Control of Pollution) Cess Act shall be furnished on or before 5th of every calendar month in Form I showing the quantity of water consumed in the previous month if the consumption is more than 10 KL/day or if there is generation of hazardous waste.

5.23. The applicant shall put up two signboards of size 6x4 ft. near the main entrance of the plant. One board shall disoplay the name of the industry and important consent conditions. The other shall display the latest air and noise monitoring data against the standards specified.

5.24. Adequate safety measures shall be provided in the unit in accordance with fire and safety regulations.



5.25. Used oil/waste oil shall be stored in properly covered containers and disposed through authorized recyclers only.



DATE :19/12/2016

SIGNATURE & SEAL OF SUING AUTHORITY

BIJU.B ENVIRONMENTAL ENGINEER 9447975716

OFFICE SEAL

To

Sri Mohanan Theparambil House, Thrithalloor West P.O., Vadanapally, Thrissur

A53



A54

ANNEXURE G.30(4)



10

KERALA STATE POLLUTION CONTROL BOARD

FILE NO. :PCB/PLKD/IC/CO-76/2007 Date of issue :03/07/2018

INTEGRATED CONSENT TO OPERATE - RENEWAL

Consent No : PCB/PLKD/ICO/R4/423/2018

Ref : 1.Your application No:7946387 2.Consent No:PCB/PLKD/IC/CO/R3/30/2015 Dated 13.05.2015 Valid Upto 30.06.2018

The 'Integrated Consent to Operate' issued as per reference above to M/s Royal Sand & Gravals Pvt. Ltd., Dhoni Palakkad-678009 is hereby renewed up to 30/06/2023 and issued to M/s Royal Sand & Gravals Pvt. Ltd., Dhoni Palakkad-678009 The consent(s)/ variation order(s) cited under reference are integral part of this renewal order and this order is subject to the conditions stipulated therein and the following modifications/ additions.

L GENERAL

S.No.	Items	Description
1	Renewal date	On or before 30.04.2023
2	VALIDITY	30.06.2023
3	Fee Remitted	10065/-

II. Stack Details

Stack No.	Source of	Emission	Stack Heij	ght above	Control
	Emission Rate(Nm3/Hr)	Ground Level(In Meters)	Roof Level(In Meters)	Equipment	

III. CONDITIONS

All other conditions of the Integrated Consent to Operate issued as per reference above remain unchanged.

DATE :03/07/2018

KRISHNAN M N Digitally signed by KRISHNAN M N Date: 2018.07.04 01:05:59 +05'30'

SIGNATURE & SEAL OF ISSUING AUTHORITY ENVIRONMENTAL ENGINEER



.

To

MOHANAN KUNNATH HOUSE VALUPARAMBU KANNAMBRA POST PALAKKAD DIST KERALA STATE PIN - 678686

1. This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to knocmms.nic.in and search using date of issue/name of the unit/Application Number in "Consent Granted Applications" link in the home page of the Board's Online Consent Management and Monitoring System.

Page2



Keraia State Pollution Control Board Dist.Office, Near Dist. Panchayath Office, Palakkad-678001

Phone:0491-2505542

File No.PCB/PLKD/IC/CO-76/2007

Dute: 13/05/2015

CONSENT TO OPERATE - RENEWAL

Consent No. PCB/PLKD/IC/CO/R3/30/2015

Ref: 1. Your application dated 18/04/2012 2. Consent No. PCB/PLKD/IC/ CO/R2/30/2012 dated 27/06/2012

The 'Consent to Operate' issued vide reference (2) to M/s. Royal Sand & Gravais Pvt. Ltd., Dhoni, Palakkad – 678 009 to operate a secondary crusher is hereby renewed up to 30/06/2018. The consents cited under reference (2) as attached herewith is part of this renewal order and this order is subject to the conditions stipulated therein and to the following variations/additions:

Variations

Condition No. 1.1 : Validity - 30/06/2018.

Additions

4.4 Adequate safety measures shall be provided in the unit in accordance with fire and safety regulations.

Rest of the other consent conditions remains unchanged.

For and on behalf of the

KERALA STATE POLLUTION CONTROL BOARD

DESIGNATION OF ISSUING AUTHORITY

C.V. Jayasree Senior Environmental Engineer

To

M/s. Royal Sand & Gravals Pvt. Ltd., Dhoni, Palakkad - 678 009.



FILE NO. - PCB/PLKD/IC/CO-76/2007



4

KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO OPERATE STONE CRUSHER

UNDER

The Air (Prevention & Control of Pollution) Act, 1981

The Water (Prevention & Control of Pollution) Act, 1974

The Environment (Protection) Act, 1986 TO

Consent No. PCB/PLKD/IC/CO/R2/30/2012

M/s. Royal Sand and Gravels Private Limited, Dhoni,

> Akathethara, Palakkad-678009.

Date of issue: 27-06-2012 Valid upto : 30-6-2015

Copy to : 1. The Member Secretary Pollution Control Board, Thiruvananthapuram.

2. The Senior Environmental Engineer, KSPCB, Regional Office, Kozhikode.

- 3. The Secretary, Akathethara Grama Panchayath, Palakkad.
- 4. Stock File.



· 1. GENERAL

VALIDITY 30-06-2015 1 2 Name and address of M/s. Royal Sand and Gravels Private establishment Limited. Dhoni, Akathethara, Palakkad-678009. Telephone :0491-2554957, 9544332222, 9447129278 Communication 3 Fax 16. au e-mail · ··· Occupier details Sri . Mohanan, Director 4 5 Survey Number 13, 14 Dhoni 6 Village Palakkad Taluk 7 Palakkad District 8 Akathethara Grama Panchayath, Ward-I 9 Panchayath & Ward Category Red 10 Scale Small 11 Rs. 8,00,000/-12 Capital Investment Fee remitted 13 Rs. 5,310/-(Rs. 1,770/- per year) Water consumption 14 10000 litres/day 40 mm metal, 20 mm metal, 12 mm metal, 6 PRODUCTS 15 mm metal and quarry dust-30 tonnes /day One secondary crusher of 30 HP, CONVEYOR-17-5 Hp. Vibrator - 15 HP, Welding machine - 3 HP Machinery details 16 Water motor - 2.5 HP

Consent No. PCB/PLKD/IC/CO/R2/ 30/2012

2. GENERAL CONDITIONS

- 2.1 This consent is granted subject to the power of the Board to review and make variation on all or any of the conditions as per Section 21(6) of the Act
- 2.2 This consent unless withdrawn earlier and subject to condition No. 2.1 shall be valid up to 30-6-2015. In case the operation of the industrial plant is to be continued thereafter application for renewal of the consent is to be made in the prescribed form between 3 and 4 months in advance of the date of expiry of the consent period.
- 2.3 No change or alteration of the unit is to be made without the prior permission of the Board. Any change in the particulars furnished in the application and/or in the identity of the occupier/authorised agent is to be intimated to the Board forthwith.
- 2.4 If operations are done with backup power, the generator shall have adequate capacity to run all associated pollution control devices.



a

3

.

2.5

In case of process disturbance / failure of pollution control equipments, the respective units shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.

- 3. CONDITIONS AS PER Air (Prevention & Control of Pollution) Act
- 3.1 The following pollution control facilities shall be provided.
 - a) Crushers, Classifiers/screens, conveyors and related accessories, other noise/dust producing units shall be housed in buildings with wall of minimum 23 cm thickness and with suitable roofing. One door opening in any side is allowable.
 - b) Long belt conveyors leading to feed hoppers or product silos may be separately enclosed with metal sheets/wooden planks on all four sides if it is difficult to enclose the same with 23 cm thick brick wall.
 - c) Screens/classifiers may be enclosed with wooden planks of minimum 2.5 cm thickness or metal sheets if enclosing with 23 cm thick brick wall as mentioned in (a) above is found not practical
 - d) Dust suppression system with water spray and sprinkling shall be provided
 - e) Water storage facility of at least 2 days capacity shall be provided.
 - f) The roads inside the crusher premises shall be tarred or concreted.
 - g) Facility for regular cleaning and wetting of the ground shall be provided
 - h) Trees of suitable species shall be planted and maintained to develop a green belt within and along the boundary of the premises.
 - i) The crusher shall not be operated between 6.00 pm and 6.00 am.
- 3.2 The suspended particulate matter in ambient air measured at a distance of 40m away from the centre of the crusher shall not exceed 600 micro gram per cubic metre. The sound level (Leq) at a distance of 1m from the boundary of the site shall not exceed the limit applicable to that area as per the National Ambient Air Quality Standards.
- 3.3 The occupier shall at his own cost get the ambient air monitored for the parameters under condition No. 3.2 at least once in a year.
- 3.4 Records of such monitoring shall be maintained and shall be made available to the inspecting officers of the Board whenever called for. The monitoring reports are to be submitted to the Head Office and to the District Office at Palakkad every year.
- 3.5 If the emission of any air pollutant into the atmosphere in excess of the standards laid down by the Board occurs or is apprehended to occur due to accident or other unforeseen act or event, the occupier shall forthwith intimate the fact of such occurrence, or apprehension of such occurrence to the Board. Also in case of such occurrence the occupier shall take immediate action to bring down the emission below the limit specified under condition No. 3.2 of the consent.
- 3.6 The applicant shall put up two signboards of size 6x4 ft. near the main entrance of the plant. One board shall display the name of the industry and important consent conditions. The other shall display the latest air and noise monitoring data against the standards specified

2 (annual PO

4. OTHER CONDITIONS:

4.1 Rain water harvesting arrangements shall be provided in the plant premises.

4.2 Fugitive emission from the plant and the premises, shall be suppressed.

4.3 Raw materials and products shall be transported with proper cover and/or after wetting to prevent spreading of dust.

DATE OF ISSUE :27-06-2012



SIGNATURE & SEAL OF ISSUING AUTHORITY

Little P

445

Car



#

ലൈസൻസ് നമ്പർ : A6-1696/2020-21-55

തിയ്യതി : 27/04/2020

അകത്തേത്തറ ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	മൂഹമ്മദ് ഫസീൽ.ടി.എ, മാനേജിംഗ് ഡയറക്ടർ, റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് പ്രൈവറ്റ് ലിമിറ്റഡ്	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ്, ധോണി	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	100 എച്ച്.പി ഉപയോഗിച്ച് കരിങ്കൽ ഖനനം നടത്തുന്നതിന്	
കെട്ടിടം/സർവ്വെ നമ്പറും വാർഡ് നമ്പറും	സർവ്വെ നമ്പർ 2,14,15,16(1) വാർഡ്-1	
ലൈസൻസ് കാലയളവ്	01/04/2020 മുതൽ 31/03/2025 വരെ	
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	50,000/- രൂപ+ 10,000/- രൂപ രശീതി നമ്പർ: 119040107733 dt. 03/03/2020 & 120040100113 dt. 27/04/2020	
ഈടാക്കിന്ത തൊഴിൽക്കരം	2500/രൂപ. രശീതി നമ്പർ; 119040107734 dt. 03/03/2020	
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തിയ്യതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാനം)	 സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 21/20 dt. 18.02.20. Valid upto 31/03/2021. മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/IC/CO-2561/2014 dt. 03.05.2019. Valid upto 01/12/2023. ചിഫ് കൺട്രോളർ ഓഫ് എക്സ്പ്ലോസിവ്സ് ന്റെ അനുമതി നമ്പർ E/SC/KL/22/1222(E61052) dt. 21.06.18. Valid upto 31/03/2021. കൈനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുമുമ അനുമതി നമ്പർ 2486/2014 dt. 26.09.14. Valid upto 21/08/2025. സ്റ്റേറ്റ് എൻവയേൺമെന്റൽ ഇരപാക്ട് അനാസ്മെന്റ് അതോറിറ്റിയുടെ അനുമതി നമ്പർ 160/SEIAA/KL/3490/2013 dt. 16.02.19. Valid upto 15/02/2024. പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. മേൽ പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്ഷേപ സാക്ഷ്യപ്തെങ്കൾ കാലാവധ് അവസാനിക്കുന്ന തിയ്യതിക്കു മുമ്പ് യഥാവിധി പുതുക്കേ ണ്ടതാണ്. അല്ലാത്തപക്ഷം ആയതുമുലമുണ്ടാകുന്ന സാമ്പത്തിക ബാദ്ധ്യത ഉൾപ്പടെയുള്ള എല്ലാ കഷ്ടനഷ്ട ങൾക്കും ലൈസൻസി മാത്രമായിരിക്കും ഉത്തരവാരി. 	

(ക്രഹറീസ് മുദ)

5



Akathemars F.O., Palakise 575 903 Ph: \$496047271, 0491-20\$5171 Cmpil uldpaksthetharspxd.ggmail.com A62

NI TH

anuta sal ator
ലൈസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു

. കേരള് പഞ്ചായത്ത് രാജ് ആക്ടും അതേത്തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലോകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.

2. തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചാനത്ത് അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യാഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൌകര്യങ്ങൾ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് കാണിക്കേണ്ടതുമാകുന്നു.

3. ഏതു സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി തന്റെ പേരും ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശ്യവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വെച്ചിരിക്കേണ്ടതാണ്.

്. പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.

s. മൊഴിൽസ്ഥലവും ച്ലരിസരങ്ങളും വൃത്തിയായും. സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും .പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വെച്ചിട്ടുള്ള ക്ഷേണപദാർത്ഥങ്ങൾ ഈച്ച, അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.

എറൊരു പ്രവൃത്തിടിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വൃത്തിയാക്കേണ്ടതാണ്.

7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ ഏരെങ്കിലും ഭാഗത്ത് വിഴുകയോ നിക്ഷേപിക്കപ്പെടുകയേട്ട്. ചെയ്യുന്ന ചപ്പുച്ചവറോ മൃഗങ്ങളുടെ അവശിഷ്ഠങ്ങളോ മറ്റു പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടനിക്ക് തൃപതികരമായ തിതിയിൽ നിക്കം ചെയ്യിക്കേണ്ടതാണ്.

8. ലൈസ്ൻസി എതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ ആകവശത്തിന്റെ എതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള എതെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ അസഹ്യവും ഉപദ്രവകരവുമായ എതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തയേത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാടു തീർത്തു നിലനിർത്തേണ്ടെയാണ്

9. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ. പരിസരങ്ങോ അതോടുചേർന്നുള്ള എതൊരു ഓവുചാലും അഴുക്കുലേം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാടുതിർത്തും വെപ്പിക്കേണ്ടതാണ്.

10. അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.

'11. എത്തെങ്കിലും' തരത്തിലുള്ള താക്ക് രോഗമോ' കുഷ്ഠരോഗമോ. വ്രണമോ പകർച്ചവുാധികളോ ഉറ്റ യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിദ്ധരത്തും പ്രവർത്തിക്കുവാൻ .പാടില്ലാത്തതാകുന്നു.

12. sa മൈക്രോണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റു നിരോധിത പ്ലാസ്റ്റിക് ഇനങ്ങളും ഉൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാന്യം ചെയ്യുകയോ ചെയ്യാൻ പാഴില്ല.

.13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.

. 14. 20 സിറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയിലെറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്

15. നിരോധിര ഉൽപ്പന്നങ്ങളായ പാൻമസാല. ഗൂഡ്ക തുടങ്ങിയവ സംഭരിച്ചു വെക്കുവാനോ സിൽക്കുവാനോ പാടില്ല.

16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.

17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ഖംഘനം ഈ ലൈസൻസ് റട്ട് ചെയ്യുന്നതിന് കാരണമാകാവുന്നയാണ്.

'18, മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പെർമിഷൻ, ലൈസൻസ്. മറ്റ് ക്ലിയറൻസുകൾ എന്നിവ അതത് . സമയങ്ങളിൽ പൂതുക്കേണ്ടതാകുന്നു. അല്ലാത്ത പക്ഷം പഞ്ചായത്ത് അനുവദിച്ചിട്ടുള്ള ലൈസൻസ് സ്വമേധയാ . റദ്ദാകുന്നതാണ്. -

စစ္ကားနေဒက်

A63

N.B. ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് മുപ്പതു ദിവസം മുമ്പ് ലൈസൻസ് എതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.





തിയ്യതി : 27/04/2020

ലൈസൻസ് നമ്പർ : A6-1697/2020-21-56

m . 570

അകത്തേത്തറ ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	മോഹനൻ.ജി, ഡയറക്ടർ, റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് പ്രൈവറ്റ് ലിമിറ്റഡ്
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് ക്രഷർ യൂണിറ്റ്, ധോണി
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	216 എച്ച്.പി ഉപയോഗിച്ച് മെറ്റൽ ക്രഷർ യൂണിറ്റ് നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വെ നമ്പറും വാർഡ് നമ്പറും	കെട്ടിട നമ്പർ : 1/23
ലൈസൻസ് കാലയളവ്	01/04/2020 മുതൽ 31/03/2925 വരെ
ഈടാക്കിയ ലൈസൽസ് ഫീസ്	50,000/- බැപ+ 10,800/- බැപ. බැග් හිටි ෆාෆානි: 119040107739 dt. 03/03/2020 & 120040100114 dt. 27/04/2020
ഈടാക്കിയ തൊഴിൽക്കരം	2500/രൂപ. രശീതി നമ്പർ: 119040107740 dt. 03/03/2020
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംഗങ്ങൾ (നമ്പർ, തിയ്യതി, കാലയളവ്, നൽകിയ ഭോധികാര സ്ഥാനം)	 സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 20/20 dt. 18.02.20. Valid upto 31/03/2021. മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/IC/CO/76/2007 dt. 03.07.2018. Valid upto 30/06/2023. അന്നി സുരക്ഷ വകുപ്പിൽ നിന്നുമുള്ള പരിശോധന റിപ്പോർട്ട് നമ്പർ 8773/2017 dt. 99.02.2017. ഫാക്ടറീസ് & ബോയലേഴ്സ് വകുപ്പിൽ നിന്നുമുള്ള സാക്ഷ്യപത്രം നമ്പർ D13/PGT/09/701/2018 dt. 12.12.2018. Valid upto 31/12/2020.) മൈനിംഗ് & ജിയോളജി വകുപ്പിൽ നിന്നുമുള്ള അനുക്കി നമ്പർ 2276/M3/2019 dt. 07.03.19. Valid upto 31/03/2020. പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. മൽ പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്ഷേപ സാക്ഷ്യപത്രങ്ങൾ ഓലാവധി അവസാനിക്കുന്ന തിയ്യതിക്കു മുമ്പ് യഥാവിധി പുതുക്കേ ങ്ങനാണ്. അല്ലാത്തപക്ഷം ആയതുമുലമുണ്ടാകുന്ന സാമ്പത്തിക ബാദ്ധ്യത ഉൾപ്പടെയുള്ള എല്ലാ കഷ്ടനഷ്ട ങൾക്കും ലൈസൻസി മാത്രമായിരിക്കും ഉത്തവോദി.

ലൈസൻസ്

Akathelitara Graniz Panchoyat Akathelitara P.O., haledas - 676 (Se De 250/0672/1, 0421/2015/77) Emai: dojanathelonitor grani com

AG4

ലൈസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു

I. കേരള പഞ്ചായത്ത് രാജ് ആക്ടും അതേത്തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലോകളും അനുങ്കമിച്ചു. പ്രവർത്തിക്കേണ്ടതാകുന്നു.

2. തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പഞ്ചായത്ത് അധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുത്തുന്ന മറ്റ് ഉദ്യാഗസ്ഥർക്കോ പരിശോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൌകര്യങ്ങൾ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് ക്രാണിക്കേണ്ടതുമാകുന്നു.

3. ഏതു സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കന്നിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി അന്റെ പേരും ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശ്യവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വെച്ചിരിക്കേണ്ടതാണ്.

4. പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിര്ത്തുന്ന പങ്ഷ്യ വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.

5. മൊഴിൽസ്ഥലവും ക്ലരിസരങ്ങളും വൃത്തിയായും. സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വെച്ചിട്ടുള്ള ഭക്ഷണപദാർത്ഥങ്ങൾ ഈച്ച. അണുക്കൾ, പൊടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.

എതോരു പ്രവ്യത്തിടിവനത്തിന്റെയും ഒടുവിൽ സ്ഥലം സ്വത്തിയാക്കേണ്ടതാണ്.

7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ ഏതെങ്കിലും ഭാഗത്ത് വീഴുകയോ നിക്ഷേപിക്കപ്പെടുകയേ 'ചെയ്യുന്ന ചപ്പുച്ചവറോ മൃഗങ്ങളുടെ' അവശിഷ്ടങ്ങളോ മറ്റു പദാര്ത്ഥമോ ശേഖരിച്ച് സെക്രട്ടറിക്ക് തൃപതികരമായ രീതിയിൽ നിക്കം ചെയ്യിക്കേണ്ടതാണ്.

8. ലൈസ്ൻസി എതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ എതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാമയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള എങ്കെങ്കിലും ദ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ അസഹ്യവും ഉപദ്രവകരവുമായ ഏതെങ്കിലും പദാരത്ഥമോ അവിടെ ലയിക്കുന്നത് അയത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാടു തീർഞ്ഞു നിലനിർത്തേണ്ടതാണ്

9. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ. പരിസരങ്ങോ അതോടുചേർന്നുള്ള എതൊരു ഓവുചാലും അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണ്ടവും എപ്പോഴും നന്നായി കേടുപാടുതിർത്തും വെപ്പിക്കേണ്ടതാണ്.

10. അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് വദ്ദ് ചെയ്യുന്നതാണ്.

11. ഏതെങ്കിലൂം തരത്തിലുള്ള താക്ക് രോഗമോ കുഷ്ഠരോശമോ, വ്രണമോ പകർച്ചവ്യാധികളോ ഉറ്റു യാതൊരാളും കച്ചവടം നടത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിദ്ധരത്തും പ്രവർത്തിക്കുവാൻ .പാടില്ലാത്തതാകുന്നു.

12. 50 മൈക്രോണിൽ കുറവുള്ള പ്പാസ്റ്റിക്കുകളും മറ്റു നിരോധിത പ്പാസ്റ്റിക് ഇനങ്ങളും ഉൽപ്പാദിപ്പിക്കുകയോ ശ്രേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാഴില്ല.

.13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.

. 14. 20 സിറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയിലെറ്റ് സൗകര്യം എർപ്പെടുത്തേണ്ടതാണ്

15. നിരോധിത ഉൽപ്പന്നങ്ങളായ പാൻമസാല, ഗുഡ്ക തുടങ്ങിയവ സംഭരിച്ചു വെക്കുവാണോ വിൽക്കുവാണാ പാടില്ല.

16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.

17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വ്യവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതിന് കാരണമാകാവുന്നതാണ്.

'18. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പെർമിഷൻ, ലൈസൻസ്, മറ്റ് ക്ലിയറൻസുകൾ എന്നിവ അതത് സമയങ്ങളിൽ പൂതുക്കേണ്ടതാകുന്നു. അല്ലാത്ത പക്ഷം പഞ്ചായത്ത് അനുവദിച്ചിട്ടുള്ള ലൈസൻസ് സ്വമേധയാ . റദ്ദാകുന്നതാണ്. -

စဏ္ဍုန္နရက္ကု

1.4

A65

N.B. ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് മുപ്പതു ദിവസം മുമ്പ് ബൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.



#

ലൈസൻസ് നമ്പർ : A6-1698/2020-21-57

(ഓഫീസ് മുദ്ര)

തിയ്യതി : 27/04/2020

അകങ്ങേത്തറ ഗ്രാമ പഞ്ചായത്തിൽ നിന്നും 1994 ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994 ലെ 13) 232,233,234,254 എന്നീ വകുപ്പുകളും അതേ തുടർന്നുള്ള ചട്ടങ്ങളും അനുസരിച്ച് ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

ലൈസൻസിയുടെ പേരും മേൽവിലാസവും	മോഹനൻ.ജി, ഡയറക്ടർ, റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് പ്രൈവറ്റ് ലിമിറ്റഡ്
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	റോയൽ സാൻഡ്സ് & ഗ്രാവൽസ് ക്രഷർ യൂണിറ്റ്, ധോണി
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	1240 എച്ച്.പി ഉപയോഗിച്ച് മെറ്റൽ ക്രഷർ യൂണിറ്റ് നടത്തുന്നതിന്
കെട്ടിടം/സർവ്വെ നമ്പറും വാർഡ് നമ്പറും	കെട്ടിട നമ്പർ : 1/22
ലൈസൻസ് കാലയുളവ്	01/04/2020 മുതൽ 31/03/2025 വരെ
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	50,000/- බැപ+ 62,000/- බැപ. බැග්කා හා හා හැ 19040107736 dt. 03/03/2020 & 120040100115 dt. 27/04/2020
ഈടാക്കിയ തൊഴിൽക്കരം	2500/രുപ. രശീതി നമ്പർ: 119040107737 dt. 93/03/2020
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരാക്ഷേപ പത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തിയ്യതി, കാലയളവ്, നൽകിയ അധികാര സ്ഥാനം)	 സാനിറ്ററി സർട്ടിഫിക്കറ്റ് നമ്പർ 19/20 dt. 18.02.20. Valid upto 31/03/2021. മലിനീകരണ നിയന്ത്രണ ബോർഡിൽ നിന്നുമുള്ള അനുമതി നമ്പർ PCB/PLKD/ICO/R15PAL2242826/2019 dt. 29.11.2019. Valid upto 30/11/2024. അഗ്നി സുരക്ഷ വകുപ്പിൽ നിന്നുമുള്ള പരിശോധന റിപ്പോർട്ട് നമ്പർ B773/2017 dt. 09.02.2017. ഫാക്ടറീസ് & ബോയലേഴ്സ് വകുപ്പിൽ തിന്നുമുള്ള സാക്ഷ്യപത്രം നമ്പർ D13/PGT/09/701/2018 dt. 12.12.2018. Valid upto 31/12/2020.) മൈനിംഗ് & ബയോളജി വകുപ്പിൽ നിന്നുമുമ അനുമതി നമ്പർ 2276/M3/2019 dt. 07.03.19. Valid upto 31/03/2020. പാറ പൊട്ടിക്കുന്ന ആളുടെ വൈദഗ്ധ്യം സംബന്ധിച്ച സാക്ഷ്യപത്രം നമ്പർ 9227 dt. 25.07.19. Valid upto 17/07/2020. മാൻ പരാമർശിച്ച വിവിധ വകുപ്പുകളും, സ്ഥാപനങ്ങളും നൽകിയ നിരാക്ഷേപ സാക്ഷ്യപത്രങ്ങൾ കാലാവധ് അവസാനിക്കുന്ന തിയ്യതിക്കു മുമ്പ് ബാറ്റിധി പുതുരേഖ ണ്ടതാണ്. അല്ലാത്തപക്ഷം ആയതുമുലമുണ്ടാകുന്ന സാമ്പത്തിക ബാദ്ധ്യത ഉൾപ്പടെയുള്ള എല്ലാ കഷ്ടനഷ്ട ങൾക്കും ലൈസൻസി മാത്രമായിരിക്കും ഉത്തർവാദി.

Angine Ingeneration of the second sec

A66

ലൈസൻസി താഴെപ്പറയുന്ന വ്യവസ്ഥകൾ അനുസരിക്കേണ്ടതാകുന്നു

I. കേരള് പഞ്ചായത്ത് രാജ് ആക്ടും അതേത്തുടർന്നുള്ള ചട്ടങ്ങളും ബൈലോകളും അനുസരിച്ചു പ്രവർത്തിക്കേണ്ടതാകുന്നു.

2. തൊഴിൽസ്ഥലവും അതിലുള്ള സാധനസാമഗ്രികളും പത്മാന്മത് തധികാരികൾക്കോ / സെക്രട്ടറി അധികാരപ്പെടുഞ്ഞുന്ന മറ്റ് ഉദ്യാഗസ്ഥർക്കോ പരിയോധിക്കുന്നതിന് ലൈസൻസി വേണ്ട സൌകര്യങ്ങൾ നൽകേണ്ടതും അവർ ആവശ്യപ്പെട്ടാൽ ഈ ലൈസൻസ് ക്രാണിക്കേണ്ടതുമാകുന്നു.

3. എതു സ്ഥലത്തിന്റെ കാര്യത്തിൽ ലൈസൻസ് നൽകിയിരിക്കുന്നുവോ ആ സ്ഥലത്ത് എല്ലാവരും കാണത്തക്കവിധത്തിലുള്ള ഒരു ഭാഗത്ത് ലൈസൻസി അന്റെ പേരും ലൈസൻസിന്റെ നമ്പരും ഉദ്ദേശ്യവും കാണിക്കുന്ന ഒരു അടയാളപ്പലക വെച്ചിരിക്കേണ്ടതാണ്.

4. പഞ്ചായത്തിൽനിന്നും അനുവാദം സിദ്ധിച്ച ശേഷമല്ലാതെ തൊഴിൽസ്ഥലം മാറ്റാൻ പാടില്ലാത്തതും തൊഴിൽ നിർത്തുന്ന പക്ഷം വിവരം മുൻകൂട്ടി പഞ്ചായത്തിൽ അറിയിക്കേണ്ടതുമാകുന്നു.

5. തൊഴിൽസ്ഥലവും പ്ലരിസരങ്ങളും വൃത്തിയായും. സാംക്രമികരോഗാണുക്കൾ ഉണ്ടാകാത്തവിധത്തിലും പൊതുജനോപദ്രവമാകാത്ത വിധത്തിലും വ്യാപാരത്തിനു വെച്ചിട്ടുള്ള ക്ഷേണപദാർത്ഥങ്ങൾ ഈച്ച. അണുക്കൾ, പോടി മുതലായവയുടെ ശല്യം ഉണ്ടാകാത്ത വിധത്തിലും സൂക്ഷിക്കേണ്ടതാണ്.

6. എതൊരു പ്രവ്യത്തിടിവസത്തിന്റെയും ഒടുവിൽ സ്ഥലം വ്യത്തിയാക്കേണ്ടതാണ്.

7. ആ സ്ഥലത്തിന്റെയോ പരിസരത്തിന്റെയോ എതെങ്കിലും ഭാഗത്ത് വിഴുകയോ തിക്ഷേപിക്കപ്പെടുകയേട്ട് ചെയ്യുന്ന. ചപ്പുചവറോ മൃഗങ്ങളുടെ അവശിഷങ്ങളോ മറ്റു പദാർത്ഥമോ ശേഖരിച്ച് സെക്രട്ടനിക്ക് തൃപ്തികരമായ രീതിയിൽ നീക്കം ചെയ്യിക്കണ്ടതാണ്.

8. ലൈസൻസി എതൊരു കെട്ടിടത്തിന്റെയും ചുമരുകളുടെ അകവശത്തിന്റെ എതൊരു ഭാഗവും മേൽപ്പറഞ്ഞ പരിസരത്തിലുള്ള തറയും നടപ്പാതയും അവിടെ തെറിച്ചുവീഴാനിടയുള്ള എതെങ്കിലും ഭ്രാവകമോ, മാലിന്യമോ ചപ്പുചവറോ അസഹ്യവും ഉപഭവകരവുമായ എതെങ്കിലും പദാർത്ഥമോ അവിടെ ലയിക്കുന്നത് തയേത്തക്കവിധം എപ്പോഴും നന്നായി കേടുപാടു തീർത്തു നിലനിർത്തേണ്ടതാണ്

9. ലൈസൻസി മേൽപ്പറഞ്ഞ സ്ഥലത്തോ. പരിസരത്തോ അതോടുചേർന്നുള്ള എതൊരു ഓവുചാലും അഴുക്കുജലം കളയുന്നതിനുള്ള ഉപകരണവും എപ്പോഴും നന്നായി കേടുപാടുതിർത്തും വെപ്പിക്കേണ്ടതാണ്.

10. അയിത്തം ആചരിക്കുന്ന കടകളുടെ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതാണ്.

11. എന്തെങ്കിലും' തരത്തിലുള്ള ത്വക്ക് രോഗമോ' കുഷ്ഠരോഗമോ. വ്രണമോ പകർച്ചവ്യാധികളോ ഉള്ള യാതൊരാളും കച്ചവടം നത്തുന്നതിന് ഉപയോഗിക്കുന്ന സ്ഥലത്തും പരിസ്തത്തും പ്രവർത്തിക്കുവാൻ പാഴില്ലാത്തതാകുന്നു.

12. 50 മൈക്രോണിൽ കുറവുള്ള പ്ലാസ്റ്റിക്കുകളും മറ്റു നിരോധിത പ്ലാസ്റ്റിക് ഇനങ്ങളും ഇൽപ്പാദിപ്പിക്കുകയോ ശേഖരിക്കുകയോ വിൽക്കുകയോ കൈകാര്യം ചെയ്യുകയോ ചെയ്യാൻ പാടില്ല.

.13. സ്ഥാപനത്തിന്റെ ബോർഡിൽ സ്ഥലനാമം മലയാളത്തിലും ഇംഗ്ലീഷിലും രേഖപ്പെടുത്തേണ്ടതാണ്.

. 14. 28 സിറ്റിൽ കൂടുതലുള്ള എല്ലാ ഹോട്ടലുകൾക്കും റെസ്റ്റോറന്റുകൾക്കും ടോയിലെറ്റ് സൗകര്യം ഏർപ്പെടുത്തേണ്ടതാണ്

is നിരോധിര ഉൽപ്പന്നങ്ങളായ പാൻമസാഖ. ഗുഡ്ക രൂടങ്ങിയവ സംഭരിച്ചു വെക്കുവാനോ വിൽക്കുവാനോ പാടില്ല.

16. ബാലവേല അനുവദിക്കുവാൻ പാടില്ല.

1 35 3

17. മുകളിൽ കാണിച്ചിരിക്കുന്ന വൃവസ്ഥകളുടെ ലംഘനം ഈ ലൈസൻസ് റദ്ദ് ചെയ്യുന്നതിന് കാരണമാകാവുന്നതാണ്.

'18. മറ്റ് വകുപ്പുകളിൽ നിന്നും അനുവദിച്ചിട്ടുള്ള പെർമിഷൻ. ലൈസൻസ്, മറ്റ് ക്ലിയറൻസുകൾ എന്നിവ അതത് സമയങ്ങളിൽ പൂതുക്കേണ്ടതാകുന്നു. അല്ലാത്ത പക്ഷം പഞ്ചായത്ത് അനുവദിച്ചിട്ടുള്ള ലൈസൻസ് സാമേധയാ ..റട്ടാകുന്നതാണ്.

സക്രേറി

A67

N.B. ഈ ലൈസൻസ് അവസാനിക്കുന്ന തീയതിക്ക് മുപ്പതു ദിവസം മുമ്പ് ലൈസൻസ് പുതുക്കുന്നതിനുള്ള അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്.



भारत सरकार | Government of India वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO) पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor CSEZ पी.ओ.कक्कानाड कोच्ची | CSEZ PO Kakkanad Dist. Ernakulam Ernakulam 682037 फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SC/KL/22/1222(E61052)

दिनाक (Date): 15/04/2021

सेवा में | To,

Shri MOHANAN .Director, Mis.Royal Sands and Gravels Pvt.Ltd., Theparambil House, Thrithalloor West Post, Thrissur, Town/Village - Thrithalloor.WestPo District-THRISSUR, State-Kerala, Pincode - 680619

विषय : Survey No.ReSurvey No.13/1 Block.25, ग्राम Akathethara,Palakkad taluk, जिला PALAKKAD, राज्य Kerala में मेसर्स Shri MOHANAN .Director द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SC/KL/22/1222(E61052) के संशोधन संदर्भ में।

(विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन)

Subject: Possession for Use of of Explosives from magazine situated at Survey No.:ReSurvey No.13/1 Block.25, Akathethara,Palakkad taluk, Dist. PALAKKAD, Kerala - Licence No.: E/SC/KL/22/1222(E61052) granted in Form LE-3 of Explosives Rules, 2008 -(Amendment of Quantity of Explosives/Monthly Purchase Limit).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या Nil दिनांक 08/04/2021 का संदर्भ ग्रहण करें। Please refer to your letter no. Nil dated 08/04/2021.

अनुज़ोपों संख्या E/SC/KL/22/1222(E61052) EXPLOSIVES SHALL BE USED ONLY AFTER HAVING A VALID QUARRYING LEASE FROM THE DIRECTOR OF MINING & GEOLOGY . PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALIFEROUS MINES REGULATIONS 1961. के संदर्भ में यथा संशोधित कर भेजी जा रही है।

The License No.: E/SC/KL/22/1222(E61052) is forwarded herewith duly amended in respect of followings; EXPLOSIVES SHALL BE USED ONLY AFTER HAVING A VALID QUARRYING LEASE FROM THE DIRECTOR OF MINING & GEOLOGY. PLEASE NOTE THAT THE USE OF EXPLOSIVES IN THE QUARRIES SHALL BE AS PER THE DIRECTION OF DGMS, BANGALORE AS REQUIRED UNDER MINES ACT 1952 AND METALIFEROUS MINES REGULATIONS 1961..

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी। The licence capacity at any one time shall not exceed the kinds and quantities mentioned below ;

संख्या	विस्फोटक	वर्ग	प्रभाग	उप-प्रभाग	क्षमता	इकाई
No	Explosive(s)	Class	Div	Sub Div	Capacity	Unit
1	Nitrate Mixture	2	0	0	150	Kg.
2	Safety Fuse	6	Page 1	0	1650	Mtrs
3	Electric and/or Ordinary Detonators	6	3	0	3000	Nos.

किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागू) : 26 गुना

Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)] : 26

times as above.

यह अनुज्ञपित दिनांक 31 **मार्च 2025 तक प्रवृत्त रहेगी।** This Licence shall remain valid till **31st day of March 2025**.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोयटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।

For further revalidation (if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(आर. वेणुगोपाल | Dr. R. Venugopal) उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

> जप मुख्य विस्फोटकी लेडिज्रकेपीका Deputy Chief Controller of Explosives एरनावलन Ernekulam

प्रतिलिपि प्रेषित | Copy Forwarded to:

- District Magistrate, PALAKKAD, Kerala with reference to his Noc No: D3.2012/43706/9/D.Dis Dated: 12/08/2012
- 2. Superintendent of Police, PALAKKAD, Kerala.

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट http://peso.gov.in देखें.) (For more information regarding status, fees and other details please visit our website http://peso.gov.in) Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

अनुज्ञांप्ते प्ररुप एल. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनसची 4 के भाग। के अनच्छेद 3(क) से (घ) देखिए।)

(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञप्ति

Licence to possess : (c) for use, explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञप्ति सं. (Licence No.) : E/SC/KL/22/1222(E61052) वार्षिक फीस रुपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

Shri MOHANAN Director (311941711 / Occupier : Shri Mohanan), M/s.Royal Sands and Gravels Pvt.Ltd., Theparambil House, Thrithalloor West Post, Thrissur, Town/Village - Thrithalloor. WestPo, District-THRISSUR, State-Kerala, Pincode - 680619

को अनुज्ञप्ति अनुदत्त की जाती है।

2. अन्हाप्तिधारी की प्रास्थिति | Status of licensee : Company

अनुज्ञप्ति निम्नलिखित प्रयोजनों के लिए विधिमान्य है। Licence is valid only for the following purpose.

possess for use of Nitrate Mixture //Safety Puse : Electric and/or Ordinary Detonators. के एकियान के लिए

अनुजप्ति विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमान्य है।

Licence is valid for the following kinds and quantity of explosives: -- (P) (a)

ক্র	नाम और विवरण	वर्ग और प्रभाग	उप-प्रभाग	मात्रा किसी एक समय में
Sr. No.	Name and Description	Class & Division	Sub-division	Quantity at any one time
i.	Nitrate Mixture	2,0	0	150 Kg.
2.	Safety Fuse	6,1	0	1650 Mtrs
3. El:	ectric and/or Ordinary Detonators	6,3	0	3000 Nos.

(स) किसी एक कलैंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3(ख) और (ग) के अधीन 26 times अनुइप्ति के लिए।

as above. (b) Quantity of explosives to be purchased in a calendar month applicable for licence under article 3(b) and (c)] :

⁵ निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुझप्त परिसर की पृष्टि होती

रेखाचित्र क. (Drawing No.) E/SC/KL/22/1222 (E61052) दिनाक (Dated) 15/04/2021

पिनकाड (Pincode)

The licensed premises shall conform to the following drawing(s): .

6. अनुज्ञप्ति परिसर निम्नलिखित पते पर स्थित हैं। The licensed premises are situated at following address:

Kerala

Survey no. Resur	vey No.13/1 Block.23	2
जिला (District)	PALAKKAD	in
दूरभाष (Phone)	8086600900	P.DI.

facilities.

राज्य (State)

ई. मेल (E-Mail)

7. अनुजाप्ति परिसर में निम्नलिखित सविधाएं अंतर्विष्ट हैं।

The licensed premises consist of following

A set of one E type (299) (1060) and one D type (210) : portable magazines fabricated by M/s Thekkans Enge & Fab.Unit Ernakulam, Kerala.

फेक्स (Fax)

प्राम (Town/Villaging the born Pstakkan ! the mambika Nagar

8. अनुज्ञाप्ते समय – समय पर यथासंश्रोधित विस्फोटक अधिनियम्, 1884 और उनके अधीन विरचित विस्फोटक नियम. 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबध्दों के अधीन रहते हुए अनुदत्त की जाती है। The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

 उपयुक्त क्रम सं. 5 में यथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हण्णा Drawings (showing site, constructional and other details) as stated in serial No. 5 above.

अनुझप्ति प्राधिकारी व्दाररा हस्ता.क्षरित इस अनुझप्ति की शर्ते और अतिरिक्ति शर्ते।

Conditions and Additional Conditions of this licence signed by the licensing authority. दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञप्ति तारीख 31 मार्च 2016 तक विधिमान्य रहेगी। This licence shall remain valid till 31st day of March 2016.

यह अनुज्ञप्ति, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची v के भाग 4 के प्रति निर्दिष्ट सेंट-vii के अधीन इधा



A70

678686



उपवर्णित इस अनुज्ञाप्ति की शतौँ का अधिक्रमण करने या यदि अनुज्ञप्त परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंहत की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख। The Date - 06/05/2011

संयुक्त मुख्य विस्फोटक नियंत्रक | Joint Chief Controller of Explosives South Circle, Chennai

Amendments :

Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 22/01/2018

Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 21/06/2018

Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 07/01/2021

Amendment in Drawings/Facilities/Premises dated : 07/01/2021

Amendment of Quantity of Explosives/Monthly Purchase Limit dated ; 15/04/2021

Transfers :

Change in Licensee Name/Address/Status dated : 03/11/2011

Change in Licensee Name/Address/Status dated : 13/09/2012

नवीनीकरण के पृष्ठांकन के लिए स्थान अग मुख्य विस्क्षेटक. नियंत्रक Space for Endorsement of Renewal Deputy Chief Controller of Explosives

नवीकरण की तारीख	समाप्ति की तारीख	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प
Date of Renewal	Date of Expiry	Signature of licensing authority and stamp
14/12/2020	31/03/2025	Sd/- Dy. Chief Controller of Explosives, Ernakulam

कानूनी चेतावनी : विस्फोटकों को गलत ढंग से चलाने या उनका दुरूपयोग विधि के अधीन गंभीर दांडिक अपराध होगा।

Statutory Warning : Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

(RC VIII | Set VIII)

मैगजीन में वर्ग 1.2,3,4,5,6, और 7 के विस्फोटकों को बिक्री या प्रयोग हेतु रखने के लिए प्ररूप एस.ई. 3 (अनुच्छेद 3 (ख) से (ग)) में मुख्य विस्कोटक नियंत्रक या विस्फोटक नियंत्रक व्दारा प्रदान किए जाने वाले अनुज्ञाप्ति सं. E/SC/KL/22/1222(E61052) की शते निमसिखित है।

The following are the conditions of licence number E/SC/KL/22/1222(E61052) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c)) granted by Chief controller of Explosives or **Controller of Explosives.**

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी । Ŀ
 - The quantity of explosives on the premises at any one time shall not exceed the licensable capacity
- विस्कोटकों के भंडारण के लिए प्रयुक्तर होने वाली मेगजीन अनुसूची III और अनुझप्ति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए 2. रखना होगा।

The magazine used for storage of explosives shall maintain safety distance specified in Schedule 111 and annexure to the licence.

- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुइप्ति में विनिर्दिष्ट है, रखे जाने के लिए और ऐसे रखे जाने से संबध्द आधान यो औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं। मेगजीन का प्रयोग उन सभी विस्फोटकों के. 3. The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or
- implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तौलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा ।
- The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine. 5. द्रों या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुझा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या खरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर. प्रस्पंर प्रथक कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के बिस्फोटक तक न पहुंच सके : परंतु -

(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो योगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा पलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक प्रलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवती विभाजक या स्थायन के रखे जा सकते हैं। (ड) वर्ष 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे। (द्य) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।

Two or more description or explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that-

(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division land detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;

(e) Detonators belonging to Class 6 Division 3 shall be kept separately.

(f) Gun powder belonging to Class 1 shall be kept separately.

6. वर्ग ३ (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पक्षात सिवाय अनुझापन प्राधिकारी की विशेष मंजूरी के मैंगजीन में नहीं रखा जाएगा।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date

of their manufacture except with the special sanction of licensing authority. 7. वर्ग 3 (नाइट्रो योगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पक्षात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो ।

🜐 जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञप्तिधारी अपने पास रखेगा और मांग की जाने पर प्रेंस्तुरत करेगा।

(11) जब कोई विस्फोटक मानक शुथ्दता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो ग्लीअसरीन या द्रव नाइट्रो योगिक के निकल जाने के चिन्ह प्रकट होने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुइप्तिधारी अपने ही व्यय पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।

Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.

(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.

(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded aitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.

मैगजीन के भीतरी भाग या उसमें लगी बैंचो, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार 8 अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके । भीतरी भाग में लगी बेंचे, शैल्फें और फिटिंग यथासाध्य ग्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जी जल से खतरनाक रूप में प्रभावित हो सकते हैं. इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरूध्द सावधानी से संबंधित इस यार्त का वह भाग ऐसे किसी भवन में बाध्येकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है ।

जन मुख्य तालबाटक लिधजक

Unerrane re-

Deputy Chief Controller of Explosive

The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from; Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.

9. यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञाप्तिधारी ऐसे परीक्षण के लिए विहित फीस का संदाय करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञपिधारी व्दारा पश्चात्वर्ती प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :

परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी घरीक्षणों के लिए प्रभार्य : मर्गत

परंत यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्पिति में विहित की गई है।

If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsetisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:

Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :

Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.

10. उपयुक्त तथा जेब रहित कार्यकरण वस्त्रों, उपयुक्त जूतों के प्रयोग व्दारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों व्दारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो

परंतु इस खर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है. ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।

Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by scarching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fie, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or couplosion:

Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुइप्तिधारी प्ररूप आर.ई.-3 और आर.ई.-4 या आर.ई.-5, जैसी स्थिति हो, में सभी विस्फोंटकों का अभिलेख और लेखा रखेगा और विस्कोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके ब्दारा ऐसा करने की मांग की जाने पर स्टाक पुस्तक और अभिलेख प्रस्तुत करेगा । स्टाक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी । The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be,

and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.

परिसरों में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञप्तिधारी ऐसी किसी 12 शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करें । No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the

licensee shall comply with any condition that may be specified by the licensing authority in this behalf.

मेंगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी ¶ 🛛 थदि किसी 11 कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुइप्तिधारी इस बात की सूचना अनुइापन प्राधिकारी को तुरंत देगा ।

Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.

मैंगजीन का अनुज्ञप्तिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा ।

- The licensee of the magazine shall submit quarteriy return as per sub-rules (3) and (4) of rule 24 of these rules.
- 14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी। Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary
- advice and action. 15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए. तुरंत दी जाएगी।

The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.

विस्फोटकों के पैकेटों के चट्टे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकजों की हालत की 16. जांच करने और प्रत्येक पैकेज की विनिर्माण विशिष्टियों को पढने के लिए उनके बीच से होकर आ जा सके। The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package. तडित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओहा से अधिक नहीं होगा । The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.

17. मैंगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई चुल्क चास या झोठी या ज्वलनग्रील सामग्री नहीं रहने दी जाएगी।

A73 जन संस्थान विश्वनेष्ठित Deputy Chief Controller of Explosives

A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.

- 18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मंगजीन के भीतर लिया जा रहा हो, ठींक दशा जानने के लिए परीक्षा की जाएगी।
- Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
- 19. किसी मैगजीन / भंडारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।
- Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
- 20. विस्फोटकों के खाली पैकजों को शीघ्रतिशीघ्र वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा । Empty packages of the explosives shall be removed at the earliest and destroyed. \
- अनुइप्तिधारी और कर्मचारीयों को परिसर के भीतर आपातकाल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए। The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
- 22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञत परिसर में अबाध रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यकत: अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।

Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.

23. यदि अनुझापन प्राधिकारी या विस्फोटक नियंत्रक अनुझप्तिधारक को अनुझात परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्धन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुझाप्तिधारक सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।

If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the license shall execute the recommendations and report compliance within the period specified by such authority.

24. अनुज्ञप्तिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञत फेक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतियाबाजी या सुरक्षा पलीते खरीदेगा ।

The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.

- 25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए -
 - (क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी.(ए1) या 145 डी.बी.(सी)पी.के. प्रतिबंधित होंगे;

(खू) भेखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग.10(एन) डी.बी. (सी) यो के प्रतिबंधित होंगे :

The possession and sale of fire-crackers generating noise level exceeding;

a) 125 dB(AI) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;

b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 $\log 10$ (N) dB, where N = number of crackers joined together.

26. अगि या विस्फोट व्यारा दुर्घटना या नुकसान पटाखों की कमीं या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।

Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

अतिरिक्त धार्ते / Additional Conditions :

1. अनुहार्मीधारी विदेशी मूल के आतिशावाजी को ना प्रदर्शित करेगा, ना रखेगा और ना ही उसकी बिक्री करेगा । The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कृते संयुक्त मुख्य विस्फोटक नियंत्रक For Joint Chief Controller of Explosives देविणीयम, सेन्द्रे South Cifelet Shennai

Note :- This is system generated document does not require physical signature doswer Applicant may take printout for their recurcle. Emakulam

Form DE-2

(See rule 113 of the Explosives Rules, 2008) (Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SC/KL/22/1222(E61052) in form LE-3 granted to Shri MOHANAN .Director, M/s.Royal Sands and Gravels Pvt.Ltd., Theparambil House. Thritheliogr West Post, Thrisonr, Kerala-678686.

	Type of Structure(s)	Safety dista	aces meters
	Inside Safety Distance(ISD)	М	UM
1	Room or Warkshop used in Connection with the Magazine	13	19
2	Any other Explosives Magazine or store House or Factory of the Applicant		
3	Magazine Office		
	Middle Safety Distances(MSD)		
4	Magazine Keeper's or Chowkidar's Dwelling house		
5	Railway including Minerals and Private Railways		
6	Canal (in active use) or other navigable water		
7	Dock or Pier or Jetty		
8	Public Highway or Public Road		40
4	Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudware or of	other	
	places of worships, Hospital, College, School or Factory		
10			
11			
12	Windmillior or Solar panel for Power Generation		
	Outside Safety Distances(OSD)		
13			
14			
15			
16		ema	
	or other Building where the public are accustomed to assemble		
17			
18			
		0 00	
	hazardous substances	cor	
	hazardous substances		45
	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con		45
19	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives		45
19	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome		45
19 20 21	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney		45
19 20 21 22	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head		45
19 20 21 22 23	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation		45
19 20 21 22 23 24	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aprodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station		45
	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station		45
19 20 21 22 23 24 25	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works		45
19 20 21 22 23 24 25 26	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Overbead Electric lines		
19 20 21 22 23 24 25 26	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Overbead Electric lines Electric Power over head Transmission Lines above 440V		45
19 20 21 22 23 24 25 26	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Overbead Electric lines		
19 20 21 22 23 24 25 26 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Deerbead Electric lines Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V		45
19 20 21 22 23 24 25 26 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Station Protected Works	stain	45
19 20 21 22 23 24 25 26	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Station Protected Works	stain	45
19 20 21 22 23 24 25 26 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quierry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V	Itain	45 15 Julier of Expl th Galage
19 20 21 22 23 24 25 26 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quierry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V	ttain	45 15 Julier of Expl th Galage
19 20 21 22 23 24 25 26 27 28 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coult of Toller of
19 20 21 22 23 24 25 26 27 28 27 28 27 28 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chinney Quierry or mine pit head Power House or Electric Substation Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coult of Toller of
19 20 21 22 23 24 25 26 27 28 27 28 27 28 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coult of Toller of
19 20 21 22 23 24 25 26 27 28 26 27 28 26 27 28 26 27 28 26 27 28 26 27 28 26 27 28 26 27 28 26 21 27 26 21 27 26 21 27 27 27 27 27 27 27 27 27 27 27 27 27	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V : 06/05/2011 For Joint rats : Infinent of Quantity of Explosives/Monthly Purchase Limit dated : 22/01/2018 Infinent of Quantity of Explosives/Monthly Purchase Limit dated : 21/06/2018	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coult of Toller of
19 20 21 22 23 24 25 26 27 28 27 28 27 28 27 28 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kilh or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V : 06/05/2011 For Joint rats : Infinent of Quantity of Explosives/Monthly Purchase Limit dated : 22/01/2018 Infinent of Quantity of Explosives/Monthly Purchase Limit dated : 07/01/2021 Infinent of Quantity of Explosives/Monthly Purchase Limit dated : 07/01/2021	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Expl The Celation
19 20 21 22 23 24 25 26 27 28 27 28 27 28 27 28 27 28 27 28	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aerodrome Furnace, Kiln or Chimney Qwarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Aay other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V Electric Power over head Transmission Lines upto 440V in the substation of Quantity of Explosives/Monthly Purchase Limit dated 22/01/2018 Idment of Quantity of Explosives/Monthly Purchase Limit dated : 11/06/2018 Idment of Quantity of Explosives/Monthly Purchase Limit dated : 07/01/2021 Idment of Quantity of Explosives/Monthly Purchase Limit dated : 15/04/2021	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coulout
19 20 21 22 23 24 25 26 27 28 27 28 4 4 4 4 4 4 4 4 6 4 10 10 10 10 10 10 10 10 10 10 10 10 20 21 22 23 24 25 26 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aurodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V : 06/05/2011 .: 06	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coult of Toller of
19 20 21 22 23 24 25 26 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aurodrome Furnace, Kiln or Chinney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V Electric Power over he	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Exp The Coult of Toller of
19 20 21 22 23 24 25 26 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 28 27 29 20 21 29 20 21 29 20 21 29 20 21 29 20 21 29 20 21 29 20 21 29 20 21 29 20 21 29 20 21 29 20 20 20 20 20 20 20 20 20 20 20 20 20	hazardous substances Building or Works used for Storage and Manufacture of Explosives or of articles which con Explosives Aurodrome Furnace, Kiln or Chimney Quarry or mine pit head Power House or Electric Substation Wireless Station Warehouse or other Storage Building Any other Protected works Electric Power over head Transmission Lines above 440V Electric Power over head Transmission Lines upto 440V : 06/05/2011 .: 06	Litein Chief Contro Faces Stor hief Contro	45 15 Joller of Expl The Celation

Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.

9



கேலல் केरल KERALA

AM 259574

FORM - 'H' (See Rule 32) QUARRYING LEASE

For Royal Sand and Gravels pvi. Ltd. Mohammed Jazeel. **District** Offi of the Departmen No: 2363 RS 1001 Sed to Mining and Ficology, Palak Muhanned Fasts1. T.A. : ZUN Mg Director of Royal Sand & Gravels (2) EMPORARY PALAKKAD Dhoni 7. R. 2014 For Royal Sand And Gray For Royal Sand and Gravels put Ltd Mohammed Fazzel District Office a Department of Mining and Geology, Palakkad

Presidente an and ratice or the S.D. Fregistrer a me since space a dieger inter is the Busen reeterie A stante site on unce suger frank a to a AO Be 4 NO: ON me It there Sup \$ 20 W Mohammed tazeel . May neel Execution adminue Sub Registrar Mohammed torseel. My deel tor ogs Roy-1- Sand & Goorels & Lod) de and The porens but house Thhis and - Id) See Sotiling Than Sate fried mait os to the execuse of this to Arnnyent my Sn. M. S. Cishor Jeolu pt g Riving ad Jeology' -0902 ed from trouble officeran 45 (2(1) 7 THOTTI THODY HOUSE 5/01 T.k. Yous NISAR.T. CHANPARA (PO) PAUSRES - 678593 (BUDIND)

Witnesseth that in consideration of the rents and royalties and lessee covenants, hereinafter reserved and contained the State Government both hereby demise upto the lessee the land measuring 7.0655 hectares described in the schedule hereunder the delineated on the plan here to annexed and therein coloured red (hereinafter called the "said lands") to hold the same for a period of 12 (twelve) years commencing from the TWANEY Second and the same for a period of 12 (twelve) years commencing from the TWANEY Second and the purposes of extracting minor minerals and subject to the terms and conditions contained in the Kerala Minor – Mineral Concession rules, 1967 (hereinafter referred to as "the Rules") and to the terms and conditions hereinafter appearing.

- 1. The lessee shall have the right in and upon the said lands to extracts Granite Building Stone (hereinafter called the said mineral) and to do all acts necessary for the extraction of the said mineral including the erection on the said lands, buildings and plant required for the purposes and also to take lead and carry away over the said lands and to dispose off the said minerals extracted as aforesaid.
- 2. The lessee shall during the subsistence of this lease have the liberty to work the said mineral and remove the same from the quarry hold on permits issued by the State Government /Competent authority or any other officer authorised by him in this regard. The permits shall be issued only on the basis of pre-paid royalty at the rates specified in schedule I to these Rules. The royalty rates shall be subject to revision from time to time as the State Government may order.

3. The lessee shall pay to the State Government an yearly surface rent equal to the land revenue if any, assessable under the rules for the time being the force, or if the land be the property of Government or in reserve forest then equal to the land revenue plus cess, if any per hectare of the land the surface whereof shall be occupied or used by the lessee for any of the purposes of this demise and so in proportion for, any area less than a hectare. The said surface rent shall be paid by yearly payments, the first of such payments to be made on or before the last day of the first year of occupation provided always that no such rent shall be paid or demanded in respect of any roads or ways now in existence.

The lessee shall at all time during the currency of this demise keep correct and intelligible books of account showing accurately the quantity of the said minerals extracted and the weight and value of the said mineral sold or exported together with the names of the purchasers or consignees. The lessee shall also, maintain a register of employees showing therein separately men, women and children employed daily and shall at all reasonable times allow the competent authority appointed under the rules (hereinafter referred to as "competent authority") or the officer authorised by him/her/them to examine the said books of account and the register of employees and to take copies and extracts there from. The lessee shall submit reports in Forms 'F' and 'G' on the specified dates.

by Sreef For Royal Still And Gravels (P) Ltd. For Royal Sand and Gravels pvt, Ltd., Mohammed Farer Mander

4

M.G. KISHOR A78 Ocologist District Office of the Department of Mining and Geology, Palakkad.

Bongal 2000 ' . at my g g-dooi Dever Door' P.a. 2000 ' . 800 and the book of the

ABOULMAJGED. DIMENTED. KAYAMKULAM HOUSE. P.O. ENKARDO . WOOGKAN CHERY . THRISSUR. PESSIONER .

26 ms Sig 20 14 (

anginterred as No . Book I roles ----1984

Bab Registra

Sivadas Viswanath

Sub Registrar

Sivadas Visu Sub Registrer

ho fo 20 14

- 5. All sums found due under or by virtue of this deed from the lessee may be recovered from him jointly and severally from them and his/her/their properties movable and immovable under the provisions of the Revenue Recovery Act for the time being in force as though such sums are arrears of land revenue or in any other manner as the State Government may deem fit.
- 6. The lessee shall at the lessee's own expense erect and at all time maintain and keep in repair boundary marks and pillars along the boundaries of the said lands according to the demarcation shown in the plan hereto annexed.
- 7. No quarrying operations or working shall be carried on or permitted to be carried on by the lessee in or under the said lands at any point within a distance of 75 meters from any railway line except with the previous permission in writing of the railway administration concerned; and from any bridge on the National Highway or 50 meters from any reservoir, canal or other public works such as public roads and buildings or inhabited site, burial ground etc. shown on the plan thereto annexed except with the previous permission in writing of the State Government / competent authority or otherwise than in accordance with such instructions, restrictions and condition either general or special which may be attached to such permission. The said distance of 50 meters shall be measured in the case of a railway, reservoir, or canal horizontally from the outer edge of the bank or outer edge of the cutting, as the case may be and in the case of a building horizontally from the plinth thereof. In the case of village roads no workings shall be carried on within a distance of 10 meters of the outer edge of the cutting except with the previous permission in writing of the State Government / competent authority. For the purposes of this clause the expression "railway and railway administration" shall have the same meaning as defined in sub section (4) and (6) of section 3 of Indian Railway Act, 1890 (IX of 1890).
- 8. The sides of open workings shall sloped, stepped or secured by the lessee in such a manner as to prevent danger from falls of material, when an open working is worked in steps, steps shall be of sufficient breadth in relation to their height to secure safety. In open workings trees liable to fall and all loose ground and material shall be removed by the lessee sufficiently far from the edge or otherwise made source in order to prevent danger to persons employed in the quarry.
 - *9. If a working place is found to be unsafe all persons shall be withdrawn by the lessee immediately from the dangerous area and all access to such working place except for the purpose of removing the danger of saving life shall be prevented by securely fencing the full width of all entrances to the place.
 - 10. The lessee shall at all reasonable times allow any officer authorised by the Central Government or by the State Government in that behalf to inspect the said lands and the buildings and plants erected thereon and the lessee shall assist such persons in conducting the inspection and afford them all information they may reasonably require, and shall conform to and observe all orders which the Central and State Governments as the result of such inspection or otherwise, may from time to time pass.

at Roval Sand and Gravels py). Lid commed Former (Uny ciee) 52/8/2014

District Office of file Department of Mining and Goology, Palakkad.

8. raith ASI 15

- 10A The lessee shall be responsible for implementing the provisions of the various labour laws applicable, from time to time to the quarry.
- 11. The lessee shall not assign or underlet the said lands or any part thereof or the rights or privileges, therein hereby granted or any of them without the previous permission in writing of the State Government / Competent authority
- 11A Where the lease or any right, title or interest therein has been assigned, sublet or transferred as provided in rule 34 read with condition 11, then the person in whose favour such assignment, sublease or transfer has been made shall be responsible for implementing the provisions of the various labour laws applicable, from the time to time, to the quarry.
- 12. The lease may be surrendered by the lessee at any time after 3 months notice in writing to the State Government / Competent authority. Provided that the lessee has paid all sums due on account of the lease. Provided further that if the lessee elect to determine this lease before the expiry of the term of the lease, shall pay in addition to other dues a sum equal to the dead rent payable for the remaining part of the terms of the lease deed.
- 13. On the expiration of the term of this lease or on its earlier determination under clause 12 the lessee shall pay to the State Government for all land which has been rendered useless for agriculture through the exercise of the powers demised by this lease such sum as the District Collector may fix as equivalent to the capitalized value or the land revenue of such land rendered useless. The lease shall continue if the sums are not cleared before the date of determination of notice.
- 14. If the lessee shall be desirous of taking a further lease of the said lands for a further term of years he/they shall give three months previous notice in writing of such desire to the State Government / Competent authority and if the lessee has duly observed all the conditions of this lease, the State Government / competent authority may agree to renew the lease for such further term and on such terms and conditions as the State Government / competent authority may determine which shall be in accordance with the provisions of these rules.
- 15. If the lessee shall at any time during the said term use the said lands or any part thereof in any manner other than as authorised by this lease or fail to carry on quarrying operations continuously without sufficient cause of which the State Government / competent authority shall be the judge or shall commit a breach of any of the conditions of this lease it shall be lawful for the State Government / competent authority to cancel this lease and take possession of the said lands or in the alternative to receive from the lessee such penalty for the breach not exceeding five times the amount of the said yearly dead rent as the State Government / competent authority may fix.

For Royal Sand and Gravols, pr. Ly Moheur ned Fazeel Manado Mit

ologist District Office of the Department o Mining and Geology, Palakkad.



- 16. If at the expiration of three calendar months after the expiry of the lease or its sooner determination, there shall remain in or upon the said lands, any engines, machinery, plant buildings, structures and other works erections and conveniences the said minerals or other property which the lessee is entitled to remove from the said lands, the same shall, if not removed by the lessee within one calendar month after notice in writing requiring their removal be given to the lessee by the State Government / competent authority be deemed to become the property of the State Government in such manner as they may deem fit without liability to pay any compensation or to account to the lessee in respect thereof.
- 17. This lease is subject to all rules and regulations which may from time to time be issued by the State Government regulating the working of the quarries and other matters affecting the safety, health and convenience of the lessee's employees or of the public, whether under the Indian Mines Act or other wise.
- 18. The lessee shall without delay send to the District Collector and the competent authority or the officer authorised by him in this regard report of any accident causing loss of life or serious bodily injuries or seriously affecting or endangering life or property which may at any time occur at or in the said lands in the course of operations under this lease.
- 19. The lessee shall furnish such reports and returns relating to output, labourers employed and other matters as the State Government may prescribe.
- 20. The lessee shall make and pay such reasonable satisfaction and compensation as may be assessed by lawful authority in accordance with the law in force on the subject for all damage, injury or disturbance which may be done by him/them in exercise of the powers granted by this lease and shall indemnify and shall keep indemnified fully and completely the State Government against all claims which may be made by any person or persons in respect of any such damage, injury or disturbance and all costs and expenses in connection therewith.
- Any condition prescribed in the Kerala Minor Mineral Concession Rules.
 1967, but left out in this lease which may be found applicable to the lessee shall be treated as binding on the lessee. In this case anticipated royalty for the mineral at the rate of Rs.16/- (Rupees Sixteen only) per tonne for a period of one year is Rs.16,00,000/- (Rupees Sixteen Lakhs only).
- 22. Dead rent realizable at the rate of Rs. 1st year Nil, 2nd year Rs.200/- and 3rd year onwards Rs.800/- per hectare subject to revision from time to time. Surface rent at the rate of Rs.200/- (Rupees Two hundred only) per hectare for 7.0655 hectare per year is Rs.1413/- (Rupees One thousand four hundred and thirteen only) security deposit is Rs.1,000/- (Rupees One thousand only).

For Royal Sand and Gra Mohammed Fazer,

ologist District Office of the Department of

Displicate one :- There are no differences between the --Original document and this Dyplicate There are no Interlineations Compared & Reader Thousecane Rannan (by J Examined Shareshbeby PP. July

26th day of September 2014 Sivadas Viswanath SubRegistran

A:85

The schedule above referred to Description of Land

District Taluk	Village	Re-Survey No. of the area	Area in Hectares
Palakkad	Akathethara	2/P	
Palakkad		14/P	7.0655 Hectares
		15/P	
		16/1P	
		Block No.25	

. Bounded by

Sy. Nos.

On the North by	:	2P, 15P, 16/1
On the East by	:	16/1, 14P, 15P
On the South by	:	14P, 15P, 2P
On the West by	:	2,3

In witness whereof the parties hereto have set their hands hereunto on the day and year first above written

Signed by

for and on behalf of the Governor of Kerala

District Office of the Department of Mining and Geology, Palakkad.

In the presence of

- 1. Vinad M 2, Assistant acologoe. Distant office of the Department of mining and Geothop, Batakkad.
- 2. Funil kunar R Assistant Geologist District office of the obpartment of mining and gologly . In Palaxkad
 - for and on behalf of the lesses bhammed Porzee (Marine 120)
 - 1. MISAR . T NM S/0: T.K: YOUSUF THUMPI THOBY HOUSE

THREWARAMEN

2. MOHAMMED SHEBEER. M.L. Sla: EUNJIMON MAMMAS REFILLATH D.D. DR DORR

3000 00 2014

CERTIFICATE

B- 4797/14

24/9/2014

Certified that an amount of Rs. 2, 25,0441-Rupees Two hards Twenty Five Totousons Once And FORTY FOURTONLY) has been Remitted by The Managing Director, Ms. Poyal Sand and Greavers CP Ud, Dhonicked Palaikikad Vide chalan No. 189 ddd. 23/9/14 at Sub Treasury, Pailaikikad towards adjudication faces of Quarrying Lease deed. Now the docum in is stamped as per law. No supponsibility is about the contents of this deed is adresping by this office.





MAGZINE 16/4 2 į. 105-0 8:5 TUNCTION 101 2.2 - NEWINA 135.0 100 5 0-00 91-910 64-6 3 3 CEIVED 29 N N . goo min. 25 200 9 8-54 38.6 Ł 66 mar hut and 31.6 3 Parry Surger to & minite JUNCTION Y PAN CHAYNTH RIAD PLAZA 3 3 noon Hat-7.0655 0-0203 - 5973 2-6318 OGY y Anim ł is allowed A Carlos 16/10. 15 9. 14 p. PRUNCE OFFICER ANALL MARA this sloetd A 5. 5. 5. 5. 4. 4. 2 2 2 HINONE POLIS module & 30hul with LING



கேலதo केरल KERALA

N 843631

T. M. Market

18

Prese Moran

ADDITIONAL QUARRYING LEASE

(Additional attrrying lease as per Judgment dt. 22.01.2020 of the Hon'ble High Court of Kerala in WP (C) No. 1459/2020)



THIS INDENTURE made on this the. 12

day of ______2020 between the Governor of Kerala (hereinafter referred to as the "State Government" which expression shall, where the context so admits be deemed to include his successors and assigns) of

For R. T. F.UTD. 12/2/2020 LESSOR Dr Sooray'S GEOLOGIST District Office of the Department Palakkad ig and Cer 265 VALUE BA 100 SOLD TO SATED ON. Mohn Monaging Druler K. SAKASWATH Mar Royal Sand and Commission . Collecturate Vendo PALAKKAD Phone Palakind . Gracey 11- 2- 2020 ARO

Duplicate 2 433/1/2020

nemied in the active of the Bate Registrar of Olevelide with the Plantographer and Floger Prista of the Dagers / tition and freesalest starty state surface 22 A and

Res of Russice 234675/ - 3 10/1/2 Herehrozo

"MOHAMMED FAZEEL: T.A. Nongael Siniding at The parambil, Vaderappely, Thribidan Thight District Vasudevan Cherumukkli Execution Admitted By 3rd March 2020

Sub Registrar

MOHAMMED FAZEEL.T.A. 3/0 Abdul Adam Managing Director M/s Royal and and him icls public milling at The pavembel, Vaderapple (2) I have satisfied myralt on to the execution of this induced by Soovaj's geologist district office of perfectuaty history and heolog for and an behelf of how would be the whole is executed from person to and an behelf of how would be to BF(1) of Indian Reput salue bet

NISAR.T (BUSMESS) 36: T.R. YOUSUF. That had House. Thechamp on 1000

Palakind, 678593

MOHAMMED SHEBEER. M. K neho man So: EUNJIMON

DRIVER MANMASRAYILLASA HOUSE POST PADOOR THRISSUR 680524

March 2020 1 16582 a # Vasudevan Cherumukkil Sub Registrar Registered ca.Dot. Ro... L Videra C Pages Frankan D.A. Shark., 17 Inno Kame 3rd Hareh 2020 Vasudeven Cherumukki Sub Registrar propale it chand t AGI

the one part and M/s. Royal Sand and Gravels Pvt. Ltd., Plaza Junction, Dhoni P. O, Palakkad District – 678 009 (Represented by its Managing Director, Shri. Mohammed Fazeel, Aged 40 years, S/o. Abdul Salam, Residing at Theparambil, Vadanappally, Trithalur West P. O, Thrissur District – 680 619 (Aadhaar No. 6925 2715 6240) (hereinafter called the "lessee/lessees" which expression shall where the context so admits, include his/their heirs, executors, administrators, representatives and permitted assigns) of the other part.

1. Whereas by order No. 281/2014-15/8473/M3/2014 dated. 02/08/2014 of the Director of Mining & Geology, a quarrying lease was granted to M/s. Royal Sand and Gravels Pvt. Ltd., Plaza Junction, Dhoni P. O, Palakkad District - 678 009 to quarry granite (building stones) over an area of 7.0655 Hectares of Private land comprised in Sy. Nos. 2/P, 14/P, 15/P, 16/1P, Block No. 25 of Akathethara Village of Palakkad Taluk, Palakkad District for 12 years as per Kerala Minor Mineral Concession Rules 1967.

2. Whereas a quarrying lease deed was registered on 26.09.2014 as No. 2486/2014 in Book No. I Volume No. 850, Pages 343 to 350 of Sub. Registrar Office, Olavakkodu.

3. Whereas the quarrying lease deed was executed for an average annual production of 1,00,000 metric tonnes of granite (building stone) as per the then grant order.

GEOLOGIST District Office of the Department Mining and Ceology, Palakkad PIN : 678 914

For ROYAL SAND AND GRAVE

LESSEE Molommed famil-7 8

A92

4. Whereas when the Kerala Minor Mineral Concession Rules 2015 came into force, mining plan and prior environmental clearance was made mandatory for grant of quarrying lease and the existing lessees were required to submit approved mining plan and permitted to mine the quantity specified in the approved mining plan.

.3.

5. Whereas the Hon'ble High Court of Kerala in Binoy Kumar. Vs. State of Kerala case (2019 (2) KLT 227) has inexorably postulated that the person holding a valid quarrying lease from the Government can only extract the quantity permitted in the order granting the lease

6. Whereas the Mining and Geology Department restricted the annual production in the quarry as per the quantity allowed in the order granting the lease, in obedience to the above said judgment.

7. Whereas the Hon'ble High Court in WP (C) No. 1459/2020 permitted to issue additional quarrying lease to the lessee if the lessee possesses environmental clearance and approved mining plan.

8. Whereas the lessee is in possession of valid environmental 160/SEIAA/KL/3490/2013 clearance (No. dated. 24.05.2014 and 160/SEIAA/KL/3490/2013 dated 16.02.2019) granted and renewed by the State Environment Impact Assessment Authority, Kerala and is in possession of approved mining plan.

Whereas in the approved mining plan average annual production 9. estimated is 3,00,000 tonnes which is 2,00,000 tonnes higher than the emisting lease deed.

Whereas the lessee has submitted application dated 04:02.2020 10. to permit him to execute additional lease deed as per the judgement dated 22.01.2020 in W P (C) No. 1459/2020

2/2020 SSOR Dr. Sooraj. S

GEOLOGIST District Office of the Department Mining and Ceology, Palakkad PIN : 678 014

For ROYAL LESSEE Mohoreman facest 7:4

A93

11. Whereas as per Pro. Order No. 642/2019-20/11126/M3/2019/ DMG dated. 06.02.2020 permission was granted to enhance the average annual quantity of extraction from 1,00,000 tonnes to 3,00,000 tonnes and to execute additional lease deed

Witnesseth that in consideration of the rents and royalties and lessee's covenants, hereinafter reserved and contained the State Government hereby enhance the quantity of annual extraction of granite (building stones) from 1,00,000 tonnes to 3,00,000 tonnes from the land measuring 7.0655 hectares (described in the schedule and on the plan annexed to the original lease deed) for a period commencing from the date of registration of additional lease deed and ending on 21.08.2026 subject to additional terms and conditions in the Proceedings order No. 642/2019-20/11126/M3/2019 /DMG dt. 06.02.2020 mentioned above

In this case, for the purpose of stamp duty, the enhanced average yearly production of granite (building stones) is 2,00,000 tonnes and the royalty per annum for the enhanced quantity is Rs. 48,00,000 (Rupees forty eight lakhs only), at the present rate of royalty of Rs. 24/per tonne.

LESSOR Dy. Soove-j.S GEOLOGIST District Office of the Department Mining and Ceology, Palakkad PIN: 678 014 For ROYAL SHID AND GRAVELS PVT.LTD. " WAY GO Director 1202 2020

A94

LESSEE

Mohammed freed TO

In witness whereof the parties hereto have set their hands here unto on the day and year first above written.

(1) K. SIRAN, MINGRAL REVENUE INSPECTOR, DISTRICT OFFICE, DEPT. OF. MINING AND GEOLOGY, PALAKKAD

(2) E.T. Sobha, Senior clerk (Higher Grade + 15 yew) Dist. office, Dept. of mining and Greology Palakkad M Geer 12/02/2020

Signed by Mohammed Fazeel ' for and on behalf of the LESSEE In the presence of

(1) 102/2020 ARMRWAD, M.M.ROAD, KOCHI-682 018

2/2/20

(2)

NISAR T THOTH THOPY HOUSE THOUGH PARA POSI PRIMERO, GTESTS

2.0

LESSOR

Dy-Scovey GEOLOGIST District Office of the Department Mining and Ceology, Palakkad PIN : 678 014

For ROYAL BAND AND DRAVELS PVT.LTD. 2020

A95

LESSEE

Mohermand facel Th

File No.DMG/1105/2022-M3

1/198558/2022

Directorate of Mining & Geology

Kesavadasapuram, Pattom Palace P.O

Thirrwananthapuram - 695 004

Phone/Fax: 0471-2447429

e-mail: director.dir.dmg@kerala.cov.in

Web: www.dmg.kerala.gov.in Dated:30/03/2022

No.DMG/1105/2022-M3

From

The Director of Mining & Geology To

Sri.Mohammed Fazeel T.A.

Managing Director,

M/s. Royal Sand & Gravels (Pvt) Ltd.

Dhoni P.O., Palakkad- 678009

Sir,

Sub:-

Mines & Minerals – Minor Minerals- KMMC Rules 2015 & Kerala Minerals (PIMS&T) Rules, 2015- Registration of Metal Crusher Unit by M/s. Royal Sand & Gravels (Pvt) Ltd. Dhoni P.O., Palakkad- 678009 Represented by its Managing Director Sri.Mohammed Fazeel T.A. -reg

Ref

Lr.No. DOP/324/2022/A1 dated 09.03.2022 of the Geologist, District Office Palakkad

I am forwarding herewith the Registration Certificate issued in FORM-L of the KMMC Rules 2015 for the financial year 2022-23 to Srt. Mohammed Fazeel T.A. Managing Director, M/s. Royal Sand & Gravels (Pvt) Ltd. Dhoni P.O., Palakkad- 678009 based on your application for opting Consolidated Royalty Payment System. In order to obtain movement permits and mineral transit passes for transporting Granite aggregates from the Crusher Unit, you should produce before the Geologist all the documents required under Rule 49 of the KMMC Rules 2015 including Explosive Licence, Consent from the Pollution Control Board, D&O Licence from the Local Self Government Authorities. You are exempted from obtaining registration under Kerala Mineral1238s (PIMS & T) Rules, 2015. While obtaining mineral transit passes in Form O(A) or O(B) of Kerala Minerals (PIMS&T) Rules, 2015 you should ensure that the passes contain the particulars stipulated in Rule 26(1) & 26(2) of these rules especially name seal and signature of the issuing authority.

You are also instructed to maintain registers stipulated in these rules and you should submit these registers before the Geologist as and when Movement Permits are issued. You are instructed to submit monthly return in Form-F and Annual statement in Form-G of the KMMC Rules without

²⁾ Reg No.-2-2-/2022-23/RMCU/PLKD/1105/M3/2022 dated 30/03/2022

File No.DMG/1105/2022-M3

1/198558/2022

fail. You are further instructed to maintain a Register in the following manner showing the daily production and sales. The particulars in this register should be got verified by the office of the Geologist as and when movement permits are issued.

It is to be noted that though you have opted for Consolidated Royalty Payment System you shall not quarry more quantity of Granite (Building Stone) than what is stipulated in the approved plan, in a year.

REGISTER TO BE MAINTAINED BY A LESSEE SHOWING DAILY PRODUCTION AND SALES OF GRANITE BUILDING STONE

Name of Lessee :

Lease No :

1

Registration No. (Revised) allotted to Metal Crusher Unit:

		produced in		Quantity sold in tonnes	Mineral Transit pass on issued Sl.No	balance in	Signature of the lessee
1	2	3	4	5	6	7	8

If you deviate from the instructions given above, this office will be forced to cancel the Registration granted to your Metal Crusher Unit.

YOU SHOULD REMIT DMF AS PER RULES, AS DEMANDED BY THE GEOLOGIST Yours faithfully,

S. HARIKISHORE IAS DIRECTOR

Copy to :- The Geologist, District Office, Palakkad (for information and follow up actions)

Approval for rise

55 A



File No.DMG/1105/2022-M3

1/198561/2022

FORM L (See Rule 91)

REGISTRATION CERTIFICATE ISSUED TO REGISTERED METAL CRUSHER UNIT

Regn:No.27/2022-23/RMCU/PLKD/1105/M3/2022

30/03/2022

The Metal Crusher Unit situated in Survey Nos. 13,14 of Akathethara Village of Palakkad Taluk of Palakkad District and owned by M/s. Royal Sand & Gravels (Pvt) Ltd. Dhoni P.O., Palakkad- 678009 (Represented by Sri.Mohammed Fazel T.A. Managing Director) has been registered in the Department of Mining and Geology under Rule 91 the Kerala Minor Mineral Concession Rules, 2015 for the production and sale of aggregates of granite (building stones) by operating the machines noted below. The owner of the registered metal crusher unit has been granted quarrying lease/leases in Survey Nos. 2/P, 14/P, 15/P, 16/1P, Block no 25 of Akathethara Village of Palakkad Taluk of Palakkad District for the extraction of granite (building stones) to be used in the crusher unit.

	Secondary Crusher		
No. & Description of Machines/Jaw crusher units for which consolidated royalty is to be paid.	Cone Crusher-250 HP, 40.64 cmX25.40 cm(16"X10")	1No. (One only), 1No. (One only)	
	Primary Crusher		

148
File No.DMG/1105/2022-M3

1/198561/2022

	1.(24"x16"(60.96 cm x40.64cm) (50HP)	1 No. (one only)
The particulars of the other machines, if any, used for crushing	2.42"X30"(106.68cmX76.2cm) (150 HP)	85
granite (building stones), in the crusher unit	3.VSI 220KW(300 HP)	
	4.HSI 46KW (60HP)	58
Particulars of quarrying leases based on which registration is granted	1.Pro. Order No. 281/2014- 15/8473/M3/2014/DMG dated 02/08/2014 of the Director of N& & Geology. 2. Pro. Order No. 642/2019- 20/11126/M3/2019/DMG dated 06/02/2020 of the Director of Min Geology.	

This registration will be in force for the period from 01.04.2022 to 31-03-2023.

Conditions for Registration

- The registration certificate shall be displayed in a prominent place in a part of the premises open to the public.
- The owner of the registered metal crusher unit shall comply with the provisions of the Mines and Minerals (Development and Regulation) Act, 1957 and the

File No.DMG/1105/2022-M3

V198561/2022

Kerala Minor Mineral Concession Rules, 2015 and all other orders issued by the competent authority in this regard from time to time.

• The owner of the registered metal crusher unit shall display in a prominent place in a part of the premises the true list of granite aggregates offered for sale by them.

Dated this day of 30/03/2022

Seal

S. HARIKISHORE IAS ApprovedByDesignation#f

To

Sri.Mohammed Fazeel T.A.

Managing Director,

M/s. Royal Sand & Gravels (Pvt) Ltd.

Dhoni P.O., Palakkad- 678009



Copy to The Geologist, District Office, Palakkad Stock file, File

Chalan No. KL026967146202122M dated 25.03.2022 for Rs.20,00,000/- remitted at District Treasury, Thruvananthapuram.

Approved for use

85 12

File No.DMG/1105/2022-M3

1/198561/2022

1/198559/2022

......

CERTIFICATE

The lessee has to remit an amount of Rs 20,00,000/- (Rupees Twenty lakhs only) being the consolidated royalty for one year. He has opted for payment in full amount of Rs. 20,00,000/- (Rupees Twenty lakhs only) He is eligible for movement permit for the period from 01.04.2022 to 31.03.2023.

DIRECTOR

Approved for riter

۱,





GOVERNMENT OF KERALA DEPARTMENT OF FACTORIES AND BOILERS Form-4 (Prescribed under Rule 5)

within the limits specified in the Permit (s) and for the manufacturing process stated herein after subject to the provision of the Factories Act 1948 and the License is hereby granted to Shri/Smt. MOHAMMED FAZEEL T A (Managing Director) for the premises detailed hereunder for the use as a factory Kerala Factories Rules 1957.

The license shall remain in force till the 31st day of December 2025.

	Registration No	D13/PGT/09/701/2018	20	Permit No & Date	E/79/2017 (02-08-2017)
5	Name & Address of the Factory	Name & Address of the Factory ROYAL SAND AND GRAVELS (P) LTD No. 1/22 & 23 , Dhoni P.O, Akathethara Palakkad	S	Name of the Region	Ernakulam
	Registration Date	09-05-2018	7.	Name of the Division	Palakkad
	Details of the premises		80	Manufacturing Process & NIC Code	Code
	Panchayat	Akathethara		1. METAL CRUSHING (08106)	(08106)
	Village	Akathethara			
	Survey No	13 & 14			
	Taluk	Palakkad			
	District	Palakkad			

Place : Ernakulam

ANNEXURE G.31(4)

(Issued under Rule 5, renewed under Rule 7)

Lice nse Details

2023-2025 18 1086.17 KW +250 KVA 95100.00 17-06-2022 17-06-2022 17-06-2022 Amendment Lotatist Amendment No. of Workers Power(KW) Fees Additional Remittance Amendment Sign of Offici Factory Name No. of Workers Power(KW) Fees Additional Remittance Amendment Sign of Offici Factory Name No. of Workers Power(KW) Fees Additional Remittance Amendment Sign of Offici Factory Name No. of Workers Power(KW) Fees Additional Remittance Amendment Sign of Offici Factory Name No. of Workers Power(KW) Fees Additional Remittance Pore	2023-2025 andment Details Factory Name	-	Lower	Fees	Additional Fee	Excess Fee	Remittance Date	Renewed Date	Sign	Sign of Official
Dry Name No. of Workers Power(KW) Fees Additional Remittance Amendment Amendment Dry Name No. of Workers Power(KW) Fees Additional Remittance Amendment Amendment Dry Name No. of Workers Power(KW) Fees Additional Remittance Amendment Amendment Image: No. of Workers Power(KW) Fees Date Pare Prendment Date Image: Transferred To Transfer Fee Remittance Year of Transfer Sign of	andment Details Factory Name	18	1086.17 KW +250 KVA	95100.00			17-08-2022	17-08-2022		
Factory Name No. of Workers Power(KW) Fees Additional Remittance Amendment Amendment Fees Date Vear Date Vear Date Amendment Encode Encode Encode Encode Vear Date Amendment Encode Encode Encode Encode Vear Date Amendment Encode Encode Encode Encode Vear Date From Transferred To Transferred To Transferr Sign of	Factory Name									
From Transferred To Transfer Fee Remittance Year of Transfer Date			No. of Workers	Power(KW)	Fees	Additional Fee	Remittance Date		Amendment Date	Sign of Official
From Transferred To Transfer Fee Remittance Year of Transfer Date Date Transfer										
Transferred To Transfer Fee Remittance Year of Transfer Date Date Transfer	nsfer Details									
	Transferrad From	Transfer	red To	Transfer Fee	Remittance Date	Year of Transfer	Transfi	er Date	Sign	of Official

(License Renewal application for 2026 should be submitted on or before 31-10-2025)

" This is an electronically generated auto renewed license.

This is an electronically generated auto renewed license.
This license can be verified at https://idms.fabkerala.gov.in/fabnet/verifyLicense.do. or scan the QR code

ANNEXURE G.37





TEST REPORT

	ULR No	:TC540222000008431F	
LRI No.: SEAAL22091	221A	Date: 28-09-2022	Page 1 of 1
	CL	PTOMER DETAILS	
Customer Name & Address	M/s Royal Sand Dhoni Plaza Juncti Dhoni P.O. Palakka		
Customer Reference	Test Request dt : 2	1-09-2022	Handler

	SAMPLE	DETAILS	
Product Category	Atmospheric Pollution	Sample Code	EN22090470
Sample Name	Ambient Air	Sample Received on	22-09-2022
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	23-09-2022
Sampled by	Lab Authorized Sampler	Test Completed on	27-09-2022
A Dis elle sur a distance a dista	DETAILS O	r uampling	
Sampling Location	South-West Direction	Date of Sampling	21-09-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/02	Humidity	70%

		LING SITE DETAILS	
Survey No.	2/P, 14/P, 15/P, 16/	/P	
Village	Akathithara	Taluk	Palakkad
District	Palakkad	State	Kerala

a start in the		ST RESULTS- CHEMICAL PAR	METERS		
SL. No.	PARAMETERS	TEST METHOD	UMIT	RESULT	NAAQ Standards
1	Particulate Matter, PM10	IS 5182 (Part 23):2006	µg/m ³	92.5	Max 100
2	Particulate Matter, PM2.5	IS 5182 (Part 24):2019	µg/m ³	47.1	Max 60
3	Sulphur Dioxide as SO2	IS 5182 (Part 2): 2001	µg/m³	4.88	Max 80
4	Oxides of Nitrogen as NO2	IS 5182 (Part 6): 2006	µg/m³	6.95	Max 80

Remarks:

Shency Joy

Dy. TM Chemical Checked by:

End of Report



Laiju P. N.

Laboratory Head Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^S Environmental & Analytical Laboratories Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. A K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com

A105





	ULR No:TC5402220	00008434F	
LRI No.: SEAAL22091224A	Da	ate: 28-09-2022	Page 1 of 2
and a start where the start of	CONTONUR OF	TATLO	
Customer Name & Address	Mr. Mohammed Fazeel T.A M/s Royal Sand & Gravels Dhoni Plaza Junction, Dhoni P.O. Palakkad District.		
Customer Reference	Test Request dt : 21-09-2022		
	RAMPLE DIT	All &	
Product Category	Water	Sample Code	WT22090302
Sample Name	Surface Water	Sample Received on	22-09-2022
Sample Conditions at Receipt	Fit for Analysis	Temperature @ Receipt	4 °C
Sample Quantity& Packing	2Liter & 125ml Plastic Bottle	Test Commenced on	23-09-2022
Sampled by	Lab Authorized Sampler	Test Completed on	27-09-2022
1	DETAILS OF TAI	(PLINE	
Sample Source	Pond	Date of Sampling	21-09-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/01& SEAAL/MBL/SOP/06	Sample Temperature	28 °C
	SAMPLING SITE I	PETARE	and a second
Survey No.	2/P, 14/P, 15/P, 16/P		
Village	Akathethara	Taluk	Palakkad
	Palakkad	State	Kerala

	11	29T RESULTS- CHEMICAL P	ARAMETERS		Contraction and and
81. No.	PARAMETERS	THET METHOD	UNIT	REGULT	Requirement as per Acceptable Linds of 18.10005 : 2012
1	Colour	IS 3025 (Part 4):1983	Hazen	1.00	Max 5
2	Odour	IS 3025 (Part 5):2018		Agreeable	Agreeable
3	Turbidity	IS 3025 (Part 10):1984	NTU	0.4	Max 1

Selini T. S. Lain P.N. **Shency Joy** Microbiologist Laboratory Head Dy. TM Chemical Checked by: Authorized Signatory Authorized Signatory

The results are related only to the samplas submitted for analysis and this test report shall not be reproduced except in tuil, without the written approval of the laboratory.

Standard[®] Environmental & Analytical Laboratories Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. A 106 K.J. Tower, Pathelam, Udyogamandal P.O., Ernakulam-663 501, Tel. 0464-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com





LRI N	lo.: SEAAL22091224A		Date: 28-09-2022		Page 2 of 2	
		ST HEBULTS- CHEM	ucas das	LAMENTER		
AL No.	PARAMETERS	1. Annie austra	m -	anier:	REPORT	Regultransister per salereroom Linux of Billion of 1001
4	pH	IS 3025 (Part 11):190	33		7.03	6.50 - 8.50
5	Conductivity	IS 3025 (Part 14):190	34	µS/cm	71.0	
6	Total Dissolved Solids	IS 3025 (Part 16):198	84	mg/L	46.0	Max 500
7	Total Hardness as CaCO3	IS 3025 (Part 21):200	09	mg/L	16.3	Max 200
8	Calcium as Ca	IS 3025 (Part 40):199	91	mg/L	4.00	Max 75
9	Magnesium as Mg	IS 3025 (Part 46):199	34	mg/L	1.49	Max 30
10	Chloride as Cl	IS 3025 (Part 32):198	38	mg/L	7.00	Max 250
11	Total Alkalinity as CaCO3	IS 3025 (Part 23):198	36	mg/L	12.1	Max 200
12	Iron as Fe	IS 3025 (Part 53):200	03	mg/L	0.80	Max 1
13	Sulphate as SO4	18 3025 (Part 24):198	36	mg/L	6.56	Max 200

2	E coli	IS 15185 : 2016		Absent/100 ml	Absent/100 ml
1	Total Coliform Bacteria	IS 15185 : 2016		Absent/100 ml	Absent/100 ml
Bi. Ma	PARAMETERS	TEST METHOD			Rog Alconnect an José Anton prable Election B. (Distance arctic
		ST RESULTS- BIOLOGICAL P	ARAMET		

Remarks:

End of Report



Selini T. S. Microbiologist

Authorized Signatory

Laiju P. N. Laboratory Head Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard^s Environmental & Analytical Laboratories Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com

A107





	ULR No:TC5402220	00008435F	
LRI No.: SEAAL22091225A	D	ate: 28-09-2022	Page 1 of 2
	COSTONER DI	TAILS	······································
Customer Name & Address	Mr. Mohammed Fazeel T M/s Royal Sand & Gravels Dhoni Plaza Junction, Dhoni P.O. Palakkad District.		
Customer Reference	Test Request dt : 21-09-2022		
	SAMPLE DIT		
Product Category	Water	Sample Code	WT22090303
Sample Name	Ground Water	Sample Received on	22-09-2022
Sample Conditions at Receipt	Fit for Analysis	Temperature @ Receipt	4 °C
Sample Quantity& Packing	2 Liter & 125ml Plastic Bottle	Test Commenced on	23-09-2022
Sampled by	Lab Authorized Sampler	Test Completed on	27-09-2022
	DETAILS OF SA	eplants	and the second
Sample Source	Bore Well	Date of Sampling	21-09-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/01& SEAAL/MBL/SOP/06	Sample Temperature	28 °C
	RAMPLING BULL	DETAILS	
Survey No.	2/P, 14/P, 15/P, 16/P		the second of the second s
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

THE ST	TEST RESULTS- CHEMICAL PARAMETERS						
ML. Ho.	PARAMETERA	TEST METHOD	UNUT	FIESUL/T	Requirement an per Acceptable Simit of Di LOPOO : 4012		
1	Colour	IS 3025 (Part 4):1983	Hazen	1.00	Max 5		
2	Odour	IS 3025 (Part 5):2018		Agreeable	Agrecable		
3	Turbidity	IS 3025 (Part 10):1984	NTU	0.1	Max 1		

Shency Joy Dy. TM Chemical

Checked by:

Salini T. S. Microbiologist Authorized Signatory

Laiju P.N. Laboratory Head

Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard⁵ Environmental & Analytical Laboratories Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. A | 0 8 K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.seatabs.in, E-mail: seaalab@gmail.com





ULR No:TC540222000008435F					
Date: 28-09-2022	Page 2 of 2				

THET REPUT TO CHENICAL PARAMETERS						
SI. No.	PARAMITTERS	TENT NUTLIOD	UNIT	ABSOLT	Construction of the second sec	
4	PH	IS 3025 (Part 11):1983		6.76	6.50 - 8.50	
5	Conductivity	IS 3025 (Part 14):1984	µS/cm	484		
6	Total Dissolved Solids	IS 3025 (Part 16):1984	mg/L	315	Max 500	
7	Total Hardness as CaCO3	IS 3025 (Part 21):2009	mg/L	171	Max 200	
8	Calcium as Ca	IS 3025 (Part 40):1991	mg/L	56.0	Max 75	
9	Magnesium as Mg	IS 3025 (Part 46):1994	mg/L	6.95	Max 30	
10	Chloride as Cl	IS 3025 (Part 32):1988	mg/L	12.0	Max 250	
11	Total Alkalinity as CaCOo	IS 3025 (Part 23):1986	mg/L	181	Max 200	
12	Iron as Fe	1S 3025 (Part 53):2003	mg/L	<0.10	Max 1	
13	Sulphate as SO4	IS 3025 (Part 24):1986	mg/L	9.42	Max 200	

	TERT RESULTS- BIOLOGICAL PARAMETERS						
81. Mo.	PARAMETERS	TEST METHOD	UMER	RESULT	Requirement as per Acceptable Limit of 25 10600 : 2012		
1	Total Coliform Bacteria	IS 15185 : 2016	****	Absent/100 ml	Absent/100 ml		
2	E coli	IS 15185 : 2016		Absent/100 ml	Absent/100 ml		

Remarks:

End of Report



Salini T. S. Microbiologist Authorized Signatory

Laiju P. N. Laboratory Head Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard⁵ Environmental & Analytical Laboratories Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. A 109 K.J. Tower, Patholam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com





ULR No:TC54022200008433F						
LRI No.: SEAAL22091223A	Date: 28-09-2022	Page 1 of 2				

	CONTOMER DETAILS
	Mr. Mohammed Faseel T.A
	M/s Royal Sand & Gravels (P) Ltd
Customer Name & Address	Dhoni Plaza Junction,
	Dhoni P.O. Palakkad District.
Customer Reference	Test Request dt : 21-09-2022

	RAMPLÉ DI	TAUS	
Product Category	Pollution & Environment	Sample Code	EN22090472
Sample Name	Soil	Sample Received on	22-09-2022
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	23-09-2022
Sample Quantity& Packing	500g in Plastic Bag	Test Completed on	27-09-2022
Sampled by	Lab Authorized Sampler	Information Provided by Customer	
	DETAILS OF I	AMPLING	
Sample Source	Project Site	Date of Sampling	21-09-2022
Sampling Procedure	SEAAL/ENL/GEN/SOP/08	Sample Temperature	31 °C

	SAMPLID	g afte dutails	
Re Survey No.	2/P, 14/P, 15/P, 16/F	>	
Village	Akathethara	Taluk	Palakkad
District	Palakkad	State	Kerala

TENT RESULTS- CHEMICAL PARAMYTERS						
SL. No.	PARAMETE	IRS	TEST METHOD	UNIT	REBULT	
1	pH	and the second second	IS 10158: 1982 RA 2014	***	6.40	
2	Conductivity		IS 14767: 2000 RA 2016	µS/cm	99.0	
3	Water Holding Capacity		SEAL/EN/SLS/SOP/01	%	62.0	
		Clay	SEAL/EN/SLS/SOP/14	%	21.3	
4	Particle Size Distribution Sand		SEAL/EN/SLS/SOP/14	%	40.7	

am

LATTRIN

Laboratory Head

9mt Shency Joy Dy. TM Chemical

Checked by:

1101 The results are related only to the samples submitted for analysis and this lest report shall not be reproduced except in full, without the written approval of the laboratory.

Standard[®] Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com





ULR No:TC54022200008433F						
LRI No.: SEAAL22091223A	Date: 28-09-2022	Page 2 of 2				

PARAMETERS TEST METHOD UNIT							
80.	PRUKANA		TEST MUTHOD	UNIT	REBULT		
		Silt	SEAL/EN/SLS/SOP/14	%	38.0		
5	Organic Matter	THE S	IS 2720 (Part 22):1992	%	1.80		
6	Sodium as Na		USEPA 7000B:2009	mg/Kg	210		
7	Chlorides		SEAL/EN/SLS/SOP/08	mg/Kg	110		
8	Sulphur as SO4		IS 2720 (Part 27): 1977	96	0.06		
9	Total Kjeldahl Nitrogen (a	s N)	IS 14684 :1999 RA 2014	%	0.14		
10	Available Potassium		SEAL/EN/SLS/SOP/03	mg/Kg	39.8		
11	Total Phosphorous (as P)		IS 10158: 1982 RA 2014	%	0.06		

Remarks:

End of Report

Shency Joy Dy. TM Chemical Checked by:



Laiiu P. N

Laboratory Head Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standard⁵ Environmental & Analytical Laboratories Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB. K.J. Tower, Pathalam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com

AllI



Shency Joy

Dy. TM Chemical



TEST REPORT

1222A		Date: 28-09-20	022	Page 1 of 1
March March &	CUBTO	NER DETAILS		the second se
Mr. Moh	ammed Faze	el T.A		
Dhoni Pla	za Junction,			
Test Requ	est dt : 21-09-	2022		
	DETAILS	OP MORITORING		
Atmosphe	ric Pollution	Sample Code		EN22090471
Ambient M	loise	Monitoring Com	nenced on	21-09-2022/ 06:00
South- We	est Direction	Monitoring Comp	deted on	22-09-2022/ 06:00
IS 9989:1	981	Monitored by		Lab Authorized Sampler
The second	MONTON	IO BITE DETAILS		
2/P, 14/P	, 15/P, 16/P			
Akathetha	ara Teluk		Pal	akkad
Palakkad		State	Kei	ale
AMAX NO.	MONTON	TO RESULTS - Log		
ULTS AB(A)	TIME	RESULTS dB(A)	TIM	REPULTO ABIA
37.5	14:00	50.3	22:00	36.4
40.2	15:00	50.7	23:00	34.3
44.5	16:00	51.9	24:00	36.8
48.0	17:00	52.2	01:00	37.5
50.3	18:00	46.8	02:00	37.2
53.4	19:00	43.3	03:00	37.9
50.7	20:00	39.5	04:00	36.8
49.9	21:00	39.0	05:00	38.6
	TEST	t Rebuilts		
FAR	MITTERS		UMIT	REBULT
i Level (Leq) Day	Time (06:00 to	22:00)	dB(A)	48.8
I Level (Leq) Nigh	nt Time (22:00	to 06:00)	dB(A)	37.1
	M/s Roy Dhoni Pla Dhoni P.C Test Requined Atmosphe Ambient M South- We IS 9989:1 2/P, 14/P Akathetha Palakkad 101.TS 4B(A) 37.5 40.2 44.5 48.0 50.3 53.4 50.7 49.9	Mr. Mohammed Fase M/s Royal Sand & Gra Dhoni Plaza Junction, Dhoni P.O. Palakkad Dis Test Request dt : 21-09- DETAILS Atmospheric Pollution Ambient Noise South- West Direction IS 9989:1981 CONTROLOGY Akathethara Palakkad 2/P, 14/P, 15/P, 16/P Akathethara Palakkad SOUTFOCK ULTS dH(A) TEXES 37.5 14:00 40.2 15:00 44.5 16:00 48.0 17:00 50.3 18:00 50.3 18:00 50.7 20:00 49.9 21:00	Mr. Mohammed Faseel T.A. M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District. Test Request dt : 21-09-2022 DETAILS OF MONITORNIG Atmospheric Pollution Sample Code Ambient Noise Monitoring Comp South- West Direction Monitoring Comp IS 9989:1981 Monitored by ECONITORNIC Entration 2/P, 14/P, 15/P, 16/P Akathethara Akathethara Tabuk Palakkad State ECONITORNIC RESULTS - Leq IDITE 4B(A) TIME RESULTS 4BQ(A) 37.5 14:00 50.3 40.2 15:00 51.9 48.0 17:00 52.2 50.3 18:00 46.8 53.4 19:00 43.3 50.7 20:00 39.5 49.9 21:00 39.0	Constrained Fascel T.A Mr. Mohammed Fascel T.A M/s Royal Sand & Gravels (P) Ltd Dhoni Plaza Junction, Dhoni P.O. Palakkad District. Test Request dt : 21-09-2022 DETAILE OF SIGNITORING Atmospheric Pollution Sample Code Ambient Noise Monitoring Commenced on South- West Direction Monitoring Completed on IS 9989:1981 Monitored by EDMITCIPIED ENTITY INTERNET Monitored by State Keit Q/P, 14/P, 15/P, 16/P Keit MONTORING FLESULITE - Leg MONITORING FLESULITE - Leg IDETE dB(A) TIME RESTORTORING FLES IDETE dB(A)

The Stars is filled only to the samples submitted for analysis and this test report shall not be reproduced except in tull, without the written approval of the laboratory.

Standard⁵ Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017 vide Certificate No. TC - 5402 & "A" Grade Laboratory approved by KSPCB.

K.J. Tower, Pathaiam, Udyogamandal P.O., Ernakulam-683 501, Tel. 0484-2546660, 93 87 27 24 02, 90 74 34 14 43 Web: www.sealabs.in, E-mail: seaalab@gmail.com

A112

Laiju P.A

Laberatory Head